

EM038K6BD-S

24" Over-The-Range Microwave



Available Finishes/Colors

 **EM038K6BDS-S**
Stainless-Steel / Black Glass Finish

KEY FEATURES

Over the Range Microwave

Elegant and space saving design makes this unit perfect for smaller spaces.

Automatic Cook Functions

Allows you to reheat or cook food automatically without entering power level or time with presets such as Sensor Cook, Popcorn, Defrost by Weight and Reheat.

10 Power Levels

Ten power levels ensure you can cook and heat any meal you desire.

Electronic Control Panel

Electronic display shows Cooking Time, Cooking Power, Time Remaining in Cooking Cycle, and the Present Time.

LED Surface Lighting

Make meal preparation and cooking simple with LED lighting that offers a clear, bright view of your cooktop with brightness from high, medium, low to off.



Vented



1.3 Cu. Ft.
Capacity



LED
Lighting

GENERAL PROPERTIES

Black Stainless Steel / Black Enamel Interior

Recessed Handle

Turntable Included

1.3 Cu. Ft. Capacity

FEATURES

1,000 Watts

10 Power levels

Two-speed, 300 CFM venting

Sensor cooking

Kitchen timer

LED lighting & Surface LED lighting

Auto defrost

Reminder end signal

Start/+ 30 Sec button

Turntable diameter: 13^{9/16"} (345mm)

Grease vent / charcoal filter

FUNCTIONS

Reheat, Popcorn, Beverage, Auto cook, Stop/Cancel/Lock, Clock, Turntable On/Off, Light Hi/Low/Off, Vent Hi/Low/Off, Power Level.

TECHNICAL DETAILS

Product Dimensions In/mm (W/H/D)

23^{7/8"} / 6^{7/16"} / 16^{3/16"}

606mm / 417mm / 411mm

Cut-Out Dimensions In/mm (W/H/D)

24" / 16^{1/2"} / 13"

610mm / 420mm / 330mm

ELECTRICAL REQUIREMENTS

120V / 60 Hz / 15 Amp

Rated Input Power: 1,500 Watts

Rated Output Power: 1,000 Watts

*Supplied with a 5ft long electrical cable and must be hardwired.

Installation Details

PRODUCT DIMENSIONS (INCH/MM)

Width: 23^{7/8}" / Height: 16^{7/16}" / Depth: 16^{3/16}"


Width: 606mm / Height: 417mm / Depth: 411mm

CUT-OUT DIMENSIONS (INCH/MM)

Width: 24" / Height: 16^{1/2}" / Depth: 13"

Width: 610mm / Height: 420mm / Depth: 330mm

Grounded 3 prong outlet inside upper cabinet




*When installing beneath smooth, flat cabinets, refer to cabinet template for detail power cord clearance instructions.

*The space between the cabinets on each side of the range must be at least 24" (610mm) wide and free of obstructions.

*If you are going to vent the microwave oven to the outside, see, "Install Microwave Instructions" for exhaust and duct preparation.

*When installing the microwave beneath smooth, flat cabinets, follow the instructions on the Top Cabinet template for power cord clearance.

**If cabinet depth (including doors) is deeper than 13", unit must be spaced out from rear wall using adequate materials (supporting 150 lbs.) to allow proper top vent air exhaust/intake.



*Allow at least 30" clearance for door depth when open

Specifications & Literature

[Installation Instructions](#)

[User Manual](#)



WARRANTY INFORMATION

Porter & Charles Appliances are designed and manufactured to the highest standards. Each appliance is covered by a comprehensive 2-year parts and labour warranty. Refer to product warranty policy for complete terms and conditions.

FOR PARTS & SERVICE

Euro-Parts & Service

39822 Belgrave Road, Belgrave, ON. N0G 1E0 1 866 722 2262
www.euro-parts.ca • parts@euro-parts.ca • service@euro-parts.ca

Porter & Charles appliances are imported and distributed in North America by Euro-Line Appliances Inc. For more information, please visit one of our showrooms or www.ela.ca / www.elawest.ca

EURO-LINE APPLIANCES INC.

871 Cranberry Court, Oakville, ON
L6L 6J7 Canada
905 829 3980
1 800 421 6332
info@ela.ca

EURO-LINE APPLIANCES INC.

101-1014 Homer Street, Vancouver, BC
V6B 2W9, Canada
604 235 3980
1 855 ELA WEST (352 9378)
info@elawest.ca