QUICK REFERENCE GUIDE > RS2484SLHK1 Date: 06.07.2023 > 1

# Integrated Column Refrigerator, 24", Water

Series 11 | Integrated

Panel Ready | Left hinge



Install it separately or pair with another Column for seamless integration – this model is left hinge with stainless steel interior.


- ActiveSmart<sup>™</sup> technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Two separate Variable Temperature Zones. Choose from Fridge, Pantry or Chill
- Internal water dispenser for convenient access to fresh, chilled water
- Customize with your own kitchen cabinetry or purchase our stainless steel door panel accessory

# **DIMENSIONS**

 Height
 84"

 Width
 23 3/4"

 Depth
 24"



# **FEATURES & BENEFITS**

#### VARIABLE TEMPERATURE ZONES

Create the perfect climate by storing food at their optimal temperature. Change a compartment to Fridge, Pantry or Chill.

## INTERNAL WATER DISPENSER

This integrated model features a slimline water dispenser, located on the inside for an uninterrupted exterior. The flush-fit design of the water dispenser maximizes internal storage space, allowing the shelves to be adjusted to suit your needs. Enjoy a

continuous flow of temperature-controlled chilled water to fill almost any size or shape of vessel.

## APPEALING ILLUMINATION

Bright LEDs light up the ceiling, shelves, bins and trays in both refrigerator and freezer, creating a welcoming glow in your kitchen at night and using less power than comparable halogen lights.

## MIX & MATCH

Integrated Column Refrigeration gives you the freedom to mix and match refrigerators and freezers based on your needs – or install separately. They can be customized with your kitchen cabinetry for a seamless look, or finished with one of our stainless steel door panels.

# **CLEVER ENERGY**

ActiveSmart™ makes your refrigerator more energy efficient – adapting to daily use and cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

#### **DESIGN QUALITY**

The premium design and quality finish includes a white or stainless steel interior lining, as well as full-extension metal shelf runners for easy access and robust glass shelving.

#### PERFECT FIT

Create an understated and clean look in any kitchen. You can hide our Integrated Column models seamlessly behind your cabinetry, fitting flush with only a  $\frac{1}{6}$ " gap and no visible hinges or grilles.

## **SPECIFICATIONS**

# Accessories (sold separately)

Door panel stainless steel 24" Left hinge RD2484L4D

Handle kit Contemporary AHS-RD84

Handle kit Contemporary AHD5RDSF

QUICK REFERENCE GUIDE > RS2484SLHK1 Date: 06.07.2023 > 2

Handle kit Contemporary	AHD5RDSFB	Fruit and vegetable bins	4
Handle kit Contemporary	AHD3-RD84	Gallon door shelves	1
Handle kit Professional round	AHC-RD84	LED bin lighting	•
Handle kit Professional round	AHP3RDSF	LED ceiling lighting	•
Handle kit Professional square	AHV2-RD84	LED lighting	•
Joiner kit	AJ-RS84LR	LED side lighting	•
Toe kick stainless steel 24"	AKRS2404	SmartTouch interface at	•
Toe kick stainless steel 42"	AKRS4204	Soft-close fruit and vegetable	•
Toe kick stainless steel 48"	AKRS4804	Stackable bottle holders	4
Toe kick stainless steel 54"	AKRS5404		
Toe kick stainless steel 60"	AKRS6004	Performance	
Toe kick stainless steel 66"	AKRS6604	ActiveSmart™ Foodcare	•
Toe kick stainless steel 72"	AKRS7204	Dual evaporator	•
Toe kick stainless steel 78"	AKRS7804	Frost free	•
Toe kick stainless steel 84"	AKRS8404	Humidity control system	•
Water filter replacement	FWC3	Inverter controlled compressor	
		Sabbath mode	
Capacity		Variable food modes lower	Pantry; Fridge; Chill
Total gross capacity	12.4cu ft	Variable food modes upper	Pantry, Fridge
Volume	12.4cu ft	Variable temperature zones	2
Volume refrigerator	12.4cu ft		
		Power requirements	
Consumption		Rated current	10A
Energy rating	Energy star	Supply frequency	60Hz
		Supply voltage	115V
Features			
Adjustable door shelves	4	Product dimensions	
Adjustable glass cantilevered	•	Depth	24"
Covered door shelves	1	Height	84"
Door alarm	•	Width	23 3/4"

Warranty		
Parts and labour	2 years	
Sealed system parts and labor	additional 3 years	
SKU	26167	

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > RS2484SLHK1 Date: 06.07.2023 > 3

# Other product downloads available at fisherpaykel.com



**T** 1.888.936.7872 **W**www.fisherpaykel.com

Energy Label

User Guide Integrated Refrigerator & Freezer

Guide d'utilisation FR

Service & Warranty

Installation Guide - Toe Kick

Installation Guide - Water Filter Replacement

Guide d'installation - Instructions de Remplacement du Filtre à Eau FR

Guide d'installation FR

Installation Guide

Specification Guide Integrated Column Refrigerator

Data Sheet Integrated Column Refrigerator

Data Sheet Integrated Column Fridge Dual Install (18" + 24")

Data Sheet Integrated Column Fridge Dual Install (24" + 24")

Data Sheet Integrated Column Fridge Dual Install (24" + 30")

Planning Guide Integrated Columns

Key Purchase Decisions Integrated Columns

# A PEACE OF MIND SALE