QUICK REFERENCE GUIDE > OM24NMTDB1

Combination Microwave Speed Oven, 24", 22 Function

Series 9 | Minimal

Black Glass



The speed of microwave cooking with the versatility of convection oven technology in a compact companion model, for perfect pairing.


- Generous 1.7 cu ft capacity, with four shelf positions
- A Wired Temperature Sensor precisely monitors cooking in real time
- Guided touchscreen cooking makes it simple to navigate cooking processes
- Wi-Fi enabled and works with the SmartHQ[™] app for remote control and notifications

DIMENSIONS

 Height
 18"

 Width
 23 7/16"

 Depth
 22 1/4"



FEATURES & BENEFITS

COOKING FLEXIBILITY

Choose from 22 functions, including four microwave-only functions, 14 traditional oven functions, and four combination functions, giving you the best microwave and convection oven technology.

COOK WITH CONFIDENCE

The 5" screen provides an intuitive guided cooking experience that helps to deliver perfect results, whether you've been

cooking all your life or are just starting out.

SIZED TO SUIT

A compact 24" width means this microwave oven can be placed almost anywhere - all companion products can be installed at a convenient height to suit your kitchen design and preference.

COMPLEMENTARY DESIGN

With a reflective black glass finish, this Minimal style oven is well-suited to a variety of kitchen designs. It's distinctive and timeless, whether on its own or part of a matching appliance set.

MULTI-FUNCTION FLEXIBILITY

Each function has been tailored and tested to ensure perfect defrosting, heating and cooking. A Wireless Temperature Sensor precisely monitors cooking in real time, giving you complete control.

SAFE AND SOUND

The CoolTouch door is safe to touch from the outside, protecting your hands and the surrounding cabinetry.

SPECIFICATIONS

- 1 1 4 1.7cu ft 1.3cu ft
1.7cu ft
1.3cu ft

QUICK REFERENCE GUIDE > OM24NMTDB1 Date: 06.07.2023 > 2

Removable oven door Removable shelf runners True Aero Vent bake Varm Automatic pre-set Dial with illuminated halo Electronic oven control Halogen lights Huttive touchscreen display Multi-language display Precise electronic temperature Sabbath mode with Star K Microwave power levels Wi-Fi connectivity Power requirements Automatic range Power requirements Automatic range Power requirements Automatic range Power againements Functions Amperage 25. Aaro Bake Supply frequency Supply voltage Product dimensions Broil Depth 22 1/4 Height Bake Broil Microwave cooking Wi-Fri and labour 2 year	Cleaning		Rapid proof	•
Removable shelf runners True Aero Vent bake Warm Automatic pre-set Dial with illuminated halo Electronic oven control Halogen lights Aero Tech** technology Intuitive touchscreen display Halogen lights Aero Tech** technology Intuitive touchscreen display Automatic rapid pre-heat Multi-language display Multi-language display Multi-language display Microwave power Microwave power Microwave power Microwave power Microwave power 900v Sabbath mode with Star K Microwave power levels Soft close doors Temperature range Microwave power 95° F - 445° Microwave power 95° F - 445° Microwave power levels Soft close doors Microwave power levels Soft close doors Microwave power levels Soft close doors Microwave power 900v Sabbath mode with Star K Microwave power levels Soft close doors Microwave power levels Soft close doors Microwave power levels Temperature range Microwave power 900v Power requirements Amperage 25, Aero Bake Supply frequency SoH Aero Broil Supply voltage 208-240' Alf fry Bake Product dimensions Broil Depth 22 1/4 Height Microwave cooking Microwave cooking Warranty Pastry Bake Parts and labour 2 year	Acid resistant graphite enamel	•	Roast	•
Vent bake Controls Automatic pre-set Dial with illuminated halo Electronic oven control Halogen lights Aero Tech" technology Intuitive touchscreen display Multi-language display Microwave by levels Precise electronic temperature Microwave power levels Soft close doors Temperature range Power requirements Aero Bake Supply frequency Aero Broil Aero Broil Product dimensions Broil Depth 22 1/4 Microwave cooking Warranty Patsr and labour 2 year	Removable oven door	•	Slow cook	•
Controls Automatic pre-set Dial with illuminated halo Electronic oven control Halogen lights Automatic rapid pre-heat Multi-language display Multi-language display Precise electronic temperature Sabbath mode with Star K Microwave power power Sabbath mode with Star K Microwave power levels Wi-Fi connectivity Power requirements Amperage 25. Aero Bake Aero Broil Arry Bake Product dimensions Broil Depth 22 1/4 Maxi Broil Microwave cooking Warranty Parts and labour 2 year	Removable shelf runners	•	True Aero	•
Automatic pre-set Dial with illuminated halo Performance Electronic oven control ActiveVent** system Halogen lights AeroTech** technology Intuitive touchscreen display Multi-language display Multi-language display Precise electronic temperature Microwave power Sabbath mode with Star K Microwave power levels Soft close doors Temperature range Power requirements Functions Amperage Aro Bake Merowave power levels Supply frequency Supply frequency Supply voltage 208-240* Air fry Bake Product dimensions Broil Depth 22 1/4 Maxi Broil Microwave cooking Warranty Parts and labour 2 year			Vent bake	•
Dial with illuminated halo Performance Electronic oven control ActiveVent™ system Halogen lights Automatic rapid pre-heat Multi-language display Precise electronic temperature Sabbath mode with Star K Microwave power levels Soft close doors Wi-Fi connectivity Power requirements Murotions Amperage Supply frequency Supply voltage 208-240' Air fry Bake Product dimensions Broil Popth 22 1/4 Budght Bake Product dimensions Broil Power requirements Width 23 7/16 Maxi Broil Microwave cooking Parts and labour 2 year Parts and labour 2 year	Controls		Warm	•
Electronic oven control ActiveVent™ system AeroTech™ technology Intuitive touchscreen display Multi-language display Precise electronic temperature Sabbath mode with Star K Soft close doors Wi-Fi connectivity Power requirements Functions Amperage Supply frequency Supply requency Supply voltage 208-240¹ Air fry Bake Product dimensions Broil Poeffost Height Bakid Poehydrate Wilcrowave cooking Warranty Parts and labour 2 year	Automatic pre-set	•		
Halogen lights AeroTech™ technology Intuitive touchscreen display Multi-language display Multi-language display Precise electronic temperature Microwave power Sabbath mode with Star K Microwave power levels Soft close doors Temperature range Power requirements Functions Amperage Supply frequency Supply requency Supply voltage Product dimensions Broil Depth Defrost Depth Depth Depth Depth Depth Depth Depth Depth Microwave cooking Microwave cooking Microwave cooking Parts and labour Parts and labour 2 year	Dial with illuminated halo	•	Performance	
Automatic rapid pre-heat Multi-language display Multi-language display Precise electronic temperature Sabbath mode with Star K Soft close doors Wi-Fi connectivity Power requirements Functions Amperage Supply frequency Supply voltage Product dimensions Broil Defrost Depth Defrost Dehydrate Microwave power levels **Temperature range 95 °F - 445 ° **Product dimensions Broil Width 18 Dehydrate Microwave power levels **Temperature range 95 °F - 445 ° **Product dimensions Broil Width 18 Dehydrate Width 18 Width 23 7/16 Warranty Pastry Bake Parts and labour 2 year	Electronic oven control	•	ActiveVent™ system	•
Multi-language display Precise electronic temperature Sabbath mode with Star K Microwave power levels Soft close doors Temperature range 95 °F - 445 ° Power requirements Functions Aero Bake Aero Broil Aero Broil Air fry Bake Product dimensions Broil Defrost Pepth 22 1/4 Defrost Height Bake Maxi Broil Microwave cooking Pastry Bake Prats and labour Parts and labour Parts and labour Amicrowave power levels Microwave power levels Microwave power levels Suppover requirements Functions Amperage 25. Supply frequency Supply voltage 208-240' Product dimensions Broil Amicrowave cooking Amicrowave cooking Amicrowave cooking Parts and labour Amicrowave power Microwave power Power requirements Amicrowave power levels Supply voltage 25. Supply voltage Power requirements Amperage 25. Supply voltage Power requirements Amperage 25. Supply voltage Parts and labour Parts and labour Parts and labour 2 year	Halogen lights	•		•
Precise electronic temperature Sabbath mode with Star K Microwave power levels Soft close doors Temperature range Power requirements Amperage Aero Bake Aero Broil Aero Broil Air fry Bake Product dimensions Broil Defrost Height Behydrate Microwave cooking Microwave power levels Temperature range 95 °F - 445 ° Microwave power levels Temperature range 95 °F - 445 ° Microwave power levels Temperature range 95 °F - 445 ° Power requirements Amperage 25. Supply frequency 50H Approach Supply voltage 208-240' Air fry Bake Product dimensions Broil Depth 22 1/4 Microwave cooking Warranty Pastry Bake Parts and labour 2 year	Intuitive touchscreen display	•	Automatic rapid pre-heat	•
Sabbath mode with Star K Microwave power levels Temperature range 95 °F - 445 ° Temperature range 95 °F - 445 ° Power requirements Amperage 25. Aero Bake Aero Broil Supply frequency Supply voltage 208-240' Air fry Bake Product dimensions Broil Depth 22 1/4 Defrost Height 18 Dehydrate Microwave cooking Microwave cooking Pastry Bake Parts and labour 2 year	Multi-language display	•	Microwave by levels	•
Soft close doors * Temperature range * Power requirements * Amperage Aero Bake Aero Broil Air fry Bake * Product dimensions Broil Defrost Depth 22 1/4 Height Bake Microwave cooking Microwave cooking Pastry Bake	Precise electronic temperature	•	Microwave power	900W
Wi-Fi connectivity Power requirements Amperage 25. Aero Bake Supply frequency 50H Aero Broil Supply voltage 208-240' Air fry Sake Product dimensions Broil Depth 22 1/4 Defrost Height 18 Dehydrate Width 23 7/16 Maxi Broil Warranty Pastry Bake Parts and labour 2 year	Sabbath mode with Star K	•	Microwave power levels	6
Power requirements Amperage 25. Aero Bake Supply frequency 50H Aero Broil Supply voltage 208-240° Air fry Product dimensions Broil Product dimensions Broil Depth 22 1/4 Defrost Height 18 Dehydrate Width 23 7/16 Maxi Broil Warranty Pastry Bake Parts and labour 2 year	Soft close doors	•	Temperature range	95 °F - 445 °F
Amperage 25. Aero Bake Supply frequency 50H Aero Broil Supply voltage 208-240 Air fry Product dimensions Broil Depth 22 1/4 Defrost Depth 18 Dehydrate Width 23 7/16 Maxi Broil Warranty Pastry Bake Parts and labour 2 year	Wi-Fi connectivity	•		
Amperage 25. Aero Bake Supply frequency 50H Aero Broil Supply voltage 208-240 Air fry Product dimensions Broil Depth 22 1/4 Defrost Depth 18 Dehydrate Width 23 7/16 Maxi Broil Warranty Pastry Bake Parts and labour 2 year			Power requirements	
Aero Broil Supply requency Supply Aero Broil Supply voltage 208-240° Air fry Supply voltage Product dimensions Broil Depth 22 1/4 Defrost Height 18 Dehydrate Width 23 7/16 Maxi Broil Supply requency Su	Functions			25A
Aero Broil Air fry Bake Product dimensions Broil Depth Defrost Height Bake Width Dehydrate Width Maxi Broil Microwave cooking Microwave cooking Pizza bake Supply voltage Workland Workland Supply voltage Workland Workland Workland Supply voltage Workland Workland Workland Warranty Parts and labour 208-2400 Workland Warranty Parts and labour 2 year	Aero Bake	•	Supply frequency	50Hz
Bake Product dimensions Broil Depth 22 1/4 Defrost Height 18 Dehydrate Width 23 7/16 Maxi Broil Warranty Pastry Bake Pizza bake Parts and labour 2 year	Aero Broil	•		208-240V
Broil • Depth 22 1/4 Defrost • Height 18 Dehydrate • Width 23 7/16 Maxi Broil • Warranty Pastry Bake • Parts and labour 2 year	Air fry	•		
Depth 22 1/4 Defrost	Bake	•	Product dimensions	
Pefrost Height Midth 23 7/16 Width Axi Broil Microwave cooking Pastry Bake Pizza bake Height Width 23 7/16 Parts and labour Parts and labour 2 year	Broil	•	Depth	22 1/4"
Pehydrate • Width 23 7/16 Maxi Broil • Warranty Pastry Bake • Parts and labour 2 year	Defrost	•	·	18"
Maxi Broil Microwave cooking Pastry Bake Parts and labour Parts and labour 2 year	Dehydrate	•		23 7/16"
Pastry Bake Pizza bake Parts and labour 2 year	Maxi Broil	•		
Pastry Bake Parts and labour 2 year Pizza bake •	Microwave cooking	•	Warranty	
Pizza bake •	Pastry Bake	•		2 4025
Popcorn •	Pizza bake	•		2 years
	Popcorn	•		

SKU 82664

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

QUICK REFERENCE GUIDE > OM24NMTDB1 Date: 06.07.2023 > 3

Other product downloads available at fisherpaykel.com



Service & Warranty



Data Sheet Convection Speed Oven



Preliminary Specification Guide Speed Oven



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**www.fisherpaykel.com