24" Bar Handle Dishwasher

500 Series - Stainless Steel SHX65CM5N



1440 W

12 Amps

120 V

60 Hz 67"

Right - 56"

78 3/4"

x 23 3/4"

Yes

85 lbs

33 7/8" x 23 9/16"

33 7/8" x 24" x 24"

SMZPCJB1UC

SMZ3IN1UC

SMZ4000UC

SMZ5002UC

SMZEPCC1UC

SMZ5000

Technical Details

Power cord full length

from edge of unit when

facing the door

Length outlet hose **Dimensions & Weight**

Overall appliance

Adjustable feet

(HxWxD)

Net weight

Junction Box

Supply Hose

Silverware Basket

Dishwasher Accessory

Anti-Tarnish Silverware

Edge Protector + Power

Cord Clip Install Kit

Hose Kit

Kit

Cassette

dimensions (HxWxD)

Required cutout size

Accessories-Optional

Junction Box + Supply

Bosch Dishwasher Water SMZSH1ABUC

Drain Hose Extension Kit SGZ1010UC

Power cord install length Left - 45"

Minimum water pressure 14 lb/sin

Watts Current

Volts

Frequency



SHX65CM5N Stainless Steel

The AutoAir® drying option automatically releases the door at the end of the cycle to let moisture escape and fresh air in for drier dishes.

Features & Benefits

So quiet at 44 dBA, InfoLight® shines on the floor so you know the dishwasher is running.

The Flexible 3rd Rack with fold down sides adds 30% more* loading area, perfect for utensils and ramekins.

Enhance your cleaning experience with Wi-Fi enabled Home Connect®. Access additional wash cycles and options or choose the right one for your needs using Smart Cycle.

The AquaStop® leak protection system contains leaks through a precisely engineered system. If a leak occurs, the system contains it by shutting down operation and pumping out water. So you have the ultimate peace of mind whether you are away or at home.

Number of wash cycles	5 + 3 additional in Home Connect®			
Number of options	3 + 2 additional in Home Connect®			
dBA	44			
Wash system	PrecisionWash®			
Drying system	AutoAir®			
Third rack	Flexible 3rd Rack			
Rack adjustability	Rackmatic®			
Tub material	Stainless Steel			
Control type	Touch Controls			
Concealed water heating element	Yes			
Leak protection system	24/7 AquaStop®			
Home Connect® (WiFi enabled)	Yes			
NSF*-certified** sanitize option	Yes			
Water softener	No			
Five-level wash	Yes			
Child Lock button suspension	No			
Anti-Fingerprint Finish	Yes			
Special features	InfoLight®, AutoAir® Option			
Efficiency				
Water usage per cycle	3.2 gal			
ENERGY STAR® certified	Yes			
Total annual energy consumption	240 kWh			
331.3411ption				
Capacity				

Home Connect





*Compared to	а	Bosch	dishwasher	with	2	racks.
***		NIOF	44101.01	1 4 6		

^{**}Certification to NSF/ANSI Standard 184 for residential dishwashers.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST). Sat 6 am to 3 pm PST). Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


24" Bar Handle Dishwasher


500 Series - Stainless Steel SHX65CM5N





Installation Details











Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.


Warranties: Please see Use & Care manual or Bosch website for statement of limited warranty.


24" Bar Handle Dishwasher

500 Series - Stainless Steel SHX65CM5N



Installation Details





Note: Plumbing installations will vary - refer to local codes. Drain hose included is 79" (201 cm) and can be extended to a maximum of 155 3/4" (396 cm).

Always use the approved drain hose extension kit (SGZ1010UC).

Ensure a portion of the drain hose is raised between min. 33" (84 cm) and max. 43" (110 cm) above the cabinet floor.

Accessories: To purchase Bosch accessories, cleaners & parts please visit www.bosch-home.com/us/store or call 1-800-944-2904 (Mon to Fri 5 am to 6 pm PST, Sat 6 am to 3 pm PST).

Notes: All height, width and depth dimensions are shown in inches. BSH reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Consult the product's installation instructions for final dimensional data and other details prior to making cutout.