
MODEL: AEL481INRT



48" ELISE INDUCTION RANGETOP







In the re-imagining of the classic Elise design, AGA took its cues from the modern farmhouse movement itself. Rustic vet refined, the Elise blends old and new in masterful ways, both fresh and timeless, with just a hint of the exquisite.

The AGA Elise Induction Rangetop can heat food precisely, two to three times more quickly than gas, while conserving energy, saving counter space, and simplifying cleaning by keeping glass surfaces cool so splatters don't cook on.

Complimented by stunning cruciform knobs with knurling (available in standard Brushed Nickel, five after-market finishes, or optional Antique Brass), the re-imagined AGA Elise Induction Rangetop confidently steps into the spotlight along side its classic AGA siblings.

FEATURES

- Extra-large 43"W x 21 1/2"D ceramic glass surface with 5 induction burners and facia touch controls efficiently utilizes / transfers / captures 90% of energy generated compared to only 55% with that of a traditional aas burner
- · Hob display features: 3700w boost, residual heat indicator, 9 power settings, overheat detection and child safety lock.

SPECIFICATIONS

- · Electrical Rating: 230V (2 Wire + N + Grd) 60Hz 11.1kW
- · Induction element ratings:

Front Left: 1.4 kW (Max) 2.2 kW (Boost) Rear Left: 1.85 kW (Max) 3.0 kW (Boost) Center: 2.3 kW (Max) 3.7 kW (Boost) Front Right: 1.85 kW (Max) 3.0 kW (Boost) Rear Right: 1.85 kW (Max) 3.0 kW (Boost)

- Product Dimensions: 47 %16" W x 26 7/10" D x 8 1/8" H
- · Shipping weight (lbs): 132lbs (includes packaging, no pallet)






48" ELISE INDUCTION RANGETOP

MODEL: AEL481INRT

5 BURNER INDUCTION COOKTOP



Cooking zone	Minimum Pan Diameter (Pan base) inches (mm)
Front left	4 ³ ⁄ ₄ " (120)
Rear left	5 ½" (140)
Center	8 1/4" (160)
Rear right	5 ½" (140)
Front right	5½"(140)

CONTROL PANEL COLOR FINISHES

NOTE: Colors not in stock could have a 4-12 week lead time (check for availability).



DECORATIVE KNOB FINISHES

The AGA Elise Rangetop is complimented by stunning cruciform knobs with knurling, shipped standard in Brushed Nickel, but also available in five additional versatile after-market hardware finishes (Polished Chrome, Polished Brass, Polished Copper, Brushed Brass and Black Anodized Aluminum).



ANTIQUE BRASS FINISH OPTION

The Antique Brass Knob & Handle Stanchion option (includes Antique Brass Knobs) MUST be specified at time of ordering.



WARRANTY

· 2 Year Warranty on parts and labor with exception of cosmetic damage





48" ELISE INDUCTION RANGETOP

MODEL: AEL481INRT

CONNECTIONS

Electric Supply	240 V 60 Hz	
Electric Rating	240V (2 Wire + Grd), 60Hz, 11.4 kW *	
Branch Circuit Protection	50 A *	
Connection Type	NEMA 14-50 P	
Maximum total electric load 240 V	11.4 kW*	
* Load demand diversity calculation according to NFPA 70 article 220.		

DIMENSIONS

	48" Induction Rangetop	36" Induction Rangetop
Overall width	47 %6" (1208 mm)	35 ½" (900mm)
Overall depth	26 %o" (678 mm)	26 %°" (678 mm)
Minimum space for Rangetop	48 " (1220 mm)	31½" (800mm)
Weight (unpacked)	132 LBS (60 Kg)	90 LBS (40 Kg)

RANGETOP RATINGS

Rangetop Zone	Max	Boost
Front Left	1.40 kW	2.20 kW
Rear Left	1.85 kW	3.00 kW
Center	2.30 kW	3.70 kW
Front Right	1.85 kW	3.00 kW
Rear Right	1.85 kW	3.00 kW



48" ELISE INDUCTION RANGETOP

MODEL: AEL481INRT

COUNTERTOP CUTOUT DIMENSIONS FOR 48" RANGETOP

