



Front Load Perfect Steam™ Electric Dryer with Balanced Dry™ and Instant Refresh – 8.0 Cu. Ft.

Dryer

Available Products: ELFE773CAA, ELFE773CAW, ELFE773CMW

Available Colors: Alpine, White, Matte White

Version: 11/25

## Product Specifications

### Dryer

Air Flow	200 CFM
Balanced Dry	Yes
Drum Back Type	Painted Steel
Drum Material	Stainless Steel
Dryness Level Selections	Yes
Lint Filter	Yes
Predictive Dry	Yes

### Dryer Options

Anti Static	Yes
Delay Start Time	1-12 Hours
Drum Light	Yes
Dry Boost	Yes
Extended Tumble	Yes
Perfect Steam	Yes
Wrinkle Release	Yes

### Dryness Level

Max	Yes
High	Yes
Normal	Yes
Low	Yes
Damp	Yes

### Exterior

Door Latch	Yes
Reversible Door	Yes

### Electrical Specifications

Minimum Circuit Required	30 Amps
Voltage Rating	208/240v

### Installation

Optional Pedestal	Yes
Power Cord Included	Yes
Ventilation Type	Vented

### Performance Certifications and Approvals

ENERGY STAR Certified	Yes
-----------------------	-----

### Dryer Cycles

Cycle Count	11
Activewear	Yes
Air Dry	Yes
Allergen	Yes
Delicates	Yes
Fast Dry	Yes
Heavy Duty	Yes
Mixed Load	Yes
Normal	Yes
Timed Dry Time	Yes
Towels	Yes
Wear it Again	Yes

### Drying Temperatures

Low	Yes
Normal	Yes
High	Yes
Sanitize	Yes
Eco Dry	Yes

### Controls

Cancel	Yes
Control Lock	Yes
Cycle Status Lights	Yes
Delay Start	Yes
Estimated Time Remaining	Yes
Pause Function	Yes
Power On/Off	Yes
Start	Yes

### Dimensions and Volume

Height	38"
Width	27"
Depth	32"
Dryer Drum Capacity	8 Cu. Ft.
Dry Linen Capacity Tested Amount	11.5 kg

### Energy Data

Combined Energy Factor (CEF)	3.48
kWh/cycle	2.5 kWh
kWh/year	620 kWh

Front Load Perfect Steam™ Electric Dryer with Balanced	5476
Dry™ and Instant Refresh – 8.0 Cu. Ft.	
Available Products: ELFE773CAA, ELFE773CAW,	Available Colors: Alpine, White, Matte White
ELFE773CMW	
Version: 11/25	

Right to Repair Details

Right to Repair	Available - Visit electrolux.ca/en/Owner-Support/right-to-repair for more information
-----------------	---

General Specifications


Chime On / Chime Off	Yes
Leveling Legs	Yes
Prop 65 Label	No
Warranty - Labor	1 Year
Warranty - Parts	1 Year

Safety Certifications and Approvals

UL Listed	Yes
-----------	-----

## Installation Diagram

### Dryer dimensions



\* Connection of water inlet hose on steam dryer adds 3/4 in. (2 cm) to installation depth.

<sup>1</sup> Power supply cord length on gas dryer or electric Canadian dryer approximately 60 inches (152.5 cm).

<sup>2</sup> Drain hose length on washer approximately 59 inches (150 cm).

<sup>3</sup> Power supply cord length on washer approximately 60 inches (152.5 cm).