Installation Instructions

Built-In Trim KitsJX1124STC

? Questions? Call 1.800.561.3344 or Visit our Website at: GEAppliances.ca

BEFORE YOU BEGIN

Read these instructions completely and carefully.

- **IMPORTANT** Save these instructions for local inspector's use.
- **IMPORTANT** Observe all governing codes and ordinances
- Note to Installer Be sure to leave these instructions with the Consumer
- Note to Consumer Keep these instructions for future reference.
- For easier installation and personal safety, we recommend that two people install this microwave oven.

A WARNING — This oven must be plugged into a properly grounded 3-hole, 120V receptacle as required by the National Electrical Code.

- Do not alter or modify any part of this kit or the oven.
- Unplug the microwave oven before attempting installation of this kit.
- Skill level Installation of this appliance requires basic mechanical and electrical skills.
- Completion time Less than 1 hour
- Proper installation is the responsibility of the installer.
- Product failure due to improper installation is not covered under the Warranty.
- This kit is cUL listed for installation alone. Not for use adjacent to (within 2 feet of) any gas or electric range, cooktop or oven.
- This kit is for use on model: JE1140 STC.

FOR YOUR SAFETY:


▲ WARNING — Before beginning the installation, switch power off at service panel and lock the service disconnecting means to prevent power from being switched on accidentally. When the service disconnecting means cannot be locked, securely fasten a prominent warning device, such as a tag, to the service panel.

PARTS		
Number	Part	Quantity
1	Screw, M4 x 10	4
2	Customer Supplied Cabinet	Not Included
3	Microwave Oven	Not Included
4	Lower Exhaust Guide	1
5	Screw M4 x 8	7
6	Trim Piece	1
7	Screw M3 x 20	4
8	Upper Exhaust Guide	1

Installation Instructions

☐ 1 CABINET REQUIREMENTS


Cabinet must comply with these dimensions.



☐ 2 INSTALL LOWER EXHAUST GUIDE

Turn the Microwave upside down and install the Lower Exhaust Guide using three M4 x 8 screws.


NOTE: Ensure the orientation of the Rear flange is correct (i.e. Opening pointing forward).



☐ 3 INSTALL UPPER EXHAUST GUIDE


Return the Microwave to its upright position and install the Upper Exhaust Guide using four M4 x 8 screws.

NOTE: Ensure the orientation of the Rear flange is correct (i.e. Opening pointing forward).





☐ 4 INSTALL TRIM PIECE

Mount Trim Piece onto the front of the Microwave and secure on both sides using four M4 x 10 screws, 2 on each side.



Installation Instructions





350A4502P714 29-5792