

B3007H-B
30" Built-In Multi-function Oven

B3007H-B

30" Built-in Multi-Function Oven



OVEN PROGRAMS

- Ventitherm®/True Fan Convection
- Pizza Mode
- Conventional Cooking
- Rotitherm® Roasting/Turbo Grilling
- Fast Grilling
- Grilling
- Defrost
- Fan Assist
- High Bake
- Cataluxe® cleaning system

OVEN FEATURES

- MaxiKlasse™ 120L (4.3 cu. ft) capacity
- ThermiC° hot air cooking technology for perfect cooking
- Isofont® Triple glazed glass door
- Cataluxe® Heat activated catalytic liners for continuous clean
- ProSight® Large LCD touch controls and displays
- 9 cooking functions in upper oven including True Fan Convection
- Oven power indicator and temperature pilot light
- Audible signal for set temperature
- 5 shelf positions
- Metric and Imperial baking chart on interior of door
- Cooling fan

OVEN ACCESSORIES

- Grill/roasting pan
- Reversible grill insert
- 2 chrome oven racks : 22" W x 15¹/₄"
- Full extension telescopic rails (1 pair)
- Optional bottom vent grill (7427640) available

Specifications (Column Installation)

B3007H-B

OVEN DIMENSIONS

- D: 21^{7/8"} x H: 24^{3/8"} x W: 29^{13/16"}
- D: 555 mm x H: 619 mm x W: 758 mm

CUT-OUT DIMENSIONS

- D: 22^{1/4"} x H: 24^{3/16"} x W: 28^{1/2"}
- D: 565 mm x H: 614 mm x W: 724 mm

CONDO ELECTRICAL REQUIREMENTS

- 208 Volt, 60Hz, 3460 Watt, 20 AMP

HOUSE ELECTRICAL REQUIREMENTS


- 240 Volt, 60Hz, 4580 Watt, 30 AMP

IMPORTANT

- AEG ovens are supplied with a 3' 10" long electrical cable and must be hard wired to the electrical supply
- AEG ovens uses the following wires:
RED & BLACK: Live Wires
GREEN: Ground
The Neutral (White) wire is not required for the electrical installation.

VOID CUT-OUT

- If the oven is mounted in a tall or demi-tall cabinet, there must be a minimum gap of 19/16" (4cm) cut out of the shelf and behind the upper cabinet to allow air to flow freely
- A void must be cut-out in the shelf of the cabinet. Leave 4" of shelf material around the void.
- Additional support must be added to the shelf with the void. The support must be able to withstand the oven weight.
- If sufficient air flow is not provided, the life of the appliance will be shortened.
- Cut-out in the toe kick is optional and recommended.
- Optional bottom vent grill (7427640) available.



FALSE BACKS

- Install false backs for storage spaces. This will prevent contents from falling through the vent space. In addition, warm air will not interfere with your stored contents


Oven Specifications are subject to change without notice
Detailed Specification Available at www.aeg-appliances.ca

Specifications (Under Counter Installation)

B3007H-B

AIR FLOW REQUIREMENTS

- If the oven is being placed under the counter, there must be a minimum gap of 19/16" (4cm) cut out of the shelf behind the oven to allow air to flow freely.
- A void must be cut-out in the shelf of the cabinet. Leave 4" of shelf material around the void.
- Additional support must be added to the shelf with the void. The support must be able to withstand the oven weight.
- If sufficient air flow is not provided, the life of the appliance will be shortened.
- Cut-out in the toe kick is optional and recommended.
- Bottom vent grill (7427640) available.



Oven Specifications are subject to change without notice
Detailed Specification Available at www.aeg-appliances.ca

AEG products are designed and built to the highest standards.
Each appliance is covered by a comprehensive 2 year parts and labour warranty.

Refer to product warranty policy for complete terms and conditions.

For Service & Parts
EURO-PARTS

39822 Belgrave Rd,
Belgrave, Ontario, Canada,
N0G 1E0

1.800.678.8352

AEG appliances are imported and distributed in North America by Euro-Line Appliances Inc.

For more information visit

www.euro-line-appliances.com / www.elawest.com

EURO-LINE APPLIANCES INC.

871 Cranberry Court
Oakville, ON L6L 6J7
Canada
Toll Free: 1.800.421.6332
Showroom: 905.829.3980
marketing@euro-line-appliances.com

EURO-LINE APPLIANCES WEST INC.

2912 West 4th Ave
Vancouver, BC V6K 1R2
Canada
Toll Free: 1.855.ELA WEST (352.9378)
Showroom: 604.235.3980
info@elawest.com