

OR36SDG6X1 Dual Fuel Range 36"

Contemporary

Feeding a crowd is a breeze with this 36" Fisher & Paykel Freestanding Dual Fuel Range that lets you cook several dishes at the same time with its spacious gas cooktop and self-cleaning convection oven.

Brushed Stainless Steel with black glass

24/7

A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support T 1.888.936.7872 W fisherpaykel.com

Dimensions

Depth	25 1/4"
Height	35 3/4 - 37 1/4"
Width	35 7/8″

Features & Benefits

Multi-shelf cooking

Our AeroTech[™] system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

Quality and durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop trivets and machined stainless dials all add up to an exceptional, premium range.

Easy to clean

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The selfclean function breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Burner power & control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

Large capacity oven

The generous 4.9 cu. ft total capacity oven gives you plenty of space to cook multiple dishes at once.

Even heat

Accurate, electronically-controlled oven heat ensures a great result every time.

Specifications

	Accessories
•	2-pc grill system (Broil pan & Grill rack)
•	Broil pan
2 sets (part 578744)	Full extension sliding shelves
•	Grill rack
3 1/8" (part 81654)	Hob rear trim (optional)
Part 81659	Kick strip, stainless steel (optional)
1 set	Pyrolytic proof shelf runners
1 (part 533981 cast)	Small pot support
1 (part 534678)	Wok stand

Cleaning

Acid resistant graphite enamel	•
Dishwasher safe trivets	•
Drop down grill element	•
Pyrolytic Self-clean	•
Pyrolytic proof shelf runners	•
Removable oven door/s	•
Removable shelf runners	•

FISHER & PAYKEL

SPEC SHEET > OR36SDG6X1 > Dual Fuel Range 36"

Controls	
Audio feedback	
Automatic cooking/minute timer	
Automatic pre-set temperatures	
Celsius/Fahrenheit temperature	
Electronic clock	
High resolution display	
Interior light	
Laser etched graphics	
Precise electronic temperature control	
Sabbath mode	
Turned stainless steel clock buttons	
Turned stainless steel clock crown (dial)	
Turned stainless steel dials with	
illuminated halos	
Cooktop features	
Brass burner spreader (power burner)	
Dishwasher safe trivets	
Embossed brass burner cap (power	
burner)	
Gas Cooktop- Sealed range top	
LPG/Natural gas compatible	

Cooktop performance			
Dual wok burner inner / outer (LPG)	1000 - 18000 BTU		
Dual wok burner inner / outer (natural gas)	1000 - 18000 BTU		
Max burner power	18000 BTU		
Number of burners	5		
Semi-rapid burner (LPG) x2 Semi-rapid burner (natural gas) x2 Total cooktop power Triple ring wok burner (LPG) x2	1500 - 8000 BTU 1500 - 8000 BTU 62000 BTU 6100 - 14000 BTU		
		Triple ring wok burner (natural gas) x2	6100 - 14000 BTU
		Details	
		UPC Code	822843813056
Gas requirements			
Supply Pressure (LPG)	11″ W.C.F		
Supply Pressure (natural gas)	4″ W.C.F		
Installation cutout dimensions			
Depth	25 1/4 "		

Oven features	
AeroTech™ technology	•
Automatic rapid pre-heat	•
Concealed element	•
Electronic oven control	•
Full extension telescopic sliding shelves	2 sets (part 578744)
Internal light	4 x 25W halogen (2 side & 2 top)
Pyrolytic proof shelf runners	•
Self cleaning	•
Soft open/close door	•
True Convection	•
Twin cavity fans	•
Warming drawer	•
Oven functions	
Aero™ Bake	•
Aero™ Broil	•
Aero™ Pastry with Pizza mode	•
Bake	•
Maxi Broil	•
Number of Functions	9
Rapid proof	•
Roast	•
Self-clean	•
True Aero™	•

SPEC SHEET > OR36SDG6X1 > Dual Fuel Range 36"

Oven performance	
Broil	4300 W
CoolTouch door	Quadruple glazed
Shelf positions	7
Total oven capacity	4.9 cu ft
Warming drawer	220 W
Power requirements	
AMP draw	30 A
Supply frequency	60 Hz
Supply voltage	208 - 240 V
Safety	
Advanced cooling system	•
Anti-tilt bracket	•
Auto re-ignition system	•
Balanced oven door	•
Catalytic venting system	•
CoolTouch door	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	5/8 gallon
Style And Series	
Product Style	Contemporary
Warranty	
Warranty	2 years

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2018

Other product downloads available at fisherpaykel.com

fisherpaykel.com