

# Long-Lasting FRESHNESS

The Way Nature Intended

## TABLE OF CONTENTS

## Full-Size Refrigeration

| Built-In Side-by-Side                    |  |
|--|--|
| Built-In All Refrigerator Columns        |  |
| Built-In All Freezer Columns             |  |
| Built-In Bottom Freezer & Refrigerator 8 |  |
| Counter Depth French Door                |  |

## **Undercounter Refrigeration**

| Marvel Professional Collection.14Dual Zone Wine Beverage Center16Beverage Centers18Refrigerators24Freezers28Wine Refrigerators30Ice Machines34   |
|--|
| Marvel Collection38Dual Zone Wine Beverage Center.40Beverage Centers.42Refrigerators.47Refrigerator Freezers54Freezers.56Wine Refrigerators58Ice Machines69Beer Dispensers.72                  |
| Marvel Low Profile Collection74Beverage Centers.76Refrigerators78Ice Machines.80Marvel Outdoor Collection.82Freezers.84Refrigerator Freezers.85Refrigerators86Beer Dispensers90Ice Machines.92 |
| 24" Stacking Kits and Accessories94Specifications95About Marvel Refrigeration102History of Marvel Refrigeration103   |





# Ultra-Quiet Operation



Air Purifying System

## **Energy-efficient operation**

And, an efficient variable speed compressor chills food quickly while saving energy.

## One of the quietest, technologically advanced compressors available

Ultra-quiet single compressor system.

## Maintenance-free anti-clog condenser

No upkeep needed with regular use.

## Air Purifying System

lon purifier and moisture-control evaporator removes odors and excess humidity.



# **FULL SIZE BUILT-IN** Refrigeration



Digitally controlled dynamic cooling



Adjustable humidity crisper drawers



Filter-free air purification system



Spill-proof shelves



Efficient LED lighting



Metal door bins




New robust hinges



Extra storage features



## **Cools up to 3X Faster Than Competing Models**



Dynamic Cooling Technology™ delivers rapid cool down and the industry's best temperature stability.



## **Designed to Adapt with the Most Versatile Capacity**

We maximized our interior volume and added full-width, cantilever quickly adapt the configuration to your particular storage needs, whe or deep. What's more, the 3-in-1 Split Convertible Shelf<sup>™</sup> feature gives you as many as three storage options within one shelf! And, our MaxStore<sup>™</sup> Bin offers high capacity, clear-view storage on rollout glides to keep produce easy to access and at its peak freshness.













Power On/Off **Control Lockout** System Indicator Fahrenheit or Celsius


Door Alarm Power Loss Alarm Vacation/Sabbath Mode Interior Display Lighting

34.0

## A Smarter Appliance

Intuitive touchpad LED controls are what make Marvel undercounter models more clever than the rest. The electronic interface of the exclusive Marvel Intuit™ Integrated Control is simple to operate and positioned in the top of the door for easy reach, allowing you to check the actual cabinet temperature in real-time or change settings at the touch of a finger. Enjoy other intelligent features like a vacation mode, two-stage interior light control and more.











## TRI-COLOR LIGHTING CHOOSE FROM 3 ELEGANT HUES

Available on Marvel Professional undercounter models starting on page 14



Sapphire Blue





Amber Glow

Arctic White







## FULL-SIZE COLLECTION Balanced Food Preservation for Healthy Choices That Last









As the original refrigeration experts since 1892, we believe that balanced food preservation leads to healthier, more balanced lives. Marvel offers everything you would expect from a full-size refrigerator with smart engineering enhancements that translate to a better life. Insist on longer lasting food preservation from the trusted leader in refrigeration.



42" and 48" Marvel Professional Built-In Side-by-Side Refrigerator Freezers Model #MP42SS & MP48SS

## Performance

- Dynamic Cooling Technology™ air flow system ensures even circulation and optimal cooling environment for longer lasting food preservation
- Digital controls offer precise temperature stability within one degree
- Energy-efficient variable speed compressor chills food quickly while saving energy
- One of the quietest, technologically advanced compressors available
- Integrated ion air purifier eliminates airborne bacteria and mold spores, removes odors and enhances food preservation - and it never degrades or needs replacing

Pictured: MP48SS2NS

- Moisture-control evaporator removes excess humidity
- Maintenance-free anti-clog condenser coil prevents dust and other airborne particles from clogging the condenser

## **Refrigerator Storage Capabilities**

COFFE

Take Out

- 15.76 cu. ft. refrigerator capacity (42" Model) and 19.44 cu. ft. refrigerator capacity (48" Model)
- Seamless glass shelves feature spill-proof Nano technology that contains spills and makes clean up easy
- 3/8" thick tempered glass shelves provide industry-leading durability
- 2 moisture-adjustable drawers feature soft-close slides and high/low settings for the freshest leafy vegetables and fruits
- 4 deli drawers with soft-close slides store meats and cheeses • 4 metal door bins provide enduring performance to securely store heavy items
- 2 dairy compartments in the door with easy-view covers
- Also features additional space for extra-large 18" pizza box storage

## Freezer Storage Capabilities

- 9.56 cu. ft. freezer capacity (42" and 48" Models)
- 3 adjustable wire shelves to configure storage to your needs
- 2 large-capacity wire baskets slide out for easy viewing
- 3 metal door bins easily adjust
- Adaptive defrost extends defrost periods to improve longevity of frozen food storage
- Factory-installed automatic crescent ice maker with large-capacity ice bin

## **Touchpad Controls**

- Digital controls offer precise temperature stability within one degree
- Settings include Fast Cool, Max Refrigeration and Freezer modes. Door Open Alarm and Sabbath mode
- Audible alerts for power loss, high temperature and sensor alarm

## Aesthetics

- Graduated theater lighting with bright, energy-efficient LED illumination from top and sidewalls for better visibility
- Robust hinge allows optimal door rotation and maximum durability
- Adjustable door stops at 90, 110 and 120 degrees

## Additional Convenience

• 2-year full product warranty, 6-year full sealed refrigeration system warranty, 90-day full cosmetic parts and 12-year limited sealed refrigeration system warranty

## **Ordering Options**

| Panel-Ready Solid Overlay Door, (Handle Not Included)*       MP42SS         48" Side-by-Side       MP48SS         Solid Stainless Steel Door, Slim Designer Handle       MP48SS         Panel-Ready Solid Overlay Door, (Handle Not Included)*       MP48SS         Accessories       Professional Handle - Vertical Door Installation (qty 1)       42249470 |  |          |
|---|--|----------|
| Panel-Ready Solid Overlay Door, (Handle Not Included)*       MP42SS         48" Side-by-Side       MP48SS         Solid Stainless Steel Door, Slim Designer Handle       MP48SS         Panel-Ready Solid Overlay Door, (Handle Not Included)*       MP48SS         Accessories       Professional Handle - Vertical Door Installation (qty 1)       42249470 | 42" Side-by-Side   |          |
| 48" Side-by-Side         Solid Stainless Steel Door, Slim Designer Handle       MP48SS         Panel-Ready Solid Overlay Door, (Handle Not Included)*       MP48SS         Accessories       Professional Handle - Vertical Door Installation (qty 1)       42249470  | Solid Stainless Steel Door, Slim Designer Handle         | MP42SS2  |
| Solid Stainless Steel Door, Slim Designer Handle       MP48SS2         Panel-Ready Solid Overlay Door, (Handle Not Included)*       MP48SS2         Accessories       Professional Handle - Vertical Door Installation (qty 1)       42249470   | Panel-Ready Solid Overlay Door, (Handle Not Included)*   | MP42SS2  |
| Panel-Ready Solid Overlay Door, (Handle Not Included)*       MP48SS         Accessories       Professional Handle - Vertical Door Installation (qty 1)         42249470   | 48" Side-by-Side   |          |
| Accessories Professional Handle - Vertical Door Installation (qty 1) 42249470   | Solid Stainless Steel Door, Slim Designer Handle         | MP48SS2  |
| Professional Handle - Vertical Door Installation (qty 1) 42249470   | Panel-Ready Solid Overlay Door, (Handle Not Included)*   | MP48SS2  |
|   | Accessories  |          |
| Flush Mount Trim Kit PBIRFTK:   | Professional Handle - Vertical Door Installation (qty 1) | 42249470 |
|   | Flush Mount Trim Kit                                     | PBIRFTK  |

\*Consult your cabinet maker for overlay panel and handle options. Refer to the installation guide for details and side panel options.

S2NS S2NP

S2NS S2NP

70 (SS



## LIVE MARVELOUSLY TIP







Stainless Steel



Solid Overlav (Panel Ready)\*

Optional Professional Handle



42249470



## 30" and 36" Marvel Professional Built-In **All Refrigerator Columns**

Model #MP30RA & MP36RA





MP36RA2LS

MP30RA2RS



#### Performance

- Dynamic Cooling Technology<sup>™</sup> air flow system ensures even circulation and optimal cooling environment for longer lasting food preservation
- Energy-efficient variable speed compressor chills food quickly while saving energy
- One of the quietest, technologically advanced compressors available
- Integrated ion air purifier eliminates airborne bacteria and mold spores, removes odors and enhances food preservation – and it never degrades or needs replacing
- Moisture-control evaporator removes excess humidity
- Maintenance-free anti-clog condenser coil prevents dust and other airborne particles from clogging the condenser

## Storage Capabilities

- 18.4 total cu. ft. storage capacity (30" Model)
- 22.8 total cu. ft. storage capacity (36" Model)
- Seamless glass shelves feature spill-proof Nano technology that contains spills and makes clean up easy
- 3/8" thick tempered glass shelves provide industry-leading durability
- 2 moisture-adjustable drawers feature soft-close slides and high/low settings for the freshest leafy vegetables and fruits
- 4 deli drawers with soft-close slides store meats and cheeses
- 4 metal door bins provide enduring performance to securely store heavy items
- 2 dairy compartments in the door lift open with easy-view covers
- Also features additional space for extra-large 18" pizza box storage

#### **Touchpad Controls**

- Digital controls offer precise temperature stability within one degree
- Settings include Fast Cool, Max Refrigeration mode, Door Open Alarm and Sabbath mode
- Audible alerts for power loss, high temperature and sensor alarm

#### Aesthetics

- Graduated theater lighting with bright, energy-efficient LED illumination from top and sidewalls for better visibility
- Robust hinge allows optimal door rotation and maximum durability
- Adjustable door stops at 90, 110 and 120 degrees

## Additional Convenience

• 2-year full product warranty, 6-year full sealed refrigeration system warranty, 90-day full cosmetic parts and 12-year limited sealed refrigeration system warranty

## LIVE MARVELOUSLY TIP



## **Ordering Options**

| 30" All Refrigerator Column   |           |
|---|-----------|
| Solid Stainless Steel Door, Right Hinge,<br>Slim Designer Handle      | MP30RA2RS |
| Solid Stainless Steel Door, Left Hinge,<br>Slim Designer Handle       | MP30RA2LS |
| Panel-Ready Solid Overlay Door, Right Hinge<br>(Handle Not Included)* | MP30RA2RF |
| Panel-Ready Solid Overlay Door, Left Hinge<br>(Handle Not Included)*  | MP30RA2LF |
| 36" All Refrigerator Column   |           |
| Solid Stainless Steel Door, Right Hinge,<br>Slim Designer Handle      | MP36RA2RS |
| Solid Stainless Steel Door, Left Hinge,<br>Slim Designer Handle       | MP36RA2LS |
| Panel-Ready Solid Overlay Door, Right Hinge<br>(Handle Not Included)* | MP36RA2RF |
| Panel-Ready Solid Overlay Door, Left Hinge<br>(Handle Not Included)*  | MP36RA2LF |
| Accessories   |           |
| Professional Handle - Vertical Door Installation (qty 1)              | 42249470  |
| 60" Grille Kit (Pair 30" + 30" Models)                                | DDGK603SS |
| 66" Grille Kit (Pair 30" + 36" Models)                                | DDGK663SS |
| 72" Grille Kit (Pair 36" + 36" Models)                                | DDGK72SS  |
| Flush Mount Trim Kit  | PBIRFTKSS |
| Center Trim Kit   | FCTKSS    |

\*Consult your cabinet maker for overlay panel and handle options. Refer to the installation guide for details and side panel options.

Finish Options





Stainless Steel



Solid Overlay (Panel Ready)\*

Optional Professional Handle



42249470



## 30" and 36" Marvel Professional **Built-In All Freezer Columns**

Model #MP30FA & MP36FA





MP36FA2RS



## Performance

- Dynamic Cooling Technology™ air flow system ensures even circulation and optimal cooling environment for longer lasting food preservation
- Energy-efficient variable speed compressor chills food quickly while saving energy
- One of the quietest, technologically advanced compressors available
- Integrated ion air purifier eliminates airborne bacteria and mold spores, removes odors and enhances food preservation – and it never degrades or needs replacing
- Moisture-control evaporator removes excess humidity
- Maintenance-free anti-clog condenser coil prevents dust and other airborne particles from clogging the condenser
- Factory-installed automatic crescent ice maker

## **Storage Capabilities**

- 15.9 total cu. ft. storage capacity (30" Model)
- 19.2 total cu. ft. storage capacity (36" Model)
- 3 cantilevered full-width metal wire shelves easily adjust to accommodate various storage heights
- Full-width solid shelf to stack frozen items
- 4 half-width adjustable metal door bins and 1 full-width metal bin to securely store heavy items
- 2 glide-out wire baskets with center divider to make freezer organization simpler
- 3 clear-view metal storage drawers with tempered glass fronts
- 1 glide-out ice drawer with two separate ice pans to maximize ice production and storage

## **Touchpad Controls**

- Digital controls offer precise temperature stability within one degree
- Settings include Fast Cool, Max Freezer mode, Door Open Alarm and Sabbath mode
- Audible alerts for power loss, high temperature and sensor alarm

## Aesthetics

- Graduated theater lighting with bright, energy-efficient LED illumination from top and sidewalls for better visibility
- Robust hinge allows optimal door rotation and maximum durability
- Adjustable door stops at 90, 110 and 120 degrees

#### **Additional Convenience**

• 2-year full product warranty, 6-year full sealed refrigeration system warranty, 90-day full cosmetic parts and 12-year limited sealed refrigeration system warranty

## Customize the Look



Large-capacity ice pans glide out to access crescent ice.

## **Ordering Options**

| 30" All Freezer Column  |           |
|---|-----------|
| Solid Stainless Steel Door, Right Hinge,<br>Slim Designer Handle      | MP30FA2RS |
| Solid Stainless Steel Door, Left Hinge,<br>Slim Designer Handle       | MP30FA2LS |
| Panel-Ready Solid Overlay Door, Right Hinge<br>(Handle Not Included)* | MP30FA2RF |
| Panel-Ready Solid Overlay Door, Left Hinge<br>(Handle Not Included)*  | MP30FA2LF |
| 36" All Freezer Column  |           |
| Solid Stainless Steel Door, Right Hinge,<br>Slim Designer Handle      | MP36FA2RS |
| Solid Stainless Steel Door, Left Hinge,<br>Slim Designer Handle       | MP36FA2LS |
| Panel-Ready Solid Overlay Door, Right Hinge<br>(Handle Not Included)* | MP36FA2RF |
| Panel-Ready Solid Overlay Door, Left Hinge<br>(Handle Not Included)*  | MP36FA2LF |
| Accessories   |           |
| Professional Handle - Vertical Door Installation (qty 1)              | 42249470  |
| 60" Grille Kit (Pair 30" + 30" Models)                                | DDGK603SS |
| 66" Grille Kit (Pair 30" + 36" Models)                                | DDGK663SS |
| 72" Grille Kit (Pair 36" + 36" Models)                                | DDGK72SS  |
| Flush Mount Trim Kit  | PBIRFTKSS |
| Center Trim Kit   | FCTKSS    |

\*Consult your cabinet maker for overlay panel and handle options. Refer to the installation guide for details and side panel options.

Finish Options

Stainless Steel



Solid Overlay (Panel Ready)\*

Optional Professional Handle



42249470



## 36" Marvel Professional Built-In **Bottom Freezer Refrigerator**

Model #MP36BF

#### Performance

- Dynamic Cooling Technology™ air flow system ensures even circulation and optimal cooling environment for longer lasting food preservation
- Digital controls offer precise temperature stability within one degree
- Energy-efficient variable speed compressor chills food quickly while saving energy
- One of the quietest, technologically advanced compressors available

- Integrated ion air purifier eliminates airborne bacteria and mold spores, removes odors and enhances food preservation - and it never degrades or needs replacing
- Moisture-control evaporator removes excess humidity
- Maintenance-free anti-clog condenser coil prevents dust and other airborne particles from clogging the condenser

## **Refrigerator Storage Capabilities**

- 20.4 total cu. ft. storage capacity
- 15.3 cu. ft. refrigerator capacity
- Seamless glass shelves feature spill-proof Nano technology that contains spills and makes clean up easy
- 3/8" thick tempered glass shelves provide industry-leading durability
- 2 moisture-adjustable drawers feature soft-close slides and high/low settings for the freshest leafy vegetables and fruits
- 2 deli drawers with soft-close slides store meats and cheeses
- 4 metal door bins provide enduring performance to securely store heavy items - and 3 are adjustable
- 2 dairy compartments in the door lift open with easy-view covers
- Also features additional space for extra-large 18" pizza box storage

## Freezer Storage Capabilities

- 5.1 cu. ft. freezer capacity
- Full-extension bottom freezer drawer glides out quietly and easily on ball-bearing rollers to access bulky frozen foods
- Factory-installed automatic crescent ice maker with largecapacity ice bin

## **Touchpad Controls**

- Digital controls offer precise temperature stability within one degree
- Settings include Fast Cool, Max Refrigeration and Freezer modes, Door Open Alarm and Sabbath mode
- Audible alerts for power loss, high temperature and sensor alarm

## Aesthetics

- Graduated theater lighting with bright, energy-efficient LED illumination from top and sidewalls for better visibility
- Robust hinge allows optimal door rotation and maximum durability
- Adjustable door stops at 90, 110 and 120 degrees

## **Additional Convenience**

• 2-year full product warranty, 6-year full sealed refrigeration system warranty, 90-day full cosmetic parts and 12-year limited sealed refrigeration system warranty



LIVE MARVELOUSLY TIP



Finish Options



**Ordering Options** 

Solid Overlav (Panel Ready)\*


Optional Professional Handle



42249470

| 36" Bottom Freezer Refrigerator  |           |
|--|-----------|
| Solid Stainless Steel Door, Right Hinge,<br>Slim Designer Handle       | MP36BF2RS |
| Solid Stainless Steel Door,<br>Left Hinge, Slim Designer Handle        | MP36BF2LS |
| Panel-Ready Solid Overlay Door, Right Hinge,<br>(Handle Not Included)* | MP36BF2RP |
| Panel-Ready Solid Overlay Door, Left Hinge,<br>(Handle Not Included)*  | MP36BF2LP |
| Accessories  |           |
| Professional Handle - Vertical Door Installation (qty 1)               | 42249470  |
| Professional Handle - Horizontal Freezer<br>Door Installation (qty 1)  | 42249471  |
| Flush Mount Trim Kit   | PBIRFTKSS |

\*Consult your cabinet maker for overlay panel and handle options. Refer to the installation guide for details and side panel options.



Designed to match AGA ranges with 4 elegant styles and multiple finish options






Marvel Professional Stainless Steel Only





Mercury 6 Color Options



Elise 6 Color Options

## Performance

- Dynamic Cooling Technology<sup>™</sup> air flow system ensures circulation and optimal cooling environment for longer lasting food preservation
- The pure filtration system circulates clean, filtered air throughout the interior to prevent odor transfer

## Storage Capabilities

- 22.2 cu. ft. total storage capacity
- 15.4 cu. ft. refrigerator capacity
  - 6.8 cu. ft. freezer capacity
- Storage Drawer with 12 Temperature Settings: Choose from 9 preset selections (like Ready to Serve, Cheese, White/Sparkling Wine, Beer, Fish/Shellfish) plus 3 customizable settings to ensure your food remains at the ideal temperature for serving and maintaining freshness
- Fully Cantilevered, Adjustable Shelves: Encapsulated glass shelves can be arranged in a variety of flexible configurations to fit wide and tall items
- Dual-level freezer organization system features 2 large-capacity baskets with removable dividers and smooth-glide roll out
- Top freezer baskets are removable to accommodate larger items
- Smooth-glide crisper drawers feature adjustable humidity control to preserve even the most delicate fruits and vegetables longer

## **Touchpad Controls**

- Customized temperature controls allow you to adjust the refrigerator and freezer temperatures independently
- Audible alerts for power loss, high temperature and door ajar

## Aesthetics

- Soft, transitional LED lighting gradually illuminates the interior with ample light as you open the door — perfect for night-time trips to the refrigerator
- Select models are available in multiple finishes to match AGA kitchen suites

## **Additional Convenience**

• 1-year full product warranty, 2 to 5-year full sealed refrigeration system warranty



## LIVE MARVELOUSLY TIP



## **Ordering Options**

| Marvel Professional |              |
|---------------------|--------------|
| Stainless Steel     | AMPROFD23-SS |
| Mercury             |              |
| Stainless Steel     | MMCFDR23-SS  |
| White               | MMCFDR23-WHT |
| lvory               | MMCFDR23-IVY |
| Gloss Black         | MMCFDR23-BLK |
| Matte Black         | MMCFDR23-MBL |
| Elise               |              |
| Stainless Steel     | MELFDR23-SS  |
| White               | MELFDR23-WHT |
| lvory               | MELFDR23-IVY |
| Gloss Black         | MELFDR23-BLK |
| Matte Black         | MELFDR23-MBL |







Black/Gloss Black Matte Black





# **UNDERCOUNTER COLLECTION**

KITCHEN DINING ROOM WET BAR MAN CAVE/SHE SHED PATIO GARAGE THEATER ROOM EXERCISE ROOM



# MORE DESIGN OPTIONS. MORE CONVENIENT PLACES.



OFFICE BEDROOM BATHROOM AND MORE





121.51 22 .

## Luxury-grade quality you can feel

**Sturdy Pro-Style** Handles

Easy-to-Install Overlay Panel





**New Tri-Color Lightin** 





Soft-Close

**Stainless Steel Shelf Fronts** 

而历

the survey wanted where the survey was a survey of the sur

16

D. And C.

Statement in case of

the second damage the

- PP

- -

1000

1 - A

1 T - 1

Contraction of the state of the second



You can feel the craftsmanship in fully extendable, smooth ball-bearing roller glides, sturdy stainless steel door handles and soft-close integrated door hinge system. It's calibrated into the state-of-the-art Marvel Intuit<sup>™</sup> integrated controls and evident in the strong, enduring mechanics.

You can see the impeccable fit and lustrous finish that merges seamlessly with cabinetry, as if both were inspired from one like design. And you can taste the difference in the way Marvel preserves the pure, perfectly chilled flavor of food, wine and beverages.

This is the Marvel Professional difference.

MARVEL

100

100 000

The second

The second se

1000

5 1

No. 19 August a ser and a plantage

124.4



2 1 10. 

1 74 states and the state of the sta

Sec. 1

四百 個月


1000

STILL PARTY

1999年,夏季至此在19

MARVEL

And in case of the local division of the loc



#### Performance

- Two independently controlled temperature zones offer dual options for wine and beverage storage
- Upper zone environment is ideal for wine storage (45° F to 60° F) and the lower zone is designed for beverages and perishables (34° F to 42° F)
- Dynamic Cooling Technology<sup>™</sup> delivers rapid cool down, frostfree operation and the industry's best temperature stability
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## Storage Capabilities

- 5.1 total cu. ft.
- 1.85 cu. ft upper zone stores 7 bottles on (1) smooth-glide display wine rack with heavy-gauge wire cradles
- 3.27 cu ft. lower zone can hold (112) 12-oz cans, (64) longneck bottles or (2) upright 2-liter bottles
- Tall-item storage: lower zone features cantilevered shelving that allows for high-clearance vertical items
- Lower shelf glides out for easy access and features 3-in-1 Convertible Shelf<sup>™</sup> with removable glass pane for 4-bottle wine rack option
- Access contents easily with full-extension, glide-out shelving on the Smooth Glide™ ball bearing system
- Cantilevered shelving system adjusts height to your storage needs

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls feature convenient settings for the ultimate programmability and allow you to select a precise temperature for each zone
- Vacation mode conserves energy during times when unit is not in use

#### Aesthetics

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth gentle close
- At the touch of a button, change the interior light color to sapphire blue, amber glow, or arctic white
- Two-stage theater-style lighting offers full or half illumination
- Elegant midnight black interior
- Professional styling: stainless-steel-framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4" with leveling legs
- Finish options: stainless steel or overlay (panel ready)

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- 3-year parts and labor warranty, 5-year sealed system parts warranty



## **Ordering Options**

| Stainless Frame, Glass Door with Lock,<br>Integrated Right Hinge, Professional Handle     | MP24WBG4RS |
|---|------------|
| Stainless Frame, Glass Door with Lock,<br>Integrated Left Hinge, Professional Handle      | MP24WBG4LS |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Right Hinge (Handle Not Included)* | MP24WBF4RP |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Left Hinge (Handle Not Included)*  | MP24WBF4LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



#### **Finish Options**



#### Stainless Stee



Framed Overlay (Panel Ready)\*

17

33 <sup>3</sup>/4" H




## 24" Marvel Professional Beverage Refrigerator with MaxStore<sup>™</sup> Bin



Model #MP24BR

## A refrigerator, beverage center and wine refrigerator in one elegant package-EXTERIOR our most popular model!



## Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## Storage Capabilities

- 5.5 cu. ft. capacity, stores 20 wine bottles total (7 flat) and up to (162) 12-oz cans
- 3-in-1 Slide-Out Split Convertible Shelf<sup>™</sup> features removable glass pane with wine rack option to store beverages, food, or wine
- Tall item storage: half-width interior shelf allows for highclearance vertical storage
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Access contents easily with full-extension, glide-out shelving on the Smooth Glide™ ball bearing system
- Cantilevered shelving system adjusts height to your storage needs

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

## **Aesthetics**

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth gentle close
- At the touch of a button, change the interior light color to sapphire blue, amber glow, or arctic white
- Two-stage theater-style lighting offers full or half illumination
- Elegant midnight black interior
- Professional styling: stainless-steel-framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4" with leveling legs
- Finish options: stainless steel or overlay (panel ready)

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- · Door lock provides added safety and security
- 3-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Stainless Frame, Glass Door with Lock,<br>Integrated Right Hinge, Professional Handle     | MP24BRG4R  |
|---|------------|
| Stainless Frame, Glass Door with Lock,<br>Integrated Left Hinge, Professional Handle      | MP24BRG4L  |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Right Hinge (Handle Not Included)* | MP24BRF4R  |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Left Hinge (Handle Not Included)*  | MP24BRF4LI |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.





# **3-IN-1** SLIDE-OU CONVERTIBLE SHELF







Glass Shelving and Wine Rack



Wine Rack

## LIVE MARVELOUSLY TIP



## **Finish Options**





Framed Overlay (Panel Ready)\*

19

24" Marvel Professional Beverage Center with 3-in-1 Convertible Shelves and **Display Wine Rack** Model # MP24BC

## Dynamic food, beverage, and wine storage





## Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even guieter operation thanks to exclusive design enhancements to buffer and minimize sound

## **Storage Capabilities**

- 5.3 cu. ft. capacity, stores 19 wine bottles total (14 flat, 5 cradled) and up to (108) 12-oz cans
- (2) 3-in-1 Slide-Out Split Convertible Shelves<sup>™</sup> feature removable glass pane with wine rack option to store beverages, food or wine
- Display wine rack glides out for easy access and holds 5 wine bottles, including magnum sizes
- Access contents easily with full-extension, glide-out shelving on the Smooth Glide™ ball bearing system
- Cantilevered shelving system adjusts height to your storage needs

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

## Aesthetics

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth gentle close
- At the touch of a button, change the interior light color to sapphire blue, amber glow, or arctic white
- Two-stage theater-style lighting offers full or half illumination
- Elegant midnight black interior
- Professional styling: stainless-steel-framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4" with leveling legs
- Finish options: stainless steel or overlay (panel ready)

## Additional Convenience


**Finish Options** 

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never left ajar
- Door lock provides added safety and security
- 3-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Stainless Frame, Glass Door with Lock,<br>Integrated Right Hinge, Professional Handle     | MP24BCG4RS |
|---|------------|
| Stainless Frame, Glass Door with Lock,<br>Integrated Left Hinge, Professional Handle      | MP24BCG4LS |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Right Hinge (Handle Not Included)* | MP24BCF4RS |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Left Hinge (Handle Not Included)*  | MP24BCF4LS |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



# 3-IN-1 SLIDE-OUT **CONVERTIBLE SHELVES**

20



## Glass Shelving



## **Glass Shelving** and Wine Rack



## Wine Rack



## 15" Marvel Professional Beverage Center

Model # MP15BC

# A compact size capable of storing nearly three 12-packs!



## LIVE MARVELOUSLY TIP

Make the most of a compact space with this 15" model designed to hold any combination of food and beverages – even wine! A 3-in-1 Convertible Shelf easi converts to a full wine rack with extendable glides and the cantilevered shelving system adjusts shelf height to your storage needs.





Finish Options



Framed Overlay (Panel Ready)\*

## Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## **Storage Capabilities**

- 2.7 cu. ft. capacity, stores up to (35) 12-oz cans and/or 6 wine bottles
- 3-in-1 Convertible Shelf™ features removable glass pane with wine rack option to store food, beverages or wine
- Fully adjustable shelving system with two cantilevered, full-width steel-framed glass shelves
- Access contents easily with 2 full-extension, glide-out shelves on the Smooth Glide<sup>™</sup> ball bearing system
- Stainless steel shelf fronts

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

## Aesthetics

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth gentle close
- At the touch of a button, change the interior light color to sapphire blue, amber glow, or arctic white
- Two-stage theater-style lighting offers full or half illumination
- Elegant midnight black interior
- Professional styling: stainless-steel-framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4" with leveling legs
- Finish options: stainless steel or overlay (panel ready)

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Filler kit available for 18" wide opening (see page 94)
- 3-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Stainless Frame, Glass Door with Lock,<br>Integrated Right Hinge, Professional Handle     | MP15BCG4RS |
|---|------------|
| Stainless Frame, Glass Door with Lock,<br>Integrated Left Hinge, Professional Handle      | MP15BCG4LS |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Right Hinge (Handle Not Included)* | MP15BCF4RP |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Left Hinge (Handle Not Included)*  | MP15BCF4LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



Shown with the Marvel Professional Clear Ice Tri-Color Illuminice™ (page 34)

handle

14 <sup>7</sup>/8" W





## 24" Marvel Professional All Refrigerator with MaxStore<sup>™</sup> Bin

Model # MP24RA



#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## Storage Capabilities

- 5.1 cu. ft. capacity, stores up to (115) 12-oz cans
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Tall item storage: half-width interior shelf and extra door storage allows for high-clearance vertical storage
- Also includes (1) full-width smooth-glide stainless steel shelf, (1) half-width cantilevered, fully adjustable stainless steel shelf and (1) fixed stainless steel-framed glass shelf
- Access contents easily with roller-glide shelf

#### **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

## Aesthetics

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth gentle close
- At the touch of a button, change the interior light color to sapphire blue, amber glow, or arctic white
- Two-stage theater-style lighting offers full or half illumination
- Elegant midnight black interior
- Professional styling: sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4" with leveling legs
- Finish options: stainless steel or overlay (panel ready)

#### **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- 3-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Solid Stainless Steel Door with Lock,<br>Integrated Right Hinge, Professional Handle       | MP24RAS4F |
|--|-----------|
| Solid Stainless Steel Door with Lock,<br>Integrated Left Hinge, Professional Handle        | MP24RAS4L |
| Panel-Ready Solid Overlay Door with Lock,<br>Integrated Right Hinge (Handle Not Included)* | MP24RAP4F |
| Panel-Ready Solid Overlay Door with Lock,<br>Integrated Left Hinge (Handle Not Included)*  | MP24RAP4L |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

RS LS RP

## Multi-faceted storage for tall items, bottles, fresh produce and more





## LIVE MARVELOUSLY TIP



**Finish Options** 



Stainless Steel



Solid Overlay (Panel Ready)\*



24" Marvel Professional **Refrigerated Drawers** Model # MP24RD

Maximum storage capacity within easy reach





## Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Interior durably constructed from stainless steel, the most hygienic, easy-to-clean and stain-resistant of materials
- Insulated thermal-efficient cabinet and drawer fronts ensure optimum efficiency and preservation
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## **Storage Capabilities**

- 5.0 cu. ft. capacity, stores up to (108) 12-oz cans in two large-capacity smooth-glide drawers
- Adjustable divider included in the top and bottom drawers

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

#### Aesthetics

- Specially designed for a truly flush, zero clearance fit with adjoining cabinetry
- At the touch of a button, change the interior light color to sapphire blue, amber glow, or arctic white
- Two-stage theater-style lighting offers full or half illumination
- Elegant midnight black cabinet interior with sleek stainless steel drawers
- Professional styling: sleek stainless steel drawers, sturdy fulllength handles and stainless steel toe kick adjustable to 4" with leveling legs
- Finish options: stainless steel or overlay (panel ready)

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically brings drawers to a close, ensuring they're never ajar
- Lock provides added safety and security for both drawers
- 3-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Solid Stainless Steel Drawer Fronts with Lock,<br>Professional Handle    | MP24RDS3N |
|--|-----------|
| Panel-Ready Solid Overlay Drawer Fronts with Lock (Handle Not Included)* | MP24RDP3N |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



Quick-grip divider conveniently adjusts to organize and secure contents

# Stores up to 12-OZ CANS



## LIVE MARVELOUSLY TIP




**Finish Options** 



Stainless Steel



Solid Overlay (Panel Ready)





## LIVE MARVELOUSLY TIP



#### **Finish Options**



Stainless Steel



Solid Overlay (Panel Ready)\*



## Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Two independently monitored zones store your wine collection at separate temperatures
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## Storage Capabilities

- 4.9 cu. ft. capacity, stores 40 bottles of wine total
- Upper zone includes (3) 8-bottle smooth-glide full wine racks - Lower zone includes (1) 8-bottle smooth-glide full wine rack and (2) 4-bottle smooth-glide half-depth wine racks
- Heavy-gauge wire wine racks are shaped to safely cradle each wine bottle
- Full-extension Smooth Glide<sup>™</sup> ball bearing shelf system prevents jarring

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 45° F to 55° F in the lower zone and 55° F to 62° F in the upper zone
- Vacation mode conserves energy during times when unit is not in use

## **Aesthetics**

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth gentle close
- At the touch of a button, change the interior light color to sapphire blue, amber glow, or arctic white
- Two-stage theater-style lighting offers full or half illumination
- Elegant midnight black interior
- Professional styling: stainless-steel-framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4" with leveling legs
- Finish options: stainless steel or overlay (panel ready)

## Additional Convenience


- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- · Door lock provides added safety and security
- 3-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Stainless Frame, Glass Door with Lock,<br>Integrated Right Hinge, Professional Handle     | MP24WDG5RS |
|---|------------|
| Stainless Frame, Glass Door with Lock,<br>Integrated Left Hinge, Professional Handle      | MP24WDG5LS |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Right Hinge (Handle Not Included)* | MP24WDF5RP |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Left Hinge (Handle Not Included)*  | MP24WDF5LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.





## LIVE MARVELOUSLY TIP



#### **Finish Options**



Stainless Stee



Framed Overlav (Panel Ready)\*

## 24" Marvel Professional **High-Efficiency Single Zone Wine Refrigerator**

Model # MP24WS

## 48-bottle wine preservation up to 2x more efficient than others



## Performance

- Up to 2x more efficient than leading competitors
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## **Storage Capabilities**

- 5.2 cu. ft. capacity, stores 48 bottles of wine total
- Includes (5) 8-bottle smooth-glide full wine racks - Includes (2) 4-bottle smooth-glide half-depth wine racks
- Heavy-gauge wire wine racks are shaped to safely cradle each wine bottle
- Full-extension Smooth Glide™ ball bearing shelf system prevents jarring

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 40° F to 65° F
- Vacation mode conserves energy during times when unit is not in use

## **Aesthetics**

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth gentle close
- At the touch of a button, change the interior light color to sapphire blue, amber glow, or arctic white
- Two-stage theater-style lighting offers full or half illumination
- Elegant midnight black interior
- Professional styling: stainless-steel-framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4" with leveling legs
- Finish options: stainless steel or overlay (panel ready)

## **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- 3-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Stainless Frame, Glass Door with Lock,<br>Integrated Right Hinge, Professional Handle     | MP24WSG5RS |
|---|------------|
| Stainless Frame, Glass Door with Lock,<br>Integrated Left Hinge, Professional Handle      | MP24WSG5LS |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Right Hinge (Handle Not Included)* | MP24WSF5RP |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Left Hinge (Handle Not Included)*  | MP24WSF5LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

## Performance

- Up to 2x more efficient than leading competitors
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## **Storage Capabilities**

- 2.7 cu. ft. capacity, stores 24 bottles of wine total with (6) 4-bottle smooth-glide wine racks
- Heavy-gauge wire wine racks are shaped to safely cradle each wine bottle
- Full-extension Smooth Glide<sup>™</sup> ball bearing shelf system prevents jarring

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 40° F to 65° F
- Vacation mode conserves energy during times when unit is not in use

## Aesthetics

- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth gentle close
- At the touch of a button, change the interior light color to sapphire blue, amber glow, or arctic white
- Two-stage theater-style lighting offers full or half illumination
- Elegant midnight black interior
- Professional styling: stainless-steel-framed glass door, sturdy full-length handle, sleek stainless steel shelf fronts and stainless steel toe kick adjustable to 4" with leveling legs
- Finish options: stainless steel or overlay (panel ready)

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Filler kit available for 18" wide opening (see page 94)
- 3-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Stainless Frame, Glass Door with Lock,<br>Integrated Right Hinge, Professional Handle     | MP15WSG4R  |
|---|------------|
| Stainless Frame, Glass Door with Lock,<br>Integrated Left Hinge, Professional Handle      | MP15WSG4LS |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Right Hinge (Handle Not Included)* | MP15WSF4RF |
| Panel-Ready Framed Glass Door with Lock,<br>Integrated Left Hinge (Handle Not Included)*  | MP15WSF4LF |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

23 <sup>7</sup>/8" W

Framed Overlay

(Panel Ready)

25 <sup>5</sup>/8" D

including

handle

## 15" Marvel Professional **High-Efficiency Single Zone Wine Refrigerator**

Model # MP15WS

## Slim, sophisticated 24-bottle wine preservation





# Impeccably clear ice for the connoisseur







**25%** ENERGY SAVINGS

MARVEL PROFESSIONAL CLEAR ICE MACHINE WITH Tri-Color Illuminice



## The quietest ice machine

Never to be outdone, we improved sound suppression and buffered operating noise to make Marvel Clear Ice Machines quieter than most dishwashers.

## **Unrivaled clarity and quality**

Our fractional freezing process removes dissolved solids for pure, clear ice that won't impart flavor to your drinks. Other "clear ice" brands reuse residual water with high impurity content.

# The optimal shape for faster, longer cooling

Engineered to the perfect size, shape and density for immediate cooling and slower melt, while taking up less space in your glass.

## **Energy-saving options**

New Eco Ice<sup>™</sup> and Vacation/Delay Start modes conserve up to 25% water and electricity.

## Produces up to 39 lbs a day

That's the equivalent of nearly eight convenience-store bags of ice daily!



## 15" Marvel Professional Clear Ice Machine with Tri-Color Illuminice<sup>™</sup>

Model # MP15CP



Note: Ice scoop holder design changed. Please ask for details.





#### Performance

- The quietest ice machine you can buy
- New energy-saving options conserve water and energy
- Engineered to consistently produce pure, clear ice with unrivaled clarity, immediate cooling and slower melt
- Its uniform size and compact density prove to be the optimal shape to provide faster cooling, while taking up less space in your glass
- Produces up to 39 pounds of clear ice daily, the equivalent of nearly eight convenience-store bags of ice
- Streamlined componentry and single-connection water fitting for simple installation

## **Storage Capabilities**

- Large-capacity bin stores 35 pounds of clear ice, while preserving quality and assuring fresh ice production
- Ice scoop holder included
- Easy-to-clean, hygienic interior surface

## **Touchpad Controls**

- Marvel Intuit™ Integrated Controls feature all-new settings for ultimate programmability
- Eco Ice™ mode moderates ice production to conservative usage, saving 25% water (91 gallons monthly) and 25% energy (\$45 annually)\*\*
- Delay Start/Vacation option automatically postpones operation by 1/4/6/8 (hour or day) intervals, preventing wasteful water and energy use
- Audible alerts and programmed cleaning reminders

## Aesthetics

- New Illuminice<sup>™</sup> feature projects waterproof LED light through clear ice for a dazzling illumination effect
- At the touch of a button, change the interior light color to sapphire blue, amber glow, or arctic white
- Two-stage theater-style lighting offers full or half illumination
- Midnight black interior and the first-ever glass door option add drama to the ice presentation, perfect for entertaining
- Soft-close integrated hinge provides a seamless zero clearance installation and a smooth, gentle close
- Finish options: stainless steel (solid or glass door) or overlay (panel ready)\*

## **Ordering Options**

| Factory Installed Pump   |           |
|--|-----------|
| Solid Stainless Steel Door, Integrated Right Hinge,<br>Professional Handle       | MP15CPS2  |
| Solid Stainless Steel Door, Integrated Left Hinge,<br>Professional Handle        | MP15CPS2  |
| Stainless Steel Frame Glass Door,<br>Integrated Right Hinge, Professional Handle | MP15CPG2  |
| Stainless Steel Frame Glass Door,<br>Integrated Left Hinge, Professional Handle  | MP15CPG2  |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)* | MP15CPP2  |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*  | MP15CPP2  |
| Accessories  |           |
| Clear Ice Machine Cleaner, 4-oz bottle   | S41013789 |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



33 <sup>3</sup>/4" H

25 <sup>7</sup>/<sub>32</sub>" D

including

handle

## LIVE MARVELOUSLY TIP

## Additional Convenience

- Includes factory installed drain pump
- Close Door Assist System<sup>™</sup> prevents energy loss by automatically drawing door to a gentle close
- Stainless steel toe kick adjustable to 4" with leveling legs
- 3-year parts and labor warranty, 5-year sealed system parts warranty

## Proper Ice Machine Care

Each model is programmed with manufacturerrecommended cleaning reminders. To ensure maximum performance and ice quality, clean your ice machine once every 6 months or more depending on use and water quality. For Marvel-approved cleaning accessories, see Accessories.

**Finish Options** 



Stainless Steel



Solid Stainless Steel




Solid Overlay (Panel Ready)

 $^{*\,*}\textsc{Based}$  on national average of \$0.12 kWh at 100% operation Note: Ice production rate optimal when ambient air and water temperature is at or below 72° F.

14 <sup>7</sup>/8" W

37



A classic throughout generations of industry leadership, the Marvel collection continues to uphold its hallmark standards of quality and signature features – attributes emblematic of the Marvel brand and what continues to propel our reputation and status as the undercounter product to be desired. It's the brand found in world-class sports stadiums, celebrity entertainment rooms and thousands of homes throughout North America. You'll see why in the pages that follow.

1 11

0.0 1

Easy-to-Install **Overlay Panel** Options

**Slim Designer** Handle



NU LUI


# MARVEL

## The energy-efficient collection of quality, craftsmanship and impeccable style

**Most Versatile Design Options** 

Largest Collection of **ENERGY STAR<sup>®</sup> Certified Undercounter Appliances Available** 





24" Marvel Dual Zone Wine and Beverage Center with 3-in-1 Split Convertible Shelf<sup>™</sup> Model # ML24WB

Truly flexible, truly dual zone storage for wine and beverages UPPER ZONE Wine Storage 45° F to 60° F Holds 16 wine bottles

LOWER ZONE Beverage/Food Storage 34° F to 42° F Holds as many as (112) 12-oz cans (64) longneck bottles



## Performance

- Two independently-controlled temperature zones offers dual options for wine and beverage storage
- Upper zone environment is ideal for wine storage (45° F to 60° F) and the lower zone is designed for beverages and perishables (34° F to 42° F)
- Dynamic Cooling Technology™ delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## Storage Capabilities

- 5.1 total cu. ft.
- 1.85 cu. ft. upper zone stores 16 bottles of wine on (2) 8-bottle roller-glide wine racks
- Heavy-gauge wire wine racks safely cradle each wine bottle
- 3.27 cu. ft. lower zone can hold (112) 12-oz cans, (64) longneck bottles or an additional 6 wine bottles
- 3-in-1 Split Convertible Shelf™ offers cantilevered glass shelving that converts to 3 or 6-bottle wine rack

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls feature convenient settings for the ultimate programmability and allow you to select a precise temperature for each zone
- Vacation mode conserves energy during times when the unit is not in use

## Aesthetics

- Two-stage, arctic white theater-style LED lighting and midnight black interior
- Solid black shelf fronts (see page 94 for other shelf front options)
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel or overlay (panel ready)

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### Finish



Stainless Steel

Framed Overlay Solid Overlay (Panel Ready)\* (Panel Ready)\*

40




## LIVE MARVELOUSLY TIP



## **Ordering Options**

| Stainless Frame Glass Door, Right Hinge   | ML24WBG1RS |
|---|------------|
| Stainless Frame Glass Door, Left Hinge  | ML24WBG1LS |
| Panel-Ready Framed Glass Door,<br>Integrated Right Hinge (Handle Not Included)* | ML24WBF2RP |
| Panel-Ready Framed Glass Door,<br>Integrated Left Hinge (Handle Not Included)*  | ML24WBF2LP |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge                       | ML24WBP2RP |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge                        | ML24WBP2LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



24" Marvel Beverage Refrigerator with 3-in-1 Split Convertible Shelf<sup>™</sup> and MaxStore<sup>™</sup> Bin

Model # ML24BR

Flexible 3-in-1 storage configurations of food, wine and beverage storage

## Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## Storage Capabilities

- 5.2 cu. ft. capacity, stores up to (162) 12-oz cans and/or 7 bottles of wine
- 3-in-1 Split Convertible Shelf<sup>™</sup> offers cantilevered glass shelving, wine racks, or hybrid options
- Tall item storage: half-width interior shelf allows for highclearance vertical storage
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

#### Aesthetics

- Two-stage, arctic white theater-style LED lighting and midnight black interior
- Solid black-stained maple shelf fronts (natural maple available, see page 94
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Stainless Frame, Glass Door, Right Hinge,<br>Stainless Designer Handle           | ML24BRG2F |
|--|-----------|
| Stainless Frame, Glass Door, Left Hinge,<br>Stainless Designer Handle            | ML24BRG2I |
| Smooth Black Frame, Glass Door, Right Hinge,<br>Black Designer Handle            | ML24BRG2F |
| Smooth Black Frame, Glass Door, Left Hinge,<br>Black Designer Handle             | ML24BRG2L |
| Panel-Ready Framed Glass Door,<br>Integrated Right Hinge (Handle Not Included)*  | ML24BRF3F |
| Panel-Ready Framed Glass Door,<br>Integrated Left Hinge (Handle Not Included)*   | ML24BRF3L |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)* | ML24BRP3F |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*  | ML24BRP3L |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

2RS

2LS

2RB

2LB

RP

BLP

RP

BLP



## 3-in-1 Split Convertible Shelf™

Choose glass shelving, wine rack with a Vibration Neutralization System<sup>™</sup> or all-in-one configuration, allowing storage for 3, 4, or 7 wine bottles.




Glass Shelving



Glass Shelving and Wine Rack



Wine Rack



Black Frame



## 24" Marvel Beverage Center with Two 3-in-1 Split Convertible Shelves<sup>™</sup>

Model # ML24BC

## 6-in-1 configurations of food, wine and beverage storage



## LIVE MARVELOUSLY TIP



#### Finish Options





Framed Overlay (Panel Ready)\*

#### Solid Overlay (Panel Ready)\*

## Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## **Storage Capabilities**

- 5.5 cu. ft. capacity, stores up to (162) 12-oz cans and/or 18 wine bottles
- (2) 3-in-1 Split Convertible Shelves<sup>™</sup> cantilevered glass shelving converts to wine racks with a Vibration Neutralization System<sup>™</sup> or both configurations all in one
- Roller-glide 4-bottle wine rack

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

## Aesthetics

- Two-stage, arctic white theater-style LED lighting and midnight black interior
- Solid black-stained maple shelf fronts (natural maple available, see page 94
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel or overlay (panel ready)

## **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Stainless Frame, Glass Door, Right Hinge,<br>Stainless Designer Handle           | ML24BCG1RS |
|--|------------|
| Stainless Frame, Glass Door, Left Hinge,<br>Stainless Designer Handle            | ML24BCG1LS |
| Panel-Ready Framed Glass Door,<br>Integrated Right Hinge (Handle Not Included)*  | ML24BCF2RP |
| Panel-Ready Framed Glass Door,<br>Integrated Left Hinge (Handle Not Included)*   | ML24BCF2LP |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)* | ML24BCP2RP |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*  | ML24BCP2LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.





## 15" Marvel Beverage Center

Model # ML15BC

# Stores up to four 12-packs in one slim footprint







Stainless Steel Framed Overlay Solid Overlay (Panel Ready)\* (Panel Ready)\* • Finish options: stainless steel, black or overlay (panel ready)

• Two-stage, arctic white theater-style LED lighting and midnight

• Easy-to-install panel overlay option features soft-close integrated

 Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven

• Thermal-efficient cabinet ensures optimum preservation

 Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

• Black steel-framed glass shelves are cantilevered

• Argon-filled, UV-resistant tinted dual pane glass door protects

• 2.7 cu. ft. capacity, stores (72) 12-oz cans and 3 wine bottles

• Includes (1) 3-in-1 Convertible shelf™ featuring removable glass

 Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F

• Vacation mode conserves energy during times when unit

contents from damaging ultraviolet light, while conserving energy

and energy efficiency while maximizing capacity

to cool nearly 2x faster than competitors

## Additional Convenience

Performance

**Storage Capabilities** 

and fully adjustable

**Touchpad Controls** 

is not in use

black interior

Aesthetics

pane with wine rack option

• Store food, beverages, or wine

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs

hinge for a truly flush fit with cabinetry

- Filler kit available for 18" wide opening (see page 94)
- 1-year parts and labor warranty, 5-year sealed system
   parts warranty

## **Ordering Options**

| Stainless Frame, Glass Door, Right Hinge,<br>Stainless Designer Handle           | ML15BCG2RS |
|--|------------|
| Stainless Frame, Glass Door, Left Hinge,<br>Stainless Designer Handle            | ML15BCG2LS |
| Smooth Black Frame, Glass Door,<br>Right Hinge, Black Designer Handle            | ML15BCG2RB |
| Smooth Black Frame, Glass Door,<br>Left Hinge, Black Designer Handle             | ML15BCG2LB |
| Panel-Ready Framed Glass Door,<br>Integrated Right Hinge (Handle Not Included)*  | ML15BCF3RP |
| Panel-Ready Framed Glass Door,<br>Integrated Left Hinge (Handle Not Included)*   | ML15BCF3LP |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)* | ML15BCP3RP |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*  | ML15BCP3LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

- 2.7 cu. ft. capacity, stores (72) 12-oz cans
- (2) white steel-framed glass shelves are cantilevered and fully adjustable

#### **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

## Aesthetics

- Pristine white interior easily wipes clean
- Efficient arctic white LED lighting illuminates interior for better viewing
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- Filler kit available for 18" wide opening (see page 94)
- 1-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Solid Stainless Steel Door, Right Hinge,<br>Stainless Designer Handle            | ML15RAS1RS |
|--|------------|
| Solid Stainless Steel Door, Left Hinge,<br>Stainless Designer Handle             | ML15RAS1LS |
| Solid Smooth Black Door, Right Hinge,<br>Black Designer Handle                   | ML15RAS1RB |
| Solid Smooth Black Door, Left Hinge,<br>Black Designer Handle                    | ML15RAS1LB |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)* | ML15RAP2RP |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*  | ML15RAP2LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

Black Frame




## 15" Marvel All Refrigerator

Model # ML15RA

# Extra refrigeration storage in a slim 15" footprint





Stainless Steel





Black

## 24" Marvel Beverage Center

Model # ML24BCG0

## Maximum beverage storage for up to 190 cans!



## Performance

- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## **Storage Capabilities**

- 5.5 cu. ft. capacity, stores (190) 12-oz cans
- (2) cantilevered, fully adjustable FreshFlo<sup>™</sup> black commercialgrade steel shelves
- Designed for maximum storage with full-depth shelves

## Controls

- Marvel Prime<sup>™</sup> Controls allow you to set cabinet temperature from 34° F to 42° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

## Aesthetics

- White incandescent display lighting and midnight black interior
- Finish: stainless steel

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Stainless Frame, Glass Door, Right Hinge,<br>Stainless Designer Handle | ML24BCG0RS |
|--|------------|
| Stainless Frame, Glass Door, Left Hinge,<br>Stainless Designer Handle  | ML24BCG0LS |

| ML24BCG0LS |
|------------|





## LIVE MARVELOUSLY TIP





## 24" Marvel **Refrigerated Drawers**

Model # ML24RD

## Convenient access, ultimate refrigeration capacity



## LIVE MARVELOUSLY TIP



#### Finish Options



Stainless Steel



Black

## Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## **Storage Capabilities**

- 5.0 cu. ft. capacity, stores (108) 12-oz cans in two large-capacity roller-glide drawers
- Adjustable grip divider included in top drawer to organize and secure contents

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

## Aesthetics

- Specially designed for a truly flush fit with adjoining cabinetry
- Pristine white interior easily wipes clean
- Efficient arctic white LED lighting illuminates interior for better viewing
- Finish options: stainless steel, black or overlay (panel ready)

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically brings drawers to a close, ensuring they're never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Solid Stainless Steel Drawer<br>Front, Stainless Designer Handle  | ML24RDS3NS |
|---|------------|
| Solid Smooth Black Drawer Front,<br>Black Designer Handle         | ML24RDS3NB |
| Panel-Ready Solid Overlay Drawer<br>Front, (Handle Not Included)* | ML24RDP3NP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.







0




## 24" Marvel All Refrigerator with MaxStore<sup>™</sup> Bin

Model # ML24RA

## Convenient door storage included





Finish Options







Solid Overlav (Panel Ready)\*

and energy efficiency while maximizing capacity • Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

• Dynamic Cooling Technology<sup>™</sup> delivers the industry's best

• Thermal-efficient cabinet ensures optimum preservation

temperature stability and rapid cool down, tested and proven

## **Storage Capabilities**

Performance

• 5.1 cu. ft. capacity, stores (115) 12-oz cans

to cool nearly 2x faster than competitors

- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Tall item storage: half-width interior shelf and extra door storage allows for high-clearance vertical storage
- Also includes (1) cantilevered, fully adjustable white steel-framed glass shelf and (1) fixed steel-framed glass shelf

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

#### **Aesthetics**

- Pristine white interior easily wipes clean
- Efficient arctic white LED lighting illuminates interior for better viewing
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

## **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Solid Stainless Steel Door, Right Hinge,<br>Stainless Designer Handle | ML24RAS2RS |
|---|------------|
| Solid Stainless Steel Door, Left Hinge,<br>Stainless Designer Handle  | ML24RAS2LS |
| Solid Smooth Black Door, Right Hinge,<br>Black Designer Handle        | ML24RAS2RB |
| Solid Smooth Black Door, Left Hinge,<br>Black Designer Handle         | ML24RAS2LB |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge*            | ML24RAP3RP |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge*             | ML24RAP3LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

- 5.3 cu. ft. capacity, stores (190) 12-oz cans
- (2) cantilevered, fully adjustable FreshFlo<sup>™</sup> white commercial-grade steel shelves
- Flat interior door allows for full-depth storage

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

## Aesthetics

- Pristine white interior easily wipes clean
- Efficient arctic white LED lighting illuminates interior for better viewing
- Finish: stainless steel

#### Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Solid Stainless Steel Door, R<br>Stainless Designer Handle | Solid Stainless Steel Door, Right Hinge,<br>Stainless Designer Handle | ML24RAS |
|--|---|---------|
|  | Solid Stainless Steel Door, Left Hinge,<br>Stainless Designer Handle  | ML24RAS |



## LIVE MARVELOUSLY TIP



## 24" Marvel All Refrigerator

Model # ML24RAS1

## *Max-capacity* refrigeration storage



1RS S1LS






Finish



Stainless Steel



#### Performance

- Dynamic Cooling Technology™ delivers rapid cool down, frostfree operation and the industry's best temperature stability
- Independent temperature control for each compartment
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity
- Now even guieter operation thanks to exclusive design enhancements to buffer and minimize sound

## Storage Capabilities

- 4.9 cu. ft. capacity, refrigerator stores (72) 12-oz cans
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Self-closing freezer can store 12 pints of ice cream
- Crescent ice maker produces up to 7 lbs of ice in 24 hours and ice bucket stores 13 lbs of ice (select models)
- Also includes (2) half-width cantilevered, fully adjustable steel-framed glass shelves and (1) full width fixed position steel-framed glass shelf

#### Touchpad Controls

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls ensure precise refrigeration temperature management from 34° F to 42° F and a freezer temperature between -6° F and 6° F to keep contents evenly frozen throughout
- Vacation mode conserves energy during times when unit is not in use

#### Aesthetics

- Pristine white interior easily wipes clean
- Efficient arctic white LED lighting illuminates interior for better viewing
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

#### Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options:**

| Refrigerator + Freezer + Ice Maker   | er        |  |
|--|-----------|--|
| Solid Stainless Steel Door, Right Hinge,<br>Stainless Designer Handle <sup>†</sup> | ML24RIS4F |  |
| Solid Stainless Steel Door, Left Hinge,<br>Stainless Designer Handle <sup>†</sup>  | ML24RIS4L |  |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)*   | ML24RIP5F |  |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*    | ML24RIP5L |  |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options

† ENERGY STAR<sup>®</sup> Certified

## 24" Marvel Refrigerator and Freezer and MaxStore<sup>™</sup> Bin

Model # ML24RF & ML24RI

## *Refrigerator + freezer + optional* ice maker, all-in-one



Models available with ice maker capable of producing 7 lbs of ice per day (see ordering options)



25 <sup>5</sup>/8" D

33 <sup>3</sup>/4" H



23 <sup>7</sup>/8" W

Solid Overlay (Panel Ready)\*

## **Ordering Options:**

Stainless Steel

| Refrigerator + Freezer (No Ice Maker)  |            |
|--|------------|
| Solid Stainless Steel Door, Right Hinge,<br>Stainless Designer Handle <sup>†</sup> | ML24RFS3RS |
| Solid Stainless Steel Door, Left Hinge,<br>Stainless Designer Handle <sup>†</sup>  | ML24RFS3LS |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)*   | ML24RFP4RP |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*    | ML24RFP4LP |



# 24" Marvel All Freezer

*Commercial-strength frozen food storage for your home* 



## LIVE MARVELOUSLY TIP

Eat fruits and vegetables all year round by preserving them in your Marvel All Freezer to enjoy any time, no matter the season.



#### Finish Options





Solid Overlay (Panel Ready)\*

## Performance

- Tested to hold up to 200 lbs of frozen goods
- Dynamic Cooling Technology<sup>™</sup> delivers rapid cool down, frostfree operation and the industry's best temperature stability
- Adjustable FreshFlo<sup>™</sup> stainless steel shelf helps efficiently circulate cold air and ensures even temperature stability
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

## **Storage Capabilities**

- 4.7 total cu. ft.
- Keep items organized and within easy reach with two commercial-grade chrome wire freezer bins on the fully extendable Smooth Glide™ ball bearing system
- Also includes (1) full-width adjustable cantilevered FreshFlo<sup>™</sup> stainless steel shelf (removable)

## **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from -10° F to 10° F to keep contents evenly frozen
- Vacation mode conserves energy during times when unit is not in use

## Aesthetics

- Pristine white interior easily wipes clean
- Efficient arctic white LED lighting illuminates interior for better viewing
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel or overlay (panel ready)

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system
   parts warranty

## **Ordering Options**

| Solid Stainless Steel Door, Right Hinge,<br>Stainless Designer Handle            | ML24FAS1RS |
|--|------------|
| Solid Stainless Steel Door, Left Hinge,<br>Stainless Designer Handle             | ML24FAS1LS |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)* | ML24FAP2RP |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*  | ML24FAP2LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



## Marvel Protects Your Wine Collection Better Than the Rest, 2x More Efficiently



## The Ideal Environment

ust like any living thing, environmental conditions lay a critical role in wine development and maturation rocess, and Marvel Wine Refrigerators are ngineered to provide the optimal environment for our special vintages.



## Defends Against Light Damage

Light can affect the tannins in the wine, degrading the color and nose of your wine. The dual-pane, tinted, UV-resistant glass door on a Marvel Wine Refrigerator protects wine from light while artfully showcasing your bottles.



## Neutralizes Vibrations

Wine does not like to be disturbed, as movement disrupts the sediment and unnaturally accelerates the aging process. Marvel Wine Refrigerators have a triple-layer Vibration Neutralization System (VNS) to protect your wine from damaging movement and heavy-gauge wire wine racks to safely cradle each wine bottle.



## Here's the Science

Wine is a fragile and complex composition, and any physical and chemical changes in environment, particularly temperature, can greatly impact the delicate balance of ongoing chemical reactions that occur as oxygen enters the cork. And, the rate of the average chemical reaction increases with temperatur For example, a vintage wine that would normally require 10 years of careful aging may quickly become past its prime in months when stored too warm.

Marvel Wine Refrigerators ensure precise and accurate temperature stability, allowing your collectio to gracefully come to full maturation, an attribute others can't deliver.

## Access Wine Preservation Guides on the Marvel Blog

Visit marvelrefrigeration.com/blog for proper wine storage techniques, serving temperature charts by wine type and other tips.





## Performance

- Two independently-controlled temperature compartments offer dual options for storing and serving: the top between 55° F and 62° F and the bottom between 45° F and 55° F
- Up to 2x more efficient than leading competitors
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum wine preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light
- Now even guieter operation thanks to exclusive design enhancements to buffer and minimize sound

## **Storage Capabilities**

- 4.9 cu. ft. capacity, stores 40 bottles of wine: upper zone includes (3) 8-bottle roller-glide wine racks and lower zone includes (1) 8-bottle roller-glide wine rack and (2) 4-bottle halfdepth roller-glide wine racks
- Heavy-gauge wire wine racks safely cradle each wine bottle

## **Touchpad Controls**

• Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature for dual zones

## Aesthetics

- Two-stage, white theater LED lighting and midnight black interior and natural maple shelf fronts, stainable to match cabinetry
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

## Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable up to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

## **Ordering Options**

| Stainless Frame, Glass Door, Right Hinge,<br>Stainless Designer Handle           | ML24WDG3F |
|--|-----------|
| Stainless Frame, Glass Door, Left Hinge,<br>Stainless Designer Handle            | ML24WDG3L |
| Smooth Black Frame, Glass Door,<br>Right Hinge, Black Designer Handle            | ML24WDG3F |
| Smooth Black Frame, Glass Door,<br>Left Hinge, Black Designer Handle             | ML24WDG3L |
| Panel-Ready Framed Glass Door,<br>Integrated Right Hinge (Handle Not Included)*  | ML24WDF4F |
| Panel-Ready Framed Glass Door,<br>Integrated Left Hinge (Handle Not Included)*   | ML24WDF4L |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)* | ML24WDP4F |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*  | ML24WDP4L |
|  |           |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

BRS

3LS

RR

3LB

4LP



## 24" Marvel High-Efficiency **Dual Zone Wine Refrigerator** Model # ML24WD

The oenophile's match for precise dual wine preservation



## LIVE MARVELOUSLY TIP



Finish Options



Stainless Steel





Black Frame



Solid Overlay (Panel Ready)\*



## 24" Marvel High-Efficiency Gallery Single Zone Wine Refrigerator

Model # ML24WSG1

## The artful way to showcase your wine collection



## LIVE MARVELOUSLY TIP



## **Ordering Options**

Performance

• Up to 2x more efficient than leading competitors

to temperature without compromising integrity

allowing it to come to full maturation

while conserving energy

**Storage Capabilities** 

**Touchpad Controls** 

is not in use

midnight black interior • Finish: stainless steel

**Additional Convenience** 

parts warranty

Aesthetics

• Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine

• Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity

• Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light,

• Now even quieter operation thanks to exclusive design

• Roller-glide shelf system including (2) 7-bottle gallery display racks to display your best wine, (1) 8-bottle roller-glide wine rack and

• Heavy-gauge wire wine racks safely cradle each wine bottle

• Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 40° F to 65° F • Vacation mode conserves energy during times when unit

• Sleek stainless-steel-framed glass door and designer handle • Natural maple shelf fronts are stainable to match cabinetry

• Two-stage, white theater-style LED lighting and

enhancements to buffer and minimize sound

• 5.5 cu. ft. capacity, stores 27 bottles of wine

(1) 5-bottle gallery display rack

• Vibration Neutralization System<sup>™</sup> protects wine from agitation,

| Stainless Frame, Glass Door, Right Hinge,<br>Stainless Designer Handle | ML24WSG1RS |
|--|------------|
| Stainless Frame, Glass Door, Left Hinge,<br>Stainless Designer Handle  | ML24WSG1LS |

• Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar • Black toe kick adjustable to 4" with leveling legs • 1-year parts and labor warranty, 5-year sealed system



## Even Holds Champagne Bottles!



62



#### Performance

- Up to 2x more efficient than leading competitors
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum wine preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light
- Now even guieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

- 5.3 cu. ft. capacity, stores 45 bottles
- (1) 5-bottle gallery wine tray with Vibration Neutralization System<sup>™</sup> to display your best wine
- (5) 8-bottle roller-glide heavy-gauge wire racks to safely cradle each wine bottle

#### **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 40° F to 65° F
- Vacation mode conserves energy during times when unit is not in use

#### Aesthetics

- Two-stage, white theater LED lighting and midnight black interior and natural maple shelf fronts, stainable to match cabinetry
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

#### Additional Convenience

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Stainless Frame, Glass Door, Right Hinge,<br>Stainless Designer Handle           | ML24WSG3R |
|--|-----------|
| Stainless Frame, Glass Door, Left Hinge,<br>Stainless Designer Handle            | ML24WSG3L |
| Smooth Black Frame, Glass Door,<br>Right Hinge, Black Designer Handle            | ML24WSG3R |
| Smooth Black Frame, Glass Door,<br>Left Hinge, Black Designer Handle             | ML24WSG3L |
| Panel-Ready Framed Glass Door,<br>Integrated Right Hinge (Handle Not Included)*  | ML24WSF4R |
| Panel-Ready Framed Glass Door,<br>Integrated Left Hinge (Handle Not Included)*   | ML24WSF4L |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)* | ML24WSP4R |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*  | ML24WSP4L |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.



## 24" Marvel High-Efficiency Single Zone Wine Refrigerator Model # ML24WS

## 45-bottle wine storage up to 2x more efficient than the rest



#### LIVE MARVELOUSLY TIP



#### Finish Options



Stainless Steel



Framed Overlav (Panel Ready)\*



Solid Overlav (Panel Ready)\*



Black Frame



## 15" Marvel High-Efficiency Single Zone Wine Refrigerator

Model # ML15WS

## Energy and space-efficient wine preservation





**Finish Options** 



Stainless Steel Framed Overlay (Panel Ready)\*

#### Solid Overlay Black Frame (Panel Ready)\*

#### Performance

- Up to 2x more efficient than leading competitors
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, safely bringing wine to temperature without compromising integrity
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Thermal-efficient cabinet ensures optimum wine preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light
- Now even guieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

- 2.7 cu. ft. capacity, stores 24 bottles of wine with (6) 4-bottle roller-glide wine racks
- Heavy-gauge wire wine racks safely cradle each wine bottle

#### **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 40° F to 65° F
- Vacation mode conserves energy during times when unit is not in use

#### Aesthetics

- Two-stage, white theater-style LED lighting, midnight black interior and natural maple shelf fronts, stainable to match cabinetry
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

#### **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- Filler kit available for 18" wide opening (see page 94)
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Stainless Frame, Glass Door, Right Hinge,<br>Stainless Designer Handle           | ML15WSG2RS |
|--|------------|
| Stainless Frame, Glass Door, Left Hinge,<br>Stainless Designer Handle            | ML15WSG2LS |
| Smooth Black Frame, Glass Door,<br>Right Hinge, Black Designer Handle            | ML15WSG2RB |
| Smooth Black Frame, Glass Door,<br>Left Hinge, Black Designer Handle             | ML15WSG2LB |
| Panel-Ready Framed Glass Door,<br>Integrated Right Hinge (Handle Not Included)*  | ML15WSF3RP |
| Panel-Ready Framed Glass Door,<br>Integrated Left Hinge (Handle Not Included)*   | ML15WSF3LP |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)* | ML15WSP3RP |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*  | ML15WSP3LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

#### Performance

- Thermal-efficient cabinet ensures optimum wine preservation and energy efficiency while maximizing capacity
- Tinted, UV-resistant glass protects wine from damaging ultraviolet light, while conserving energy
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

- 2.86 cu. ft. capacity, stores 23 bottles of wine
- (5) 4-bottle roll-out wine shelves with heavy-gauge wire racks to safely cradle each wine bottle
- (1) 3-bottle wine cradle

#### **Temperature Controls**

• Marvel Prime<sup>™</sup> Controls allow you to set cabinet temperature from 40° F to 65° F

#### Aesthetics

- White incandescent display lighting and midnight black interior
- Sleek stainless-steel-framed glass door and designer handle
- Natural maple shelf fronts are stainable to match cabinetry
- Finish: stainless steel

#### **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- Filler kit available for 18" wide opening (see page 94)
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Stainless Frame Glass Door, Right Hinge<br>Stainless Designer Handle | ML15WSG0 |
|--|----------|
| Stainless Frame Glass Door, Left Hinge<br>Stainless Designer Handle  | ML15WSG0 |

#### LIVE MARVELOUSLY TIP

Note: Door style varies from other Marvel models. For side-by-side installations, please confirm door dimensions





ORS GOLS





## 15" Marvel Single Zone Wine Refrigerator

Model # ML15WSG0

## 23-bottle wine preservation in a 15" footprint





## 24" Marvel Single Zone Wine Refrigerator

Model # ML24WSG0

## Stores up to 45 bottles







handle **Ordering Options** 

| Stainless Frame Glass Door, Right Hinge<br>Stainless Designer Handle | ML24WSG0RS |
|--|------------|
| Stainless Frame Glass Door, Left Hinge<br>Stainless Designer Handle  | ML24WSG0LS |
| HumiDrawer™  | 42242728   |

Note: Door style varies from other Marvel models. For side-by-side installations, please confirm door dimensions.

#### Performance

- Thermal-efficient cabinet ensures optimum wine preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy`
- Vibration Neutralization System<sup>™</sup> protects wine from agitation, allowing it to come to full maturation
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

- 6.4 cu. ft. capacity, stores 45 bottles of wine including (1) 7-bottle display wine rack, (4) 8-bottle roll-out wine racks, and (1) 6-bottle wine cradle
- Heavy-gauge wire wine racks safely cradle each wine bottle
- Wire wine racks easily pull out to access your collection

#### **Temperature Controls**

• Marvel Prime<sup>™</sup> Controls allow you to set cabinet temperature from 40° F to 65° F

#### Aesthetics

- · White incandescent display lighting and midnight black interior
- Sleek stainless-steel-framed glass door and designer handle
- Natural maple shelf fronts are stainable to match cabinetry
- Finish: stainless steel

#### **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty



#### HumiDrawer<sup>™</sup> Fine Cigar Storage

Designed exclusively for the 24" Marvel Single Zone Wine Refrigerator (ML24WSG0), the Marvel HumiDrawer<sup>™</sup> is handcrafted Spanish Cedar, recommended for fine cigar storage. Smooth Spanish Cedar dividers are adjustable into four compartments to accommodate as many as 200 cigars from 5" to 8" in length. The humidification system is discretely located, and built-in closures solidly seal the chamber.

#### Storage Capabilities

• Stores 15 lbs of crescent ice

#### Aesthetics

- Easy-to-install panel overlay option
- Finish options: stainless steel, black or overlay (panel ready)

#### **Additional Convenience**

- No pump or drain required
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- Filler kit available for 18" wide opening (see page 94)
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Solid Stainless Steel Door, Right Hinge,<br>Stainless Designer Handle | ML15CRS1RS |
|---|------------|
| Solid Stainless Steel Door, Left Hinge,<br>Stainless Designer Handle  | ML15CRS1LS |
| Solid Smooth Black Door, Right Hinge,<br>Black Designer Handle        | ML15CRS1RB |
| Solid Smooth Black Door, Left Hinge,<br>Black Designer Handle         | ML15CRS1LB |
| Panel-Ready Solid Overlay Door,<br>Right Hinge (Handle Not Included)* | ML15CRP1RP |
| Panel-Ready Solid Overlay Door,<br>Left Hinge (Handle Not Included)*  | ML15CRP1LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.





## 15" Marvel Crescent Ice Machine

Model # ML15CR

## 15 lbs of crescent ice storage, no pump or drain required





#### Finish Options



Stainless Steel



(Panel Ready)\*



Black



# Arctic White Illuminice



## 15" Marvel Clear Ice Machine with Arctic White Illuminice<sup>™</sup>

#### Model # ML15CL & ML15CP

#### Performance

- The quietest ice machine you can buy
- New energy-saving options conserve water and energy
- Engineered to consistently produce pure, clear ice with unrivaled clarity, immediate cooling and slower melt
- Its uniform size and compact density prove to be the optimal shape to provide faster cooling, while taking up less space in your glass
- Produces up to 39 pounds of clear ice daily, the equivalent of nearly eight convenience-store bags of ice
- Streamlined componentry and single-connection water fitting for simple installation

#### **Storage Capabilities**

- Large-capacity bin stores 35 pounds of clear ice, while preserving quality and assuring fresh ice production
- Sleek scoop design is positioned for easy reach
- Easy-to-clean, hygienic interior surface

#### **Touchpad Controls**

- Marvel Intuit<sup>™</sup> Integrated Controls feature all-new settings for ultimate programmability
- Eco Ice<sup>™</sup> mode moderates ice production to conservative usage, saving 25% water (91 gallons monthly) and 25% energy (\$45 annually)\*\*
- Delay Start/Vacation option automatically postpones operation by 1/4/6/8 (hour or day) intervals, preventing wasteful water use
- Audible alerts and programmed cleaning reminders

#### **Aesthetics**

- New Illuminice<sup>™</sup> feature projects arctic white LED light through clear ice for a dazzling illumination effect
- First-ever glass door model with white interior adds drama to entertaining at home
- Easy-to-install panel-ready option includes soft-close integrated hinge
- Finish options: stainless steel, black or overlay panel

#### Additional Convenience

- Close Door Assist System<sup>™</sup> prevents energy loss by automatically drawing door to a gentle close
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty (see owner's guide for details)

#### **Ordering Options**

#### Gravity Drain Applications

| Solid Stainless Steel Door, Right Hinge                    | ML15CLS1 |
|--|----------|
| Solid Stainless Steel Door, Left Hinge                     | ML15CLS1 |
| Stainless Frame, Glass Door, Right Hinge                   | ML15CLG1 |
| Stainless Frame, Glass Door, Left Hinge                    | ML15CLG1 |
| Solid Smooth Black Door, Right Hinge                       | ML15CLS1 |
| Solid Smooth Black Door, Left Hinge                        | ML15CLS1 |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge* | ML15CLP2 |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge*  | ML15CLP2 |
| Factory Installed Pump                                     |          |
| Solid Stainless Door, Right Hinge                          | ML15CPS1 |
| Solid Stainless Door, Left Hinge                           | ML15CPS1 |
| Stainless Frame, Glass Door, Right Hinge                   | ML15CPG1 |
| Stainless Frame, Glass Door, Left Hinge                    | ML15CPG  |
| Solid Smooth Black Door, Right Hinge                       | ML15CPS1 |
| Solid Smooth Black Door, Left Hinge                        | ML15CPS1 |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge* | ML15CPP2 |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge*  | ML15CPP2 |
| Accessories  |          |
| Clear Ice Machine Cleaner, 4-oz bottle                     | S4101378 |
|  |          |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options

\*\*Based on national average of \$0.12 kWh at 100% operation Note: Ice production rate optimal when ambient air and water temperature is at or below 72° F.

marvelrefrigeration.com | 800.223.3900



## LIVE MARVELOUSLY TIP

| RS  |  |
|-----|--|
| ILS |  |
| IRS |  |
| 1LS |  |
| RB  |  |
| ILB |  |
| 2RP |  |

2LP

P2LP

789

#### Proper Ice Machine Care

Each model is programmed with manufacturer-recommended cleaning reminders. To ensure maximum performance and ice quality, clean your ice machine once every 6 months or more depending on use and water quality. For Marvel-approved cleaning products, see Accessories.



Solid Stainless Steel

Stainless Steel

Solid Overlav (Panel Ready)\*



## 24" Marvel Beer Dispensers

Model # ML24BS & ML24BT

## The World's Most Versatile Beer Dispenser



CHECK OUT OUR BEER BLOG

Get informative how-to's, fun beer facts and insider knowledge from expert Bob the Beer Engineer at marvelrefrigeration.com/bobthebeerengineer

#### **Ordering Options**

| SINGLE TAP, BUILT-IN   |            |
|--|------------|
| Solid Smooth Black Door, Right Hinge,<br>Black Designer Handle <sup>†</sup>        | ML24BSS2RB |
| Solid Smooth Black Door, Left Hinge,<br>Black Designer Handle <sup>†</sup>         | ML24BSS2LB |
| Solid Stainless Steel Door, Right Hinge,<br>Stainless Designer Handle <sup>†</sup> | ML24BSS2RS |
| Solid Stainless Steel Door, Left Hinge,<br>Stainless Designer Handle <sup>†</sup>  | ML24BSS2LS |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)*   | ML24BSP3RP |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*    | ML24BSP3LP |



#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Integrated drain system keeps spillage under control and removable components make for easier cleaning
- Double-insulated tower reduces foam on pour and prevents condensation
- Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

- 5.7 cu. ft. capacity
- The only beer dispenser that can store half kegs, tall quarter kegs, pony kegs, sixth barrels, Cornelius kegs, growlers, bottles or cans
- Lo-Boy coupler makes it easier to store, tap and swap out tall U.S. type D half barrels
- (2) stow-on-board, commercial-grade stainless-steel shelves convert unit to a full refrigerator to store perishables
- Secure CO<sub>2</sub> tank storage area and drain basin
- Anti-scuff interior floor shield and stainless steel threshold protect against cabinet wear and tear from loading and unloading kegs
- Rear port gives external CO, tank option

#### **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 46° F
- Vacation mode conserves energy during times when unit is not in use

#### Aesthetics

- Built-in models available with single or twin tap options
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

#### **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

| TWIN TAP, BUILT-IN   |            |
|--|------------|
| Solid Stainless Steel Door, Right Hinge,<br>Stainless Designer Handle <sup>†</sup> | ML24BTS2RS |
| Solid Stainless Steel Door, Left Hinge,<br>Stainless Designer Handle <sup>†</sup>  | ML24BTS2LS |
| Panel-Ready Solid Overlay Door,<br>Integrated Right Hinge (Handle Not Included)*   | ML24BTP3RP |
| Panel-Ready Solid Overlay Door,<br>Integrated Left Hinge (Handle Not Included)*    | ML24BTP3LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

† ENERGY STAR® Certified



## **4-IN-1 STORAGE**



Half Barrel



Tall Quarter Barrel or Pony Keg with Beverage Storage



Two Sixth Barrels or Cornelius Kegs



Full Beverage Storage



## Low Profile Series ADA Height Models

We offer models ideal for ADA-height\* installations, universal design applications and areas with limited space or thick flooring. Marvel is a leading choice of world-class sports and entertainment venues, hotels, hospitals and medical facilities, and other premium hospitality installations across America.

"These units are bulletproof! We purchased 500 of Marvel's refrigerators when cell phones were still bricks, and they are still in excellent running condition today!"

- Andrew T, Chief Engineer of JW Marriott

Slim Designer Handle



isabilities Act

Low Profile

ADA Height

31" Heigh Easy-to-Install

**Overlay Panel** 


Options



## 24" Marvel Low Profile **Beverage Refrigerator**

Model # MA24BRG3

## Versatile refrigeration storage, universal installation





# **Finish Option**

#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even guieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

- 4.9 cu. ft. capacity, stores (95) 12-oz cans and/or (7) wine bottles
- 3-in-1 Split Convertible Shelf<sup>™</sup> with cantilevered glass shelving converts to a wine rack with Vibration Neutralization System™ or offers both configurations all in one
- Tall item storage: half-width interior shelf allows for highclearance vertical storage
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans

#### **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

#### Aesthetics

- Two-stage, arctic white theater-style LED lighting and midnight black interior
- Sleek stainless steel door, black steel-framed shelving and stainless-steel designer handle
- Finish: stainless steel

#### **Additional Convenience**

- Low profile, ADA-compliant height allows for universal installation applications
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Stainless Frame, Glass Door with Lock,<br>Right Hinge, Stainless Designer Handle | MA24BRG3RS |
|--|------------|
| Stainless Frame, Glass Door with Lock<br>Left Hinge, Stainless Designer Handle   | MA24BRG3LS |

#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- FreshFlo<sup>™</sup> commercial-grade cantilevered steel shelves are perforated to allow cool air to efficiently circulate throughout the cabinet
- Thermal-efficient cabinet ensures optimum food preservation and energy efficiency while maximizing capacity
- Argon-filled, UV-resistant tinted dual pane glass door protects contents from damaging ultraviolet light, while conserving energy
- Now even guieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### Storage Capabilities

- 4.9 cu. ft. capacity, stores (95) 12-oz cans and/or (18) wine bottles
- (2) cantilevered, full-width FreshFlo<sup>™</sup> black commercial-grade shelves

#### **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

#### Aesthetics

- Two-stage, arctic white theater-style LED lighting and midnight black interior
- Finish: stainless steel

#### Additional Convenience

- Low profile, ADA-compliant height allows for universal installation applications
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Door lock provides added safety and security
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Stainless Frame, Glass Door with Lock,<br>Right Hinge, Stainless Designer Handle | MA24BCG1 |
|--|----------|
| Stainless Frame, Glass Door with Lock,<br>Left Hinge, Stainless Designer Handle  | MA24BCG1 |

76





## 24" Marvel Low Profile **Beverage Center**

Model # MA24BCG1

## Maximum beverage storage, including up to 18 bottles of wine

IRS

1LS



Finish Option



Stainless Stee



## 24" Marvel Low Profile All Refrigerator with MaxStore<sup>™</sup>Bin

Model # MA24RA

## Versatile refrigeration storage, universal installation





#### **Finish Options**





Stainless Steel

#### Solid Overlay (Panel Ready)

Black

#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Now even guieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

- 4.6 cu. ft. capacity, stores (118) 12-oz cans
- (1) full-width and (1) half-width cantilevered, fully adjustable white steel-framed glass shelves and (1) fixed white steelframed glass shelf
- Tall item storage: half-width interior shelf allows for highclearance vertical storage
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans

#### **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

#### Aesthetics

- Pristine white interior easily wipes clean and efficient arctic white LED lighting illuminates interior for better viewing
- Easy-to-install panel overlay option features soft-close integrated hinge for a truly flush fit with cabinetry
- Finish options: stainless steel, black or overlay (panel ready)

#### **Additional Convenience**

- Low profile, ADA-compliant height allows for universal installation applications
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Solid Stainless Steel Door with Lock, Right Hinge,<br>Stainless Designer Handle            | MA24RAS2RS |
|--|------------|
| Solid Stainless Steel Door with Lock, Left Hinge, Stainless Designer Handle                | MA24RAS2LS |
| Solid Smooth Black Door with Lock, Right Hinge,<br>Black Designer Handle                   | MA24RAS2RB |
| Solid Smooth Black Door with Lock, Left Hinge,<br>Black Designer Handle                    | MA24RAS2LB |
| Panel-Ready Solid Overlay Door with Lock,<br>Integrated Right Hinge (Handle Not Included)* | MA24RAP3RP |
| Panel-Ready Solid Overlay Door with Lock,<br>Integrated Left Hinge (Handle Not Included)*  | MA24RAP3LP |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

#### Performance

- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Now even guieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### Storage Capabilities

- 4.7 cu. ft. capacity, stores (190) 12-oz cans
- (2) cantilevered, fully adjustable FreshFlo<sup>™</sup> white commercial-grade steel shelves

#### **Touchpad Controls**

- Multifunction Marvel Intuit<sup>™</sup> Integrated Controls allow you to select a precise cabinet temperature from 34° F to 42° F
- Vacation mode conserves energy during times when unit is not in use

#### Aesthetics

- Pristine white interior easily wipes clean and efficient arctic white LED lighting illuminates interior for better viewing
- Finish: stainless steel

#### Additional Convenience

- Low profile, ADA-compliant height allows for universal installation applications
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Colid Stainless Steel Door with Lock, Right Hinge,<br>Stainless Designer Handle | MA24RAS1 |
|---|----------|
| olid Stainless Steel Door with Lock, Left Hinge,<br>Stainless Designer Handle   | MA24RAS  |

#### LIVE MARVELOUSLY TIP



## 24" Marvel I ow Profile **All Refrigerator**

Model # MA24RAS1

## Full-depth refrigeration storage: stores as many as 190 cans!

S1RS

S1LS





Finish



Stainless Stee



## 15" Marvel Low Profile **Clear Ice Machine with** Arctic Illuminice<sup>™</sup> Lighting

Model # MA15CL & MA15CP

## Brilliant crystal-clear ice, universal installation





Finish Options





(Panel Ready)\*

#### Performance

- The quietest ice machine you can buy
- New energy-saving options conserve water and electricity
- Engineered to consistently produce pure, clear ice with unrivaled clarity, immediate cooling and slower melt
- Produces up to 39 pounds of clear ice daily, the equivalent of nearly eight convenientce-store ice bags
- Close Door Assist System<sup>™</sup> prevents energy loss by automatically drawing door to a gentle close
- Streamlined componentry and single-connection water fitting for simple installation

#### **Storage Capabilities**

• Large-capacity bin stores 35 pounds of clear ice

#### **Touchpad Controls**

- Multifunction Marvel Intuit™ Integrated Controls adapt ice production to usage needs
- Eco Ice<sup>™</sup> mode moderates ice production to conservative usage, saving 25% water (91 gallons monthly) and 25% energy (\$45 annually)\*\*
- Audible alerts and programmed cleaning reminders

#### Aesthetics

- New Illuminice<sup>™</sup> feature projects arctic white LED lighting through clear ice for a dazzling illumination effect
- High-efficiency, low-maintenance condenser design for built-in zero clearance installations
- Finish options: stainless steel or overlay (panel ready)

#### Additional Convenience

- Low profile, ADA height allows for universal installation applications
- Black toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Gravity Drain Applications   |                          |  |
|--|--------------------------|--|
| Solid Stainless Steel Door, Right Hinge  | MA15CLS1RS               |  |
| Solid Stainless Steel Door, Left Hinge   | MA15CLS1LS               |  |
| Panel-Ready Solid Overlay Panel Door,<br>Right Hinge*  | MA15CLP1RP               |  |
| Panel-Ready Solid Overlay Panel Door,<br>Left Hinge*   | MA15CLP1LP               |  |
| Factory Installed Pump   |                          |  |
|  |                          |  |
| Solid Stainless Door, Right Hinge  | MA15CPS1RS               |  |
| Solid Stainless Door, Right Hinge<br>Solid Stainless Door, Left Hinge  | MA15CPS1RS<br>MA15CPS1LS |  |
|  |                          |  |
| Solid Stainless Door, Left Hinge<br>Panel-Ready Solid Overlay Panel Door,  | MA15CPS1LS               |  |
| Solid Stainless Door, Left Hinge<br>Panel-Ready Solid Overlay Panel Door,<br>Right Hinge*<br>Panel-Ready Solid Overlay Panel Door, | MA15CPS1LS<br>MA15CPP1RP |  |

\*Easy installation! No panel kit required. Consult your cabinet maker for overlay panel and handle options.

\*\*Based on national average of \$0.12 kWh at 100% operation Note: Ice production rate optimal when ambient air and water temperature is at or below 72° F

#### Performance

Insulated thermal-efficient cabinet

#### **Storage Capabilities**

- Stores 15 lbs of crescent ice
- Removable ice bucket for easy cleaning

#### Aesthetics

- Sleek stainless steel door and designer handle
- Finish: stainless steel

#### **Additional Convenience**

- Low profile, ADA height allows for universal installation applications
- No pump or drain required
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Black toe kick adjustable up to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Solid Stainless Steel Door, Right Hinge,<br>Stainless Designer Handle | MA15CRS1 |
|---|----------|
| Solid Stainless Steel Door, Left Hinge,<br>Stainless Designer Handle  | MA15CRS1 |

#### Performance

• Now even quieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

Stores 15 lbs of crescent ice in removable ice bucket

#### **Aesthetics**

Finish options: stainless steel or black

#### **Additional Convenience**

- No pump or drain required
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Solid Stainless Steel Door, Right Hinge,<br>Stainless Designer Handle | MA15CRSCRS |
|---|------------|
| Solid Stainless Steel Door, Left Hinge,<br>Stainless Designer Handle  | MA15CRSCLS |
| Solid Smooth Black Door, Right Hinge<br>Stainless Designer Handle     | MA15CRSCRB |
| Solid Smooth Black Door, Left Hinge<br>Stainless Designer Handle      | MA15CRSCLB |



Model # MA15CRS1









**Finish Options** 

Stainless Steel



## Designed for the elements. Tested to endure.



Rain

MARVEL



Corrosion

High Temperature



Commercial Grade **Power Cord** 



Outdoor Performance

**Energy-efficient** appliances with precise temperature management



Certified for

MARVEL



## Certified for Outdoor Safety and Tested for Performance

Outdoor kitchens demand a higher level of durability, reliability and performance from the appliances chosen for the strenuous job. That's why world-class Marvel Outdoor Refrigeration are CSA certified for outdoor use and tested to endure the elements like rain, corrosion, humidity and temperatures as high as 115° F. Plus, each is engineered with Dynamic Cooling Technology<sup>™</sup> to provide the industry's best temperature stability and rapid cool down proven to cool nearly 2x faster than other outdoor models.

> **Corrosion-resistant** stainless steel exterior, sturdy pro-style handle and rugged toe kicks



**Security locks** standard on all refrigerators and dispensers






## 24" Marvel Outdoor All Freezer

Model # MO24FA

## Cool down on hot summer days with frozen treats within fingers' reach





Stainless Steel

#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and temperatures as high as 115° F
- Tested to hold up to 200 lbs of frozen goods
- Dynamic Cooling Technology™ delivers rapid cool down, frostfree operation and the industry's best temperature stability
- FreshFlo<sup>™</sup> stainless steel shelf helps efficiently circulate cold air and ensures even temperature stability
- Now even guieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### **Storage Capabilities**

- 4.7 total cu. ft.
- Keep items organized and within easy reach with two commercial-grade chrome wire freezer bins on the fully extendable Smooth Glide™ ball bearing system
- (1) full-width adjustable cantilever FreshFlo<sup>™</sup> stainless steel shelf (removable)

#### **Temperature Controls**

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between -10° and 10° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### Aesthetics

- Pristine white interior easily wipes clean and efficient arctic white LED lighting illuminates interior for better viewing
- Corrosion-resistant stainless steel exterior, sturdy pro-style handle and rugged stainless steel toe kick
- Finish: stainless steel

#### **Additional Convenience**

- Door lock provides added safety and security
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Stainless steel toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Solid Stainless Steel Door with Lock, Right Hinge | MO24FAS1RS |
|---|------------|
| Solid Stainless Steel Door with Lock, Left Hinge  | MO24FAS1LS |

#### LIVE MARVELOUSLY TIP





Certified for Outdoor Use



- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient insulated cabinet ensures optimum energy efficiency and cooling performance

#### **Storage Capabilities**

- Refrigerator's 3.9 cu. ft. holds up to (72) 12-oz cans
- Interior 1 cu. ft. freezer with self-closing door is large enough to hold up to 12 pints of ice cream
- Optional ice maker kit available to produce and store up to 13 lbs of crescent ice (accessory part #S42418151, field installable)
- (2) partial-width cantilevered, fully adjustable FreshFlo™ commercial-grade stainless steel shelves, (1) full-width, fixedposition stainless-steel-framed glass shelf, (1) MaxStore™ bin and (1) stainless-steel freezer shelf (removable)
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or (22) 12-oz cans
- Adjustable cantilevered shelving allows easy customization to meet your changing storage needs

#### **Touchpad Controls**

- Marvel Intuit<sup>™</sup> controls for precise, frost-free temperature management between 34° to 42° F and a freezer temperature between -6° F and 6° F to keep contents evenly frozen throughout
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### Aesthetics

- Corrosion-resistant stainless steel exterior, commercial grade 6-foot power cord, sturdy pro-style handle and rugged stainless steel toe kick
- Pristine white interior is easy to wipe clean, even in the corners
- Efficient arctic white LED lighting brightly illuminates interior for better viewing of contents
- Finish: stainless steel


#### **Additional Convenience**

- Door lock provides added safety and security
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Stainless steel toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Solid Stainless Steel Door with Lock,<br>Right Hinge, Professional Handle | MO24RFS2R |
|---|-----------|
| Solid Stainless Steel Door with Lock,<br>Left Hinge, Professional Handle  | MO24RFS2L |
| Outdoor Ice Maker Kit, Ice Bucket Included<br>(Field Installable)         | S42418151 |

handle



RS

## 24" Marvel Outdoor **Refrigerator and Freezer** with Ice Maker Option

Model # MO24RF

The only all-in-one outdoor refrigerator freezer ice maker on the market







Stainless Steel

## 24" Marvel Outdoor Refrigerator with MaxStore™ Bin and Door Storage

Model # MO24RAS2

## Door storage for even more versatility





#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity

#### **Storage Capabilities**

- 5.1 cu. ft. capacity, stores (146) 12-oz cans
- Easy access door storage accommodates tall bottles
- Cantilevered, fully adjustable FreshFlo<sup>™</sup> stainless steel slide-out full width shelf
- MaxStore<sup>™</sup> smooth-glide clear bin organizes loose, bulky items; capable of storing 15 lbs of produce, 4 wine bottles or 22 cans
- Also includes (1) full-width roller-glide and (1) half-width cantilevered, fully adjustable perforated stainless steel shelf and (1) fixed steel-framed glass shelf

#### **Temperature Controls**

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between 34° and 42° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### Aesthetics

- Pristine white interior easily wipes clean and efficient arctic white LED lighting illuminates interior for better viewing
- Corrosion-resistant stainless-steel exterior, sturdy pro-style handle and rugged stainless steel toe kick
- Finish: stainless steel

#### Additional Convenience

- Door lock provides added safety and security
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Stainless steel toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Solid Stainless Steel Door with Lock,<br>Right Hinge, Professional Handle | MO24RAS2RS |
|---|------------|
| Solid Stainless Steel Door with Lock,<br>Left Hinge, Professional Handle  | MO24RAS2LS |



Certified for Outdoor Use



Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient cabinet ensures optimum preservation and energy efficiency while maximizing capacity

#### **Storage Capabilities**

- 5.3 cu. ft. capacity, stores (154) 12-oz cans
- (2) cantilevered, fully adjustable FreshFlo<sup>™</sup> commercial-grade stainless steel shelves

#### **Temperature Controls**

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between 34° and 42° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### Aesthetics

- Pristine white interior easily wipes clean and efficient arctic white LED lighting illuminates interior for better viewing
- Corrosion-resistant stainless-steel exterior, sturdy pro-style handle and rugged stainless steel toe kick
- Finish: stainless steel

#### Additional Convenience

- Door lock provides added safety and security
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Stainless steel toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Solid Stainless Steel Door with Lock,<br>Right Hinge, Professional Handle | MO24RAS1F |
|---|-----------|
| Solid Stainless Steel Door with Lock,<br>Left Hinge, Professional Handle  | MO24RAS1L |



Certified for Outdoor Use

86

## 24" Marvel Outdoor Refrigerator

Model # MO24RAS1

## High-capacity, full-depth storage



RS

ILS



Finish



Stainless Steel

## 15" Marvel Outdoor **All Refrigerator**

Model # MO15RAS2

## Compact refrigeration storage







Stainless Steel

#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient insulated cabinet ensures optimum energy efficiency and cooling performance

#### **Storage Capabilities**

- 2.7 cu. ft. capacity, stores (70) 12-oz cans
- (2) cantilevered, fully adjustable FreshFlo<sup>™</sup> commercial-grade stainless steel roller-glide shelves

#### **Temperature Controls**

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between 34° to 42° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### Aesthetics

- Pristine white interior easily wipes clean and efficient arctic white LED lighting illuminates interior for better viewing
- Corrosion-resistant stainless steel exterior, sturdy pro-style handle and rugged stainless steel toe kick
- Finish: stainless steel

#### **Additional Convenience**

- Door lock provides added safety and security
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Stainless steel toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Certified for Outdoor Use

| Solid Stainless Steel Door with Lock,<br>Right Hinge, Professional Handle | MO15RAS2RS |
|---|------------|
| Solid Stainless Steel Door with Lock,<br>Left Hinge, Professional Handle  | MO15RAS2LS |

#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient insulated cabinet ensures optimum energy efficiency and cooling performance
- Now even guieter operation thanks to exclusive design enhancements to buffer and minimize sound

#### Storage Capabilities

• 5.0 cu. ft. capacity, stores up to (108) 12-oz cans in two large-capacity smooth-glide drawers

#### **Temperature Controls**

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between 34° to 42° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### Aesthetics

- Drawer interior durably constructed from stainless steel, the most hygienic, easy-to-clean and stain-resistant of materials
- Efficient arctic white LED lighting
- Corrosion-resistant stainless-steel exterior, sturdy pro-style handles and rugged stainless steel toe kick
- Finish: stainless steel

#### **Additional Convenience**

- Door lock provides added safety and security
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Stainless steel toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

Solid Stainless Steel Drawer Fronts with Lock, Professional Handle

MO24BDS3NS





Certified for Outdoor Use

88





## 24" Marvel Outdoor **Refrigerated Drawers**

Model # MO24RDS3NS

## Convenient access to large-capacity cold storage







No other beer dispenser compares to the storage versatility of Marvel





Half Barrel or Slim Quarter

Full Beverage Storage



Two Sixth Barrels or Cornelius Kegs

Double-

insulated

tower reduces

foam on pour

and prevents

condensation



Tall Quarter Barrel or Pony Keg with Beverage Storage



Easy-to-clean integrated drain system keeps spillage under control





MARVEL

24" Marvel Outdoor Mobile &

**Built-In Beer Dispensers** 

Model # MO24BS & MO24BT



#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Dynamic Cooling Technology<sup>™</sup> delivers the industry's best temperature stability and rapid cool down, tested and proven to cool nearly 2x faster than competitors
- Thermal-efficient insulated cabinet ensures optimum energy efficiency and cooling performance
- Easy-to-clean integrated drain system keeps spillage under control
- Double-insulated tower reduces foam on pour and prevents condensation

#### **Storage Capabilities**

- 5.7 cu. ft. capacity
- The only beer dispenser that can store half barrel, quarter barrel (pony keg), sixth barrels or Cornelius kegs, slim quarters, growlers, bottles or cans
- Lo-Boy coupler makes it easier to store, tap and swap out tall U.S. type D half barrels
- (2) exclusive stow-on-board shelves convert unit to an allrefrigerator capable of storing perishables
- Secure CO, tank storage area and drain basin
- Includes tower, drain pan, 5 lb. CO, tank, hoses, connectors and floor shield
- Anti-scuff interior floor shield and stainless steel threshold protects cabinet from wear and tear from loading and unloading kegs
- Rear port for external CO<sub>2</sub> tank option

#### **Temperature Controls**

- Marvel Prime<sup>™</sup> controls for precise, frost-free temperature management between 34° to 46° F
- Audible alarms for door ajar and high/low temperature ensure your contents stay at optimal temperature

#### Aesthetics

- Corrosion-resistant stainless steel exterior, sturdy pro-style handle and rugged stainless steel toe kick
- Finish: stainless steel

#### Additional Convenience


- Door lock provides added safety and security
- Stainless steel toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| SINGLE TAP, BUILT-IN  |           |
|---|-----------|
| Solid Stainless Steel Door, Right Hinge,<br>Stainless Professional Handle | MO24BSS2F |
| Solid Stainless steel door, Left Hinge,<br>Stainless Professional Handle  | MO24BSS2I |
| TWIN TAP, BUILT-IN  |           |
| Solid Stainless Steel Door, Right Hinge,<br>Stainless Professional Handle | MO24BTS2F |
| Solid Stainless Steel Door, Left Hinge,<br>Stainless Professional Handle  | MO24BTS2I |









2RS

2LS

RS

2LS

MO24BTSMRS

Solid Stainless Steel Door, Locking Casters, Mug Rail

Right Hinge, Stainless Professional Handle

## 15" Marvel Outdoor **Crescent Ice Machine**

Model # 250iM



#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Thermal-efficient insulated cabinet ensures optimum energy efficiency and cooling performance

#### **Storage Capabilities**

- Stores 15 lbs of crescent ice
- Removable ice bucket for easy serving and cleaning

#### Aesthetics

- Corrosion-resistant stainless steel exterior, sturdy pro-style handle and rugged stainless steel toe kick
- Finish: stainless steel

#### Additional Convenience

- No drain required
- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Stainless steel toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty

#### **Ordering Options**

| Solid Stainless Steel Door, Right Hinge,<br>Stainless Professional Handle | 250iM-SS-F-R |
|---|--------------|
| Solid Stainless Steel Door, Left Hinge,<br>Stainless Professional Handle  | 250iM-SS-F-L |









#### Performance

- CSA certified for outdoor use to withstand elements like rain, corrosion, high humidity and heat
- Tested to perform in temperatures as high as 115° F
- Produces up to 34 lbs. of clear, pure ice in 24 hours
- Stainless steel ice cutter for consistent 3/4" cube size and shape
- Sound-buffering ice deflector greatly reduces cube impact noise
- Thermal-efficient insulated cabinet ensures optimum energy efficiency and cooling performance

#### **Storage Capabilities**

- Stores 30 lbs of clear ice
- Ice scoop included

#### Controls

• Equipped with cleaning mode

#### Aesthetics

- High-efficiency, low-maintenance condenser system designed for built-in zero clearance installations
- Corrosion-resistant stainless steel exterior, sturdy pro-style handle and rugged stainless steel toe kick adjustable to 4"
- Finish: stainless steel

#### **Additional Convenience**

- Close Door Assist System<sup>™</sup> gently and automatically draws door to a close, ensuring door is never accidentally left ajar
- Includes 20' non-kink drain hose and clamp
- Available with or without factory-installed drain pump
- Stainless steel toe kick adjustable to 4" with leveling legs
- 1-year parts and labor warranty, 5-year sealed system parts warranty





Certified for Outdoor Use

handle





THE OWNER Stainless Steel

Finish

## 15" Marvel Outdoor **Clear Ice Machine**

Model # 30iMT

**Ordering Options** 

Solid Stainless Steel Door, Right Hinge,

Solid Stainless Steel Door, Left Hinge,

Solid Stainless Steel Door, Right Hinge,

Stainless Professional Handle

Stainless Professional Handle

Stainless Professional Handle Solid Stainless Steel Door, Left Hinge,

Stainless Professional Handle



30iMT-SS-F-R

30iMT-SS-F-L

30iMT-SS-F-R-P

30iMT-SS-F-L-P



| 1          | 2  | 3                     | 4          |
|------------|----|-----------------------|------------|
| 5          | 6  |                       | 3          |
| ß          | 10 | 11                    | 12         |
| 13         | 14 | tion<br>Million<br>15 | <b>1</b> 6 |
| <b>1</b> 7 | 18 | 19                    | 20         |
| 21         | 22 | 23                    | 24         |
| 25         | 26 | 27                    |            |
|            |    |                       |            |
|            |    |                       |            |
|            |    |                       |            |

| 1. Marve           | el Designer Handle, Stainless   | 42242939                                  |
|--------------------|---|---|
| 2. Low F           | Profile ADA Height Door Handle, Stainless                               | 42246370                                  |
| 3. Marve           | el Designer Drawer Handle, Stainless                                    | 42245820                                  |
| 4. Marve           | el Professional Drawer Handle, Stainless                                | 42246072                                  |
| 5. 15″ P           | rofessional Style Toe Grill, Stainless                                  | Right - 41014478-SF<br>Left - 41014478-SL |
| 6. 24″ P           | rofessional Style Toe Grill, Stainless                                  | Right - 41014476-SF<br>Left - 41014476-SL |
| nstallati          | on Accessories  |   |
| 7. 18″             | Stainless-Steel Filler Kit*   | 42242833-ACCY                             |
| 8. 18″             | Black Filler Kit*   | 42242832-ACCY                             |
| *Not avail         | able for Marvel Low Profile and Marvel Outdoor mo                       | dels.                                     |
|                    |   |   |
|                    | Accessories (Select 24" Units)  |   |
|                    | Nidth Flat Shelf, Black-Stained Maple Front                             | S41012334-004                             |
|                    | Nidth Flat Shelf, Natural Maple Shelf Front                             | 42248729-ACCY                             |
|                    | Width Flat Shelf, Natural Maple Shelf Front                             | 42248725-ACCY                             |
|                    | ttle Wine Cradle, Natural Maple Shelf Front                             | 42244618                                  |
|                    | ttle Wine Cradle, Black-Stained<br>le Shelf Front                       | 42248869                                  |
| - 1-               |   |   |
|                    | frigerator Accessories  |   |
|                    | iDrawer <sup>™</sup> Cigar Compartment<br>able for ML24WSG0 model only) | 42242728-ACCY                             |
| ce Macl            | nine Accessories  |   |
| 15. Ice N          | /lachine Cleaner, 4 oz. Bottle  | S41013789                                 |
| 16. Drair<br>(30il | n Pump for Outdoor Clear Ice Machine<br>MT)                             | 42248890                                  |
| 17. Drair          | n Pump for Illuminice™ Clear Ice Machines                               | S41013943                                 |
| Deer Di            |   |   |
|                    | spenser Accessories   | 42240102                                  |
|                    | Tap Dispenser Kit   | 42249103                                  |
|                    | e Tap Dispenser Kit   | 42249104                                  |
| 2                  | Tank - Empty  | 42249028                                  |
|                    | -In Drain System Kit  | 42242374                                  |
|                    | Cleaning Kit  | 42242373-ACCY                             |
|                    | grated Grate Tray   | S41014006                                 |
|                    | ers, Set of 4   | 42249107                                  |
|                    | ior Floor Shield  | 42242400                                  |
| 26. Vinyl          | Cover for Model with Dispenser Tower                                    | 42243155                                  |
|                    | Cover for Model without Dispenser Tower                                 | 42243156                                  |

#### 24" Stacking Kits

Make maximum use of your kitchen space by going vertical. With the Marvel Universal Stacking Kit, you can mix and match any 24" Marvel model to your ideal combination. Pair wine with refrigeration, or a freezer with beverage storage — anything is possible.

Note: Universal stacking kit required for proper installation (model #42249443).

Universal Stacking Kit - includes anti-tip brackets, screws and black powder-coated plate (required to 42249443-ACCY stack 24" Marvel undercounter products)



42249443 includes a 23"w x 21"d mounting plate and two anti-tip brackets (not shown to scale).

## MARVEL

Specifications: Marvel Professional

|                         | Side-by-Si   | ide Models   | Refrigerator with Bottom Mount Freezer   | Counter Depth Refrigerators   |
|-------------------------|--|--|--|---|
|                         |  |  |  |   |
| Model Number            | MP42SS   | MP48SS   | MP36BF   | MMCFDR23, MELFDR23, AMPROFD23   |
| Product Dimensions      | 42" W x 82 ¾" H x 29 ³/16" D   | 48" W x 82 ¾" H<br>x 26 ³/16" D (Including Handles)                          | $36^{\prime\prime}$ W x 82 $\%^{\prime\prime}$ H x 26 $^{1\!/_2 \prime\prime}$ D (Including Handles) | 35 ⁵/ଃ" W x 70″ H<br>x 29 ¹/₂″ D (Including Handles)                      |
| Interior Cabinet Finish | White  | White  | White  | White   |
| Cu. Ft. Capacity        | Total: 25.32 cu. ft.<br>Refrigerator: 15.76 cu. ft.<br>Freezer: 9.56 cu. ft. | Total: 29.05 cu. ft.<br>Refrigerator: 19.49 cu. ft.<br>Freezer: 9.56 cu. ft. | Total: 20.4 cu. ft.<br>Refrigerator: 15.3 cu. ft.<br>Freezer: 5.1 cu. ft.                            | Total: 22.2 cu. ft.<br>Refrigerator: 15.4 cu. ft.<br>Freezer: 6.8 cu. ft. |
| Shelving System         | Cantilever spill-proof sealed 3/8"<br>thick glass shelves                    | Cantilever spill-proof sealed 3/8"<br>thick glass shelves                    | Cantilever   | Cantilever  |
| Interior Lighting       | White LED  | White LED  | White LED  | White LED   |
| Toe Grill Finish        | Stainless Steel  | Stainless Steel  | Stainless Steel  | Stainless Steel   |
| Hinge                   | Adjustable   | Adjustable   | Adjustable   | Classic   |
| Handle                  | Designer   | Designer   | Designer   | Varies by Style, See product page<br>for details                          |
| Control Type            | Digital  | Digital  | Digital  | Digital   |
| Temperature Range       | Refrigerator: 33° F to 43° F<br>Freezer: -5° F to 5° F                       | Refrigerator: 33° F to 43° F<br>Freezer: -5° F to 5° F                       | Refrigerator: 33° F to 43° F<br>Freezer: -5° F to 5° F   | Refrigerator: 33° F to 47° F<br>Freezer: -6° F to 6° F                    |
| Electrical Requirements | 115 volt, 60 Hz, 15 amp  | 115 volt, 60 Hz, 15 amp  | 115 volt, 60 Hz, 15 amp  | 115 volt, 60 Hz, 15 amp or 20 amp   |
| Length of Power Cord    | 4 <sup>1</sup> /2′   | 4 <sup>1</sup> /2'   | 4 <sup>1</sup> /2'   | 6'  |
| Shipping Weight         | 525 lb.  | 580 lbs.   | 565 lb.  | 378 lbs   |
| Finishes                | SS, O  | SS, O  | SS, O  | Varies by Style, See product page<br>for details                          |
| Agency Approvals        | UL   | UL   | UL   |   |

|                         | All Refri   | gerators  | All Freezers                         |   |  |
|-------------------------|---|---|--------------------------------------|---|--|
|                         |   |   |                                      |   |  |
| Model Number            | MP30RA  | MP36RA  | MP30FA                               | MP36FA  |  |
| Product Dimensions      | 30" W x 82 ¾" H x 26 ½" D                                 | 36" W x 82 ¾" H x 26 1/2" D                               | 30" W x 82 ¾" H x 26 $^{1\!/\!2"}$ D | 36" W x 82 <sup>3</sup> /4" H x 26 <sup>1</sup> /2" D |  |
| Interior Cabinet Finish | White   | White   | White                                | White   |  |
| Cu. Ft. Capacity        | 18.4 cu. ft.  | 22.8 cu. ft.  | 15.9 cu. ft.                         | 19.2 cu. ft   |  |
| Shelving System         | Cantilever spill-proof sealed 3/8"<br>thick glass shelves | Cantilever spill-proof sealed 3/8"<br>thick glass shelves | Cantilever                           | Cantilever  |  |
| Interior Lighting       | White LED   | White LED   | White LED                            | White LED   |  |
| Toe Grill Finish        | Stainless Steel   | WStainless Steel  | Stainless Steel                      | Stainless Steel                                       |  |
| Hinge                   | Adjustable  | Adjustable  | Adjustable                           | Adjustable  |  |
| Handle                  | Designer  | Designer  | Designer                             | Designer  |  |
| Control Type            | Digital   | Digital   | Digital                              | Digital   |  |
| Temperature Range       | 33°F to 43°F  | 33°F to 43°F  | -5°F to 5°F                          | -5°F to 5°F   |  |
| Electrical Requirements | 115 volt, 60 Hz, 15 amp                                   | 115 volt, 60 Hz, 15 amp                                   | 115 volt, 60 Hz, 15 amp              | 120 volt, 60 Hz, 15 amp or 20 amp                     |  |
| Length of Power Cord    | 4 1/2'  | 4 1/2'  | 4 1/2'                               | 6'  |  |
| Shipping Weight         | 525 lb.   | 590 lb.   | 550 lb.                              | 605 lb.   |  |
| Finishes                | SS, O   | SS, O   | SS, O                                | SS, O   |  |
| Agency Approvals        | UL  | UL  | UL                                   | UL  |  |

Finish Legend SS = Stainless Steel B = Black O = Overlay (Panel Ready)

The information presented herein is based on the best data available and is believed to be correct. However, nothing stated herein is to be taken as warranty, expressed or implied, regarding the accuracy of the information or the use of our product or products. Specifications are subject to change without notice.

Specifications are for reference only and should not be used for cutout dimensions. Please consult the installation guide available at www.marvelrefrigeration.com before making any final preparations for installation of these products.



|                         |   | Refrigerators  |  |  |  |
|-------------------------|---|--|--|--|--|
|                         |   |  |  |  |  |
| Model Number            | MP24WB  | MP24BR   | MP24BCG  | MP15BCG  | MP24RAS4   |
| Product Dimensions      | 23 <sup>7</sup> /s" W x 33¾" H x 21½" D                             | 23 <sup>7</sup> /s" W x 33 <sup>3</sup> /4" H x 21 <sup>1</sup> /2" D  | 23 <sup>7</sup> /8" W x 33 ¾" H x 21 ½" D                  | 14 <sup>7</sup> /8" W x 33 ¾" H x 21½" D                   | 23 1/8" W x 33 34" H x 21 1/2" D                           |
| Interior Cabinet Finish | Black   | Black  | Black  | Black  | Black  |
| Cu. Ft. Capacity        | 5.1 cu. ft.   | 5.5 cu. ft.  | 5.3 cu. ft.  | 2.7 cu. ft.  | 5.1 cu. ft.  |
| Capacity                | Up to 7 wine bottles 24 Upper<br>Zone / 112 12oz cans Lower<br>Zone | Up to 20 wine bottles<br>Up to 162 12-oz cans                          | Up to 19 wine bottles<br>Up to 108 12-oz cans              | Up to 5 wine bottles<br>Up to 35 12-oz cans                | Up to 115 12-oz cans                                       |
| Shelving System         | Smooth Glide System <sup>™</sup>                                    | Cantilever   | Cantilever   | Cantilever   | Cantilever   |
| Shelf Fronts            | Stainless Steel   | Stainless Steel  | Stainless Steel  | Stainless Steel  | Stainless Steel  |
| Other Storage           | NA  | 3-in-1 Slide-Out Split Convertible<br>Shelf, MaxStore <sup>™</sup> Bin | 3-in-1 Slide-Out Split<br>Convertible Shelf                | NA   | MaxStore™ Bin<br>Door Storage                              |
| Interior Lighting       | Tri-Color LED   | Tri-Color LED  | Tri-Color LED  | Tri-Color LED  | Tri-Color LED  |
| Toe Grill Finish        | Stainless Steel   | Stainless Steel  | Stainless Steel  | Stainless Steel  | Stainless Steel  |
| Hinge                   | Soft Close Integrated Hinge   | Soft Close Integrated Hinge  | Soft Close Integrated Hinge                                | Soft Close Integrated Hinge                                | Soft Close Integrated Hinge                                |
| Handle                  | Professional<br>(Panel Overlay Does<br>Not Include Handle)          | Professional<br>(Panel Overlay Does<br>Not Include Handle)             | Professional<br>(Panel Overlay Does<br>Not Include Handle) | Professional<br>(Panel Overlay Does<br>Not Include Handle) | Professional<br>(Panel Overlay Does<br>Not Include Handle) |
| Control Type            | Intuit™   | Intuit™  | Intuit™  | Intuit™  | Intuit™  |
| Temperature Range       | Top: 45° to 60° F<br>Bottom: 34° to 42° F                           | 34° to 42° F   | 34° to 42° F   | 34° to 42° F   | 34° to 42° F   |
| Lock                    | Yes   | Yes  | Yes  | Yes  | Yes  |
| Electrical Requirements | 120V / 60Hz / 15A   | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  |
| Length of Power Cord    | 6′  | 6'   | 6'   | 6'   | 6'   |
| Shipping Weight         | 160 lbs   | 160 lbs  | 160 lbs  | 125 lbs  | 160 lbs  |
| Finishes                | SS, O   | SS, O  | SS, O  | SS, O  | SS   |
| Vacation Mode           | Yes   | Yes  | Yes  | Yes  | Yes  |
| Agency Approvals        | CSA   | CSA  | CSA  | CSA  | CSA  |

|                         | Refrigerated Drawers  | Freezers   |  | Wine Refrigerators   |  |
|-------------------------|---|--|--|--|--|
|                         |   |  |  |  | 11144  |
| Model Number            | MP24RD  | MP2FA  | MP24WD   | MP24WS   | MP15WS   |
| Product Dimensions      | 23 <sup>7</sup> /8" W x 33 <sup>3</sup> /4" H x 21 <sup>1</sup> /2" D | 23 <sup>7</sup> /8" W x 33 ¾" H x 25 <sup>5</sup> /8" D    | 23 <sup>7</sup> /8" W x 33¾" H x 21½" D                    | 23 <sup>7</sup> /8" W x 33 ¾" H x 21½" D                   | 14 <sup>7</sup> /8" W x 33 ¾" H x 21½" D                   |
| Interior Cabinet Finish | Stainless Steel   | Black  | Black  | Black  | Black  |
| Cu. Ft. Capacity        | 5.0 cu. ft.   | 4.6 cu. ft.  | 4.9 cu. ft.  | 5.2 cu. ft.  | 2.7 cu. ft.  |
| Capacity                | Up to 108 12-oz cans  | Up to 200 lbs of frozen goods                              | Up to 40 wine bottles:<br>24 Upper Zone / 16 Lower Zone    | Up to 48 wine bottles                                      | Up to 24 wine bottles                                      |
| Shelving System         | NA  | Smooth Glide System™                                       | Smooth Glide System™                                       | Smooth Glide System <sup>™</sup>                           | Smooth Glide System <sup>™</sup>                           |
| Shelf Fronts            | NA  | NA   | Stainless Steel  | Stainless Steel  | Stainless Steel  |
| Other Storage           | Double Drawer Storage   | 3 Wire Bins  | NA   | NA   | NA   |
| nterior Lighting        | Tri-Color LED   | Tri-Color LED  | Tri-Color LED  | Tri-Color LED  | Tri-Color LED  |
| oe Grill Finish         | Stainless Steel   | Stainless Steel  | Stainless Steel  | Stainless Steel  | Stainless Steel  |
| linge                   | NA  | Soft Close Integrated Hinge                                |
| Handle                  | Professional<br>(Panel Overlay Does<br>Not Include Handle)            | Professional<br>(Panel Overlay Does<br>Not Include Handle) | Professional<br>(Panel Overlay Does<br>Not Include Handle) | Professional<br>(Panel Overlay Does<br>Not Include Handle) | Professional<br>(Panel Overlay Does<br>Not Include Handle) |
| Control Type            | Intuit™   | Intuit™  | Intuit™  | Intuit™  | Intuit™  |
| emperature Range        | 34° to 42° F  | -10° F to 10° F  | Top: 55° to 62° F<br>Bottom: 45° to 55° F                  | 40° to 65° F   | 40° to 65° F   |
| _ock                    | Yes   | Yes  | Yes  | Yes  | Yes  |
| lectrical Requirements  | 120V / 60Hz / 15A   | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  |
| ength of Power Cord     | 6'  | 6'   | 6′   | 6'   | 6'   |
| Shipping Weight         | 160 lbs   | 160 lbs  | 160 lbs  | 160 lbs  | 125 lbs  |
| inishes                 | SS, O   | SS, O  | SS, O  | SS, O  | SS, O  |
| /acation Mode           | Yes   | Yes  | Yes  | Yes  | Yes  |
| Agency Approvals        | CSA   | CSA  | CSA  | CSA  | CSA  |

Finish Legend SS = Stainless Steel B = Black

O = Overlay (Panel Ready)

The information presented herein is based on the best data available and is believed to be correct. However, nothing stated herein is to be taken as warranty, expressed or implied, regarding the accuracy of the information or the use of our product or products. Specifications are subject to change without notice. Specifications are for reference only and should not be used for cutout dimensions. Please consult the installation guide available at www.marvelrefrigeration.com before making any final preparations for installation of these products. MARVEL

Specifications: Marvel



|                        | Ice Machines   |   | Beverag  | e Centers  |  |
|------------------------|--|---|--|--|--|
|                        |  |   |  |  |  |
| Vodel Number           | MP15CL / MP15CP  | ML24WB  | ML24BR   | ML24BCG1   | ML15BC   |
| roduct Dimensions      | 14 <sup>7</sup> /s" W x 33 ¾" H x 21½" D                   | 23 <sup>7</sup> /s" W x 33 ¾" H x 21½" D                                    | 23 <sup>7</sup> /s" W x 33 ¾" H x 21½" D                                 | 23 <sup>7</sup> /s" W x 33 ¾" H x 21½" D                           | 14 <sup>7</sup> /s" W x 33 ¾" H x 21½" D                           |
| nterior Cabinet Finish | Black  | Black   | Black  | Black  | Black  |
| Cu. Ft. Capacity       | NA   | 5.1 cu. ft.   | 5.2 cu. ft.  | 5.5 cu. ft.  | 2.3 cu. ft.  |
| Capacity               | Up to 35 lbs of clear ice                                  | Upper Zone:<br>Up to 16 wine bottles<br>Lower Zone:<br>Up to 112 12-oz cans | Up to 7 wine bottles<br>Up to 162 12-oz cans                             | Up to 18 wine bottles or<br>Up to 162 12-oz cans                   | Up to 5 wine bottles or<br>up to 35 12-oz cans                     |
| Shelving System        | NA   | Roller-Glide System   | Cantilever   | Cantilever   | Cantilever   |
| Shelf Fronts           | NA   | Natural Maple   | Steel Framed   | Steel Framed   | Steel Framed   |
| Other Storage          | NA   | Bottom Storage  | 3-in-1 Split Convertible Shelf <sup>™</sup><br>MaxStore <sup>™</sup> Bin | 3-in-1 Split Convertible Shelf™                                    | NA   |
| nterior Lighting       | Tri-Color LED  | White LED   | White LED  | White LED  | White LED  |
| oe Grill Finish        | Stainless Steel  | Black   | Black  | Black  | Black  |
| linge                  | Soft Close Integrated Hinge                                | Classic Hinge   | Classic Hinge  | Classic Hinge  | Classic Hinge  |
| Handle                 | Professional<br>(Panel Overlay Does<br>Not Include Handle) | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle)          | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle)       | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle) | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle) |
| Control Type           | Intuit™  | Intuit™   | Intuit™  | Intuit™  | Intuit™  |
| emperature Range       | NA   | Upper Zone: 45° to 60° F<br>Lower Zone: 34° to 42° F                        | 34° to 42° F   | 34° to 42° F   | 34° to 42° F   |
| _ock                   | Glass Door Model Only                                      | No  | No   | No   | No   |
| lectrical Requirements | 120V / 60Hz / 15A  | 120V / 60Hz / 15A   | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  |
| ength of Power Cord    | 6'   | 6'  | 6'   | 6'   | 6'   |
| Shipping Weight        | 127 lbs  | 160 lbs   | 160 lbs  | 160 lbs  | 125 lbs  |
| inishes                | SS, O  | SS, B, O  | SS, B, O   | SS, O  | SS, B, O   |
| /acation Mode          | Yes  | Yes   | Yes  | Yes  | Yes  |
| Agency Approvals       | CSA  | CSA   | CSA  | CSA  | CSA  |
|                        |  | 1   | 1  |  |  |
|                        | Beverage Centers   | Refrigerated Drawers  |  | Refrigerators  |  |
|                        |  |   | 31 H   |  |  |
| Aodel Number           | ML24BCG0   | ML24RD  | ML15RA   | ML24RA   | ML24RAS1   |
| roduct Dimensions      | 23 <sup>7</sup> /s" W x 33 ¾" H x 21 ½" D                  | 23 7/8" W x 33 ¾" H x 21 ½" D   | 14 1/8" W x 33 34" H x 211/2" D  | 23 7/s" W x 33 ¾" H x 21½" D                                       | 23 7/8" W x 33 ¾" H x 21 ½" [                                      |
| nterior Cabinet Finish | Black  | White   | White  | White  | White  |
| Cu. Ft. Capacity       | 5.5 cu. ft.  | 5.0 cu. ft.   | 2.7 cu. ft.  | 5.1 cu. ft.  | 5.3 cu. ft.  |
|                        |  |   |  |  |  |
|                        | 11 100 10  | 11 100 10   | 11   | 11   | 11 . 100.10  |



Lock

| oz cans                    | Up to 48 12-oz cans  | Up to 115 12-oz cans   | Up to 190 12-oz cans |
|----------------------------|--|--|----------------------|
|                            | Cantilever   | Cantilever   | Cantilever           |
|                            | White Steel-Framed   | White Steel-Framed   | White Steel-Framed   |
| ivider                     | NA   | MaxStore™ Bin<br>Door Storage                                      | NA                   |
| D                          | White LED  | White LED  | White LED            |
|                            | Black  | Black  | Black                |
|                            | Classic Hinge  | Classic Hinge  | Classic Hinge        |
| Handle<br>/ Does<br>andle) | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle) | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle) | Slim Designer Handle |
|                            | Intuit™  | Intuit™  | Intuit™              |
| Υ F                        | 34° to 42° F   | 34° to 42° F   | 34° to 42° F         |
|                            | No   | No   | No                   |
| / 15A                      | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  | 120V / 60Hz / 15A    |
|                            | 6'   | 6'   | 6′                   |
|                            | 125 lbs  | 160 lbs  | 160 lbs              |
| )                          | SS, B, O   | SS, B, O   | SS                   |
|                            | Yes  | Yes  | Yes                  |
|                            | CSA  | CSA  | CSA                  |



|                         | Refrigerator Freezer  | Freezers   |  | Wine Refrigerators   |  |
|-------------------------|---|--|--|--|--|
|                         |   |  |  |  |  |
| Model Number            | ML24RF / ML24RI   | ML24FA   | ML24WSG1   | ML24WD   | ML24WS   |
| Product Dimensions      | 23 <sup>7</sup> /8" W x 33 ¾" H x 21 ½" D                                   | 23 <sup>7</sup> /8" W x 33 ¾" H x 25 <sup>5</sup> /8" D            | 23 <sup>7</sup> /8" W x 33 ¾" H x 21 ½" D                          | 23 <sup>7</sup> /8" W x 33 ¾" H x 21½" D                           | 23 <sup>7</sup> /8" W x 33 ¾" H x 21 ½" D                          |
| Interior Cabinet Finish | White   | White  | Black  | Black  | Black  |
| Cu. Ft. Capacity        | 4.9 cu. ft.   | 4.7 cu. ft.  | 5.5 cu. ft.  | 4.9 cu. ft.  | 5.3 cu. ft.  |
| Capacity                | Up to 72 12-oz cans<br>12 Pints of Ice Cream<br>Ice Bucket Capacity: 13 lbs | Up to 200 lbs of frozen food                                       | Up to 27 wine bottles  | Up to 40 wine bottles<br>24 Upper Zone<br>16 Lower Zone            | Up to 45 wine bottles  |
| Shelving System         | Cantilever  | Cantilever   | Roller-Glide System  | Roller-Glide System  | Roller-Glide System  |
| Shelf Fronts            | White Steel-Framed  | White Steel-Framed   | Natural Maple  | Natural Maple  | Natural Maple  |
| Other Storage           | MaxStore <sup>™</sup> Bin<br>Freezer Storage, Ice Bucket                    | NA   | NA   | NA   | NA   |
| Interior Lighting       | White LED   | White LED  | White LED  | White LED  | White LED  |
| Toe Grill Finish        | Black   | Black  | Black  | Black  | Black  |
| Hinge                   | Classic Hinge   | Classic Hinge  | Classic Hinge  | Classic Hinge  | Classic Hinge  |
| Handle                  | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle)          | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle) | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle) | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle) | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle) |
| Control Type            | Intuit™   | Intuit™  | Intuit™  | Intuit™  | Intuit™  |
| Temperature Range       | Refrigerator: 34° to 42° F<br>Freezer: -6° to 6° F                          | -10° to 10° F  | 40° to 65° F   | Upper Zone: 55° to 62° F<br>Lower Zone: 45° to 55° F               | 40° to 65° F   |
| Lock                    | No  | No   | No   | No   | No   |
| Electrical Requirements | 120V / 60Hz / 15A   | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  |
| Length of Power Cord    | 6′  | 6'   | 6'   | 6'   | 6'   |
| Shipping Weight         | 160 lbs   | 160 lbs  | 160 lbs  | 160 lbs  | 160 lbs  |
| Finishes                | SS, B, O  | SS, B, O   | SS   | SS, B, O   | SS, B, O   |
| Vacation Mode           | Yes   | Yes  | Yes  | Yes  | Yes  |
| Agency Approvals        | CSA   | CSA  | CSA  | CSA  | CSA  |

|                         |  | Wine Refrigerators   |  | Ice Ma   | chines   |
|-------------------------|--|--|--|--|--|
|                         |  |  |  |  |  |
| Model Number            | ML15WS   | ML15WSG0   | ML24WSG0   | ML15CL / ML15CP  | ML15CRS1   |
| Product Dimensions      | 14 7/8" W x 33 ¾" H x 211/2" D                                     | 14 ¾" W x 33 ¾" H x 21 ¾16 " D                                     | 23 <sup>7</sup> /8" W x 33 ¾" H x 22" D                            | 14 7/8" W x 33 ¾" H x 21½" D                                       | 14 <sup>7</sup> /8" W x 33 <sup>3</sup> ⁄4" H x 20½" D             |
| Interior Cabinet Finish | Black  | Black  | Black  | White  | White  |
| Cu. Ft. Capacity        | 2.7 cu. ft.  | 2.86 cu. ft.   | 6.4 cu. ft.  | NA   | NA   |
| Capacity                | Up to 24 wine bottles  | Up to 23 wine bottles  | Up to 45 wine bottles  | Up to 35 lbs of clear ice  | Up to 15 lbs of crescent ice                                       |
| Shelving System         | Roller-Glide System  | Roller-Glide System  | Roller-Glide System  | NA   | NA   |
| Shelf Fronts            | Natural Maple  | Natural Maple  | Natural Maple  | NA   | NA   |
| Other Storage           | NA   | NA   | NA   | NA   | Ice Bucket   |
| Interior Lighting       | White LED  | Incandescent   | White Incandescent   | Illuminice™ White LED  | NA   |
| Toe Grill Finish        | Black  | Black  | Black  | Black  | Black  |
| Hinge                   | Classic Hinge  | Classic Hinge  | Classic Hinge  | Classic Hinge  | Classic Hinge  |
| Handle                  | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle) |
| Control Type            | Intuit™  | Prime™   | Prime™   | NA   | NA   |
| Temperature Range       | 40° to 65° F   | 40° to 65° F   | 40° to 65° F   | NA   | NA   |
| Lock                    | No   | No   | No   | No   | No   |
| Electrical Requirements | 120V / 60Hz / 15A  |
| Length of Power Cord    | 6'   | 6'   | 6'   | 6'   | 6'   |
| Shipping Weight         | 125 lbs  | 121 lbs  | 145 lbs  | 127 lbs  | 127 lbs  |
| Finishes                | SS, B, O   | SS   | SS   | SS, B, O   | SS, B, O   |
| Vacation Mode           | Yes  | No   | No   | No   | No   |
| Agency Approvals        | CSA  | CSA  | CSA  | CSA  | CSA  |

O = Overlay (Panel Ready)

The information presented herein is based on the best data available and is believed to be correct. However, nothing stated herein is to be taken as warranty, expressed or implied, regarding the accuracy of the information or the use of our product or products. Specifications are subject to change without notice.

Specifications are for reference only and should not be used for cutout dimensions. Please consult the installation guide available at www.marvelrefrigeration.com before making any final preparations for installation of these products.

MARVEL

Specifications: Marvel Low Profile



|                         | Beer Dispensers   | Beverag  | e Centers   | Refrig  | erators   |
|-------------------------|---|--|---|---|---|
|                         |   |  |   |   |   |
| Model Number            | ML24BS / ML24BT   | MA24BRG3   | MA24BCG1  | MA24RA  | MA24RAS1  |
| Product Dimensions      | 23 <sup>7</sup> /8" W x 33 ¾" H x 21 ½" D   | 23 <sup>7</sup> /8" W x 31 <sup>7</sup> /2" H x 21 <sup>1</sup> /2" D    | 23 <sup>7</sup> /8" W x 31 <sup>1</sup> /2" H x 21 <sup>1</sup> /2" D | 23 <sup>7</sup> /8" W x 31 <sup>1</sup> /2" H x 21 <sup>1</sup> /2" D | 23 <sup>7</sup> /8" W x 31 <sup>1</sup> /2" H x 21 <sup>1</sup> /2" D |
| Interior Cabinet Finish | White   | Black  | Black   | White   | White   |
| Cu. Ft. Capacity        | 5.7 cu. ft.   | 4.9 cu. ft.  | 4.9 cu. ft.   | 5.1 cu. ft.   | 5.3 cu. ft.   |
| Capacity                | Half kegs, tall quarter kegs,<br>pony kegs, sixth barrels,<br>cornelius kegs, growlers,<br>bottles / cans | Up to 27 wine bottles<br>Up to 95 12-oz cans                             | Up to 18 wine bottles<br>Up to 95 12-oz cans                          | Up to 100 12-oz cans  | Up to 190 12-oz cans  |
| Shelving System         | Stow-on-board   | Cantilever   | Cantilever  | Cantilever  | Cantilever  |
| Shelf Fronts            | Stainless-steel   | Steel Framed   | Steel Framed  | White Steel Framed  | White Steel Framed  |
| Other Storage           | CO2 tank  | MaxStore <sup>™</sup> Bin<br>3-in-1 Split Convertible Shelf <sup>™</sup> | MaxStore™ Bin   | MaxStore <sup>™</sup> Bin<br>Door Storage                             | NA  |
| Interior Lighting       | NA  | White LED  | White LED   | White LED   | White LED   |
| Toe Grill Finish        | Black   | Black  | Black   | Black   | Black   |
| Hinge                   | Classic Hinge   | Classic Hinge  | Classic Hinge   | Classic Hinge   | Classic Hinge   |
| Handle                  | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle)  | Slim Designer Handle   | Slim Designer Handle  | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle)    | Slim Designer Handle  |
| Control Type            | Intuit™   | Intuit™  | Intuit™   | Intuit™   | Intuit™   |
| Temperature Range       | 34° to 46° F  | 34° to 42° F   | 34° to 42° F  | 34° to 42° F  | 34° to 42° F  |
| Lock                    | No  | Yes  | Yes   | Yes   | Yes   |
| Electrical Requirements | 120V / 60Hz / 15A   | 120V / 60Hz / 15A  | 120V / 60Hz / 15A   | 120V / 60Hz / 15A   | 120V / 60Hz / 15A   |
| Length of Power Cord    | 6'  | 6'   | 6′  | 6'  | 6'  |
| Shipping Weight         | 160 lbs   | 160 lbs  | 160 lbs   | 160 lbs   | 160 lbs   |
| Finishes                | SS, B, O  | SS   | SS  | SS, B, O  | SS  |
| Vacation Mode           | No  | Yes  | Yes   | Yes   | Yes   |
| Agency Approvals        | CSA   | CSA  | CSA   | CSA   | CSA   |

#### Ice Machines

| Model Number            | MA15CL  | MA15CRS1  | MA15CRC   |  |  |
|-------------------------|---|---|---|--|--|
| Product Dimensions      | 14 <sup>7</sup> /8" W x 31 <sup>1</sup> /8" H x 21 <sup>1</sup> /2" D | 14 <sup>7</sup> /8" W x 31 <sup>1</sup> /8" H x 21 ½" D | 14 <sup>7</sup> /8" W x 24 <sup>1</sup> /8" H x 21 <sup>1</sup> /2" D |  |  |
| Interior Cabinet Finish | White   | White   | White   |  |  |
| Cu. Ft. Capacity        | NA  | NA  | NA  |  |  |
| Capacity                | Up to 35 lbs of clear ice   | Up to 15 lbs of crescent ice                            | Up to 15 lbs of crescent ice  |  |  |
| Shelving System         | NA  | NA  | NA  |  |  |
| Shelf Fronts            | NA  | NA  | NA  |  |  |
| Other Storage           | Ice Bucket  | Ice Bucket  | NA  |  |  |
| Interior Lighting       | White LED   | NA  | NA  |  |  |
| Toe Grill Finish        | Black   | Black   | Black   |  |  |
| Hinge                   | Classic Hinge   | Classic Hinge   | Classic Hinge   |  |  |
| Handle                  | Slim Designer Handle<br>(Panel Overlay Does<br>Not Include Handle)    | Slim Designer Handle                                    | Slim Designer Handle  |  |  |
| Control Type            | Intuit™   | NA  | NA  |  |  |
| Temperature Range       | NA  | NA  | NA  |  |  |
| Lock                    | No  | No  | No  |  |  |
| Electrical Requirements | 120V / 60Hz / 15A   | 120V / 60Hz / 15A                                       | 120V / 60Hz / 15A   |  |  |
| Length of Power Cord    | 6'  | 6'  | 6'  |  |  |
| Shipping Weight         | 120 lbs   | 120 lbs   | 90 lbs  |  |  |
| Finishes                | SS, O   | SS  | SS, B   |  |  |
| Vacation Mode           | Yes   | No  | No  |  |  |
| Agency Approvals        | CSA   | CSA   | CSA   |  |  |



## Specifications: Marvel Outdoor

|                         | Refrigerator Freezer   | Freezer  | Refrigerated Drawers  | Beer Dispenser  | Ice Machine  |  |
|-------------------------|--|--|---|---|--|--|
|                         |  |  |   | ļ,  |  |  |
| Model Number            | MO24RF   | MO24FA   | MO24RDS   | MO24B   | 30iMT  |  |
| Product Dimensions      | 23 <sup>7</sup> /8" W x 33 <sup>3</sup> /4" H x 26 <sup>7</sup> /32" D | 23 <sup>7</sup> /8" W x 33 <sup>3</sup> /4" H x 26 <sup>7</sup> /32" D | 23 <sup>7</sup> /8" W x 31 <sup>3</sup> /4" H x 21 <sup>1</sup> /2" D | 23 <sup>7</sup> /8" W x 31 <sup>3</sup> /4" H x 21 ½" D   | 14 <sup>7</sup> /8" W x 33 <sup>3</sup> /4" H x 211/2" D |  |
| Interior Finish         | White  | White  | Stainless Steel   | White   | White  |  |
| Cu. Ft. Capacity        | 3.9 cu. ft.  | 4.7 cu. ft.  | 5.0 cu. ft.   | 5.7 cu. ft.   | NA   |  |
| Capacity                | Up to 72 12-oz cans  | Up to 200 lbs of frozen food   | Up to 133 12-oz cans  | Stores half barrel, quarter<br>barrel (pony keg), sixth barrels/<br>Cornelius kegs, slim quarters,<br>growlers, bottles or cans | Up to 30 lbs of clear ice                                |  |
| Shelving System         | Cantilever   | Cantilever   | NA  | Stow-on-Board   | NA   |  |
| Shelf Fronts            | Stainless Steel  | Stainless Steel  | NA  | Stainless Steel   | NA   |  |
| Other Storage           | 1 cu ft. Freezer   | 2 Smooth Glide Baskets   | NA  | Drain pan, CO <sub>2</sub> tank, hoses, regulator, floor shield   | NA   |  |
| Interior Lighting       | White LED  | White LED  | White LED   | NA  | NA   |  |
| Toe Grill Finish        | Stainless Steel  | Stainless Steel  | Stainless Steel   | Stainless Steel   | Stainless Steel  |  |
| Hinge                   | Classic Hinge  | Classic Hinge  | NA  | Classic Hinge   | Classic Hinge  |  |
| Handle                  | Professional   | Professional   | Professional  | Professional  | Professional   |  |
| Control Type            | Prime™   | Prime™   | Prime™  | Prime™  | NA   |  |
| Temperature Range       | Refrigerator: 34° to 42° F<br>Freezer: -6° to 6° F                     | -10° to 10° F  | 34° to 42° F  | 34° to 46° F  | NA   |  |
| Lock                    | Yes  | Yes  | Yes   | Yes   | No   |  |
| Electrical Requirements | 120V / 60Hz / 15A  | 120V / 60Hz / 15A  | 120V / 60Hz / 15A   | 120V / 60Hz / 15A   | 120V / 60Hz / 15A  |  |
| Length of Power Cord    | 6'   | 6'   | 6'  | 6'  | 6'   |  |
| Shipping Weight         | 160 lbs  | 160 lbs  | 160 lbs   | 160 lbs   | 90 lbs   |  |
| Finishes                | SS   | SS   | SS  | SS  | SS   |  |
| Vacation Mode           | No   | No   | No  | No  | Yes  |  |
| Agency Approvals        | CSA  | CSA  | CSA   | CSA   | CSA  |  |





| 2010 | and the second second   |
|------|-------------------------|
|      | 12000                   |
|      | 244                     |
|      | No. of Concession, Name |
|      |                         |
| 1000 |                         |
|      | and the second          |

|                         | A ANTER   | HARDEN AND  | ALL DE LE                         |   |
|-------------------------|---|---|---|---|
| Model Number            | 250iM   | MO24RAS2  | MO24RAS1  | MO15RAS2  |
| Product Dimensions      | 14 <sup>3</sup> /4" W x 33 <sup>3</sup> /4" H x 21 ½" D | 23 <sup>7</sup> /8" W x 33 <sup>3</sup> /4" H x 21 <sup>1</sup> /2" D | 23 <sup>7</sup> /8" W x 33 <sup>3</sup> /4" H x 21 <sup>1</sup> /2" D | 14 <sup>7</sup> /8" W x 33 <sup>3</sup> /4" H x 21 <sup>1</sup> /2" D |
| Interior Finish         | White   | White   | White   | White   |
| Cu. Ft. Capacity        | NA  | 5.1 cu. ft.   | 5.3 cu. ft.   | 2.7 cu. ft.   |
| Capacity                | Up to 15 lbs of crescent ice                            | Up to 146 12-oz cans  | Up to 154 12-oz cans  | Up to 70 12-oz cans   |
| Shelving System         | NA  | Cantilever  | Cantilever  | Cantilever  |
| Shelf Fronts            | NA  | Stainless Steel   | Stainless Steel   | Stainless Steel   |
| Other Storage           | NA  | MaxStore™ Bin<br>Door Storage   | NA  | NA  |
| Interior Lighting       | NA  | White LED   | White LED   | White LED   |
| Toe Grill Finish        | Stainless Steel   | Stainless Steel   | Stainless Steel   | Stainless Steel   |
| Hinge                   | Classic Hinge   | Classic Hinge   | Classic Hinge   | Classic Hinge   |
| Handle                  | Professional  | Professional  | Professional  | Professional  |
| Control Type            | NA  | Prime™  | Prime™  | Prime™  |
| Temperature Range       | NA  | 34° to 42° F  | 34° to 42° F  | 34° to 42° F  |
| Lock                    | No  | Yes   | Yes   | Yes   |
| Electrical Requirements | 120V / 60Hz / 15A                                       | 120V / 60Hz / 15A   | 120V / 60Hz / 15A   | 120V / 60Hz / 15A   |
| Length of Power Cord    | 6'  | 6'  | 6'  | 6'  |
| Shipping Weight         | 90 lbs  | 160 lbs   | 160 lbs   | 125 lbs   |
| Finishes                | SS  | SS  | SS  | SS  |
| Vacation Mode           | No  | No  | No  | No  |
| Agency Approvals        | CSA   | CSA   | CSA   | CSA   |

Finish Legend


SS = Stainless Steel B = Black

O = Overlay (Panel Ready)

The information presented herein is based on the best data available and is believed to be correct. However, nothing stated herein is to be taken as warranty, expressed or implied, regarding the accuracy of the information or the use of our product or products. Specifications are subject to change without notice.

Specifications are for reference only and should not be used for cutout dimensions. Please consult the installation guide available at www.marvelrefrigeration.com before making any final preparations for installation of these products.

#### Specifications: Undercounter Product Dimensions Expanded



| Model Number              | MP24BR                             | MP24BCG                            | MP15BC                             | MP24RAS3                           | MP24RD                                   | MP24FA                             | MP15WS                                   | MP24WS                             | MP24WD                                      | MP24WB                                   |
|---------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|--|------------------------------------|--|------------------------------------|---|--|
| A: Width                  | 23 7/8″                            | 23 <sup>7</sup> /8″                | 14 <sup>7</sup> /8″                | 23 <sup>7</sup> /8″                | 23 <sup>7</sup> /8″                      | 23 <sup>7</sup> /8″                | 14 <sup>7</sup> /8″                      | 23 <sup>7</sup> /8″                | 23 <sup>7</sup> /8″                         | 23 7/8″                                  |
| B: Height                 | 33 ¾″                              | 33 ¾″                              | 33 ¾″                              | 33 ¾″                              | 33 ¾″                                    | 33 ¾″                              | 33 ¾″                                    | 33 ¾″                              | 33 ¾″                                       | 33 ¾″                                    |
| C: Depth                  | 21 1/2″                            | 21 1/2"                            | 21 1/2"                            | 21 1/2"                            | 21 1/2"                                  | 21 1/2"                            | 21 1/2"                                  | 21 1/2                             | 21 1/2″                                     | 21 1/2"                                  |
| D: Depth to Front of Door | 23 <sup>23</sup> / <sub>32</sub> " | 23 <sup>23</sup> / <sub>32</sub> " | 23 <sup>23</sup> / <sub>32</sub> " | 23 23/32"                          | 23 <sup>23</sup> / <sub>32</sub> "       | 23 <sup>23</sup> / <sub>32</sub> " | 23 <sup>23</sup> / <sub>32</sub> "       | 23 <sup>23</sup> / <sub>32</sub> " | 23 <sup>23</sup> / <sub>32</sub> "          | 23 <sup>23</sup> / <sub>32</sub> "       |
| E: Depth to Handle        | 26 7/32"                           | 26 7/32"                           | 26 7/32"                           | 26 7/32"                           | 26 7/32"                                 | 26 7/32"                           | 26 7/32"                                 | 26 7/32"                           | 26 <sup>7</sup> / <sub>32</sub> "           | 26 7/32"                                 |
| F: Depth with Door at 90° | 46 13/32"                          | 46 13/32"                          | 37 <sup>13</sup> / <sub>32</sub> " | 46 13/32"                          | <b>39</b> <sup>5</sup> / <sub>32</sub> " | 46 13/32"                          | 37 <sup>13</sup> / <sub>32</sub> "       | 46 13/32"                          | 46 13/32"                                   | 46 13/32"                                |
| Model Number              | MP15CL                             | ML24BR                             | ML24BCG1                           | ML15BC                             | ML24BCG0                                 | ML24RD                             | ML15RA                                   | ML24RA                             | ML24RAS1                                    | ML24RF                                   |
| A: Width                  | 14 3/4"                            | 23 7/8"                            | 23 7/8"                            | 14 7/8″                            | 23 7/8"                                  | 23 7/8"                            | 14 7/8"                                  | 23 7/8"                            | 23 7/8"                                     | 23 7/8"                                  |
| B: Height                 | 33 3/4"                            | 33 3/4"                            | 33 3/4"                            | 33 3/4"                            | 33 3/4"                                  | 33 3/4"                            | 33 3/4"                                  | 33 3/4"                            | 33 3/4"                                     | 33 3/4"                                  |
| C: Depth                  | 21 ½″                              | 21 ½″                              | 21 ½″                              | 21 ½″                              | 21 ½″                                    | 21 ½″                              | 21 ½″                                    | 21 ½″                              | 21 1/2"                                     | 21 ½″                                    |
| D: Depth to Front of Door | 23 7/8"                            | 23 <sup>23</sup> / <sub>32</sub> "       | 23 <sup>23</sup> / <sub>32</sub> " | 23 <sup>23</sup> / <sub>32</sub> "       | 23 <sup>23</sup> / <sub>32</sub> " | 21 /2<br>23 <sup>23</sup> / <sub>32</sub> " | 23 <sup>23</sup> /32″                    |
| E: Depth to Handle        | 25 7/32″                           | 25 5/8"                            | 25 732                             | 25 <sup>7</sup> / <sub>32</sub>    | 25 1/32                                  | 29 <sup>5</sup> / <sub>32</sub> "  | 25 7/8"                                  | 25 7/8"                            | 25 7/8"                                     | 25 7/8"                                  |
| F: Depth with Door at 90° | 37 <sup>1</sup> / <sub>16</sub> "  | 46 13/32"                          | 46 13/32"                          | 37 <sup>1</sup> / <sub>16</sub> ″  | 46 13/32"                                | 46 13/32                           | 37 <sup>1</sup> /16″                     | 46 13/32"                          | 46 13/32"                                   | 46 <sup>13</sup> / <sub>32</sub> "       |
| -                         |                                    |                                    |                                    |                                    |  |                                    |  | 1                                  |   |  |
| Model Number              | ML24RI                             | ML24FA                             | ML24WSG1                           | ML24WD                             | ML24WB                                   | ML24WS                             | ML15WS                                   | ML15WSG0                           | ML24WSG0                                    | ML15C                                    |
| A: Width                  | 23 7/8″                            | 23 7/8″                            | 23 7/8″                            | 23 7/8″                            | 23 7/8″                                  | 23 7/8″                            | 14 7/8″                                  | 14 <sup>3</sup> /4″                | 23 7/8″                                     | 14 ¾″                                    |
| B: Height                 | 33 ¾″                              | 33 ¾″                              | 33 ¾″                              | 33 ¾″                              | 33 ¾″                                    | 33 ¾″                              | 33 ¾″                                    | 33 ¾″                              | 33 ¾″                                       | 33 ¾″                                    |
| C: Depth                  | 21 1/2″                            | 21 1/2"                            | 21 1/2″                            | 21 1/2″                            | 21 1/2″                                  | 21 1/2″                            | 21 1/2″                                  | 21 1/2"                            | 22″   | 21 1/2"                                  |
| D: Depth to Front of Door | 23 <sup>23</sup> / <sub>32</sub> "       | 23 <sup>23</sup> / <sub>32</sub> " | 23 <sup>23</sup> / <sub>32</sub> "       | 23 ¾″                              | 24 1⁄4″                                     | 23 ¾″                                    |
| E: Depth to Handle        | 25 <sup>7</sup> /8″                | 25 <sup>7</sup> /8″                | 25 <sup>5</sup> /8″                | 25 <sup>5</sup> /8″                | 25 <sup>5</sup> /8″                      | 25 <sup>5</sup> /8″                | 25 <sup>7</sup> /8″                      | 25 <sup>7</sup> / <sub>32</sub> "  | 26 <sup>3</sup> /8"                         | 25 1/2"                                  |
| F: Depth with Door at 90° | 46 13/32"                          | 46 <sup>13</sup> / <sub>32</sub> "       | 46 <sup>13</sup> / <sub>32</sub> " | <b>37</b> <sup>1</sup> / <sub>16</sub> " | 37″                                | 47″   | <b>37</b> <sup>1</sup> / <sub>16</sub> " |
| Model Number              | ML15CR                             | ML24B                              | MA24BRG3                           | MA24BCG1                           | MA24RA                                   | MA24RAS1                           | MA15C                                    | MA15CRS1                           | MA15CRC                                     | MO24RD                                   |
|                           |                                    |                                    |                                    |                                    |  |                                    |  |                                    |   | -  |
| A: Width                  | 14 ¾″                              | 23 7/8″                            | 23 7/8″                            | 23 7/8″                            | 23 7/8″                                  | 23 7/8″                            | 14 ¾″                                    | 14 <sup>3</sup> /4″                | 14 3/4"                                     | 23 7/8″                                  |
| B: Height                 | 33 ¾″                              | 33 ¾″                              | 31 <sup>1</sup> /8″                | 31 <sup>1</sup> /8″                | 31 1/8″                                  | 31 <sup>1</sup> /8″                | 31 1/8"                                  | 31 1/8                             | 24 <sup>3</sup> /4″                         | 33 ¾″                                    |
| C: Depth                  | 20 1/2"                            | 21 1/2"                            | 21 1/2"                            | 21 1/2"                            | 21 1/2"                                  | 21 1⁄2″                            | 21 1/2"                                  | 21 1/2"                            | 21 1⁄2″                                     | 21 1/2"                                  |
| D: Depth to Front of Door | 22 ¼″                              | 23 <sup>23</sup> / <sub>32</sub> "       | 23 <sup>23</sup> / <sub>32</sub> " | 23 ¾″                                    | 23 5/8″                            | 23 5/8"                                     | 23 <sup>23</sup> / <sub>32</sub> "       |
| E: Depth to Handle        | 25 <sup>9</sup> /16"               | 25 5/8″                            | 25 <sup>7</sup> /8″                | 25 <sup>7</sup> /8″                | 25 <sup>7</sup> /8″                      | 25 <sup>7</sup> /8″                | 25 <sup>1</sup> / <sub>2</sub> "         | 25 1/2″                            | 25 1/2″                                     | 26 <sup>7</sup> / <sub>32</sub> "        |
| F: Depth with Door at 90° | 37 <sup>1</sup> / <sub>16</sub> "  | 46 <sup>13</sup> / <sub>32</sub> " | 46 <sup>13</sup> / <sub>32</sub> " | 46 <sup>13</sup> / <sub>32</sub> " | 46 <sup>13</sup> / <sub>32</sub> "       | 46 13/32"                          | <b>37</b> <sup>1</sup> / <sub>16</sub> " | 37 <sup>1</sup> /16″               | 37 <sup>1</sup> /16″                        | 46 <sup>21</sup> / <sub>32</sub> "       |

| Model Number              | MO24B                              | 30iMT                             | 250iM                             | MO24RAS2                           | MO24RAS1                           | MO15RAS2                           | MO24RF                             | MO24FA                             |
|---------------------------|------------------------------------|-----------------------------------|-----------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|
| A: Width                  | 23 7/8″                            | 14 <sup>7</sup> /8″               | 14 <sup>3</sup> /4″               | 23 7/8″                            | 23 7/8″                            | 14 <sup>7</sup> /8″                | 23 7/8″                            | 23 7/8″                            |
| B: Height                 | <b>33</b> ¾″                       | 33 ¾″                             | 33 ¾″                             | 33 ¾″                              | 33 ¾″                              | 33 ¾″                              | 33 ¾″                              | 33 ¾″                              |
| C: Depth                  | 21 1/2″                            | 21 1/2″                           | 21 1/2″                           | 21 1/2″                            | 21 1/2″                            | 21 1/2″                            | 21 1/2″                            | 21 1⁄2″                            |
| D: Depth to Front of Door | 23 23/32"                          | 23 <sup>7</sup> /8″               | 22 <sup>1</sup> /4″               | 23 <sup>23</sup> / <sub>32</sub> " | 23 <sup>23</sup> /32"              |
| E: Depth to Handle        | 26 7/32"                           | 26 <sup>1</sup> /2"               | 24 <sup>5</sup> / <sub>32</sub> " | 26 7/32"                           | 26 7/32"                           | 26 7/32"                           | 26 7/32"                           | 26 <sup>7</sup> / <sub>32</sub> "  |
| F: Depth with Door at 90° | 46 <sup>21</sup> / <sub>32</sub> " | 37 <sup>1</sup> / <sub>16</sub> " | 37 <sup>1</sup> / <sub>16</sub> " | 41 <sup>13</sup> / <sub>32</sub> " | 41 <sup>13</sup> / <sub>32</sub> " | 37 <sup>1</sup> / <sub>16</sub> "  | 41 <sup>13</sup> / <sub>32</sub> " | 41 <sup>13</sup> / <sub>32</sub> " |




When you choose Marvel, you're choosing over 125 years of handcrafted quality and leading innovation in the luxury refrigeration business. You're choosing American products, and most importantly, you're choosing the best undercounter refrigeration technology available on the market.

Expert technicians proudly build every Marvel model in the beautiful state of Michigan. Our new design was fueled by insights given to us by real homeowners and leading designers that use the product to ensure we deliver the styling and functionality that you want for your home. Our quality standards are what drive the performance the industry has come to expect from Marvel.

Marvel Refrigeration is committed to building a quality product in an environmentally friendly manner. Our processes are tightly controlled and closely monitored. We have achieved certifications in ISO 9001 for quality assurance, ISO 14001 for environmental management, and OHSAS 18001 for occupational health and safety from Lloyd's Register Quality Assurance.







Marvel Refrigeration (formerly Ranney) begins ice box production in Greenville, MI.



Marvel develops the first foamed in place refrigerator to improve operating efficiency and energy conservation.




Marvel introduces first black interior for wine refrigerators and beverage centers.



Marvel wins multiple design awards for its beer dispenser, beverage center and gallery wine cellar.

See other key moments in refrigeration history with our complete interactive timeline at marvelrefrigeration.com.



Marvel was founded when the company began making undercounter ice boxes.

Marvel introduces premium undercounter wine storage and beverage center.

Marvel introduces the first stainless steel interior and glass door built-in refrigerator for residential use.



Marvel unveils the industry's largest leading line of ENERGY STAR® certified undercounter products.

Middleby acquires AGA Marvel, and Marvel releases its next generation of full size built-in refrigeration.

# LIVE MARVELOUSLY every day

uц



United States Headquarters 800-223-3900 Canada Showroom 855-213-2785



#### Browse our collections at marvelrefrigeration.com

