

Gentec
INTERNATIONAL

CANADA'S BEST
MANAGED
COMPANIES

Mobile Electronics



PHENIX GOLD

ALPINE

BEST KITS & HARNESSES

Stinger

ENERGY

Your one source solution for you mobile audio accessory needs

Gentec

INTERNATIONAL

www.gentec-intl.com

Providing the accessories you need from quality brands you can rely on.



Imaging Accessories



Electronic Accessories



Mobile Phone Accessories



Sporting Goods

Everything you need is at your fingertips at www.gentec-intl.com



Gentec
INTERNATIONAL

www.gentec-intl.com, Tel. 905.513.7733, Fax. 905.513.7740, sales@gentec-intl.com



Subwoofers

ALPINE - BASSLINE 10 INCH LOADED SUB BOX

PWA-S10V

\$629.00



- powered 10" subwoofer enclosure
- SWA-10S4 BASSLINE subwoofer
- Alpine MRV-M250 amp (250 watts RMS at 2 ohms)
- variable bass boost (0-12 dB at 50 Hz)
- variable low-pass crossover (50-400 Hz, 24 dB/octave)
- preamp and speaker-level inputs
- Remote Sensing automatic turn-on when using speaker-level inputs

ALPINE - COMPACT POWERED SUBWOOFER

PWE-S8

\$549.00



- powered subwoofer with cast metal enclosure
- 8" woofer high-excursion cone
- built-in Class D amplifier (120 watts RMS/240 watts peak)
- frequency response: 32-150 Hz
- variable low-pass crossover (80-200 Hz)
- variable phase control (0-180 degrees)
- preamp- and speaker-level inputs

ALPINE - COMPACT POWERED 8 IN SUB SYSTEM 2011 AND UP JEEP WRANGLER

PWE-S8-WRA

\$799.00



- 120 Watts bass upgrade for 2011-Up 4-door Jeep Wrangler*
- Under driver seat plug & play system for improved bass/mid-bass performance
- Works with an Alpine or aftermarket head unit, or with the factory Jeep radio
- Includes powered 8-Inch subwoofer, remote bass knob, harnesses and mounting brackets
- * Not compatible with the factory equipped subwoofer system

ALPINE- R SERIES TEN INCH DUAL TWO OHM MOBILE SUBWOOFER

R-W10D2

\$349.00



- 750W RMS, 2250W Peak Frequency Response: 26Hz-200Hz Mounting Depth: 5-7/8 Inch



ALPINE R SERIES TEN INCH DUAL FOUR OHM MOBILE SUBWOOFER

R-W10D4

\$349.00



- 750W RMS, 2250W Peak Frequency Response: 26Hz-200Hz Mounting Depth: 5-7/8 Inch

ALPINE R SERIES 12 INCH SUBWOOFER WITH DUAL 2-OHM VOICE COILS

R-W12D2

\$369.00



- 750W RMS, 2250W Peak Frequency Response: 24Hz-200Hz Mounting Depth: 6-3/8 Inch Approximate Weight: 12 LBS

ALPINE R SERIES 10 INCH SUBWOOFER WITH DUAL 4-OHM VOICE COILS

R-W12D4

\$369.00



- 750W RMS, 2250W Peak Frequency Response: 24Hz-200Hz Mounting Depth: 6-3/8 Inch Approximate Weight: 12 LBS

TYPE R LOADED ENCLOSURE

SBR-S8-4

\$449.00



- ported enclosure with one 8" Type-R woofer
- 3/8" medium-density fiberboard construction (3/4" MDF front baffle)
- 4-ohm total impedance
- recommended power: 150-350 watts RMS (1,000 watts peak power)
- frequency response: 30-200 Hz
- 19-1/4"W x 11-3/8"H x 6-5/8"D



ALPINE - TRUCK ENCLOSURE WITH 10 INCH SUBWOOFER



SBT-S10V

\$499.00

- ported enclosure with one SWT Series 10" woofer
- 3/8" medium-density fiberboard construction (3/4" MDF front baffle)
- 2-ohm total impedance
- maximum power: 350 watts RMS (1,000 watts peak power)
- frequency response: 28-200 Hz
- xmax: 11mm
- 22"W x 16"H x 7"D

15 INCH DUAL 2 OHM TYPE-R SERIES SUBWOOFER



SWR-1522D

\$599.00

- Kevlar-reinforced pulp cone with Santoprene rubber surround
- Cast aluminum frame with perimeter venting
- Concealed Mount Gasket System
- Heavy Duty 8 gauge Push with Housing, Banana Plug Jumper
- Reinforced Layer Spider Integration

15 INCH SUBWOOFER WITH DUAL 4-OHM VOICE COILS



SWR-1542D

\$599.00

- Kevlar-reinforced pulp cone with Santoprene rubber surround
- Cast aluminum frame with perimeter venting
- Concealed Mount Gasket System
- Heavy Duty 8 gauge Push with Housing, Banana Plug Jumper
- Reinforced Layer Spider Integration

8 INCH 1000W SUBWOOFER 2-OHM DUAL VOICE COIL



SWR-8D2

\$269.00

- 8" subwoofer with dual 2-ohm voice coils
- Kevlar reinforced pulp cone with HAMR Santoprene rubber surround
- frequency response: 30-200 Hz
- power handling: 150-350 watts RMS (175 watts per coil)
- peak power: 1,000 watts
- sensitivity: 83.5 dB
- top-mount depth: 4-1/2"



8 INCH 1000W SUBWOOFER



SWR-8D4

\$269.00

- 8" subwoofer with dual 4-ohm voice coils
- Kevlar reinforced pulp cone with HAMR Santoprene rubber surround
- frequency response: 30-200 Hz
- power handling: 150-350 watts RMS (175 watts per coil)
- peak power: 1,000 watts
- sensitivity: 83.5 dB
- top-mount depth: 4-1/2"

TYPE-R THIN 10 INCH 4-OHM SHALLOW-MOUNT SUBWOOFER



SWR-T10

\$899.00

- Material: Aluminum
- Structural Parabolic w/ Force Transfer Assembly
- Co-Molded Regressive w/ Integrated Tinsel Leads
- Concealed Mount Gasket System
- Heavy Duty Gold-Plated Insert Block Terminals

TYPE-R THIN 12 INCH 4-OHM SHALLOW-MOUNT SUBWOOFER



SWR-T12

\$899.00

- Material: Aluminum
- Structural Parabolic w/ Force Transfer Assembly
- Co-Molded Regressive w/ Integrated Tinsel Leads
- Concealed Mount Gasket System
- Heavy Duty Gold-Plated Insert Block Terminals

TYPE-S 10 INCH SUBWOOFER WITH DUAL 2-OHM VOICE COILS



SWS-10D2

\$229.00

- Kevlar Reinforced Pulp Cone
- High Amplitude Multi Roll Surround (HAMRS)
- Progressive Conex spider has reinforced layer tinsel leads
- Compound Radius Curve Pole Geometry
- Oversized (65mm), high-temperature, 6-layer dual voice coils offer power handling up to 500W RMS / 1500W Peak (250 watts RMS per coil).



TYPE S 10 INCH SUBWOOFER WITH DUAL 2 OHM VOICE COILS

SWS-10D4

\$229.00



- Kevlar Reinforced Pulp Cone
- High Amplitude Multi Roll Surround (HAMRS)
- Progressive Conex spider has reinforced layer tinsel leads
- Compound Radius Curve Pole Geometry
- Oversized (65mm), high-temperature, 6-layer dual voice coils offer power handling up to 500W RMS / 1500W Peak (250 watts RMS per coil).

TYPE-S 12 INCH SUBWOOFER WITH DUAL 2-OHM VOICE COILS

SWS-12D2

\$249.00



- Kevlar Reinforced Pulp Cone
- High Amplitude Multi Roll Surround (HAMRS)
- Progressive Conex spider has reinforced layer tinsel leads
- Compound Radius Curve Pole Geometry
- Oversized (65mm), high-temperature, 6-layer dual voice coils offer power handling up to 500W RMS / 1500W Peak (250 watts RMS per coil).

TYPE-S 12 INCH SUBWOOFER WITH DUAL 4-OHM VOICE COILS

SWS-12D4

\$249.00



- Kevlar Reinforced Pulp Cone
- High Amplitude Multi Roll Surround (HAMRS)
- Progressive Conex spider has reinforced layer tinsel leads
- Compound Radius Curve Pole Geometry
- Oversized (65mm), high-temperature, 6-layer dual voice coils offer power handling up to 500W RMS / 1500W Peak (250 watts RMS per coil).

TYPE S 15 INCH SUBWOOFER WITH DUAL 2 OHM VOICE COILS

SWS-15D2

\$329.00



- Kevlar Reinforced Pulp Cone
- High Amplitude Multi Roll Surround (HAMRS)
- Progressive Conex spider has reinforced layer tinsel leads
- Compound Radius Curve Pole Geometry
- Oversized (65mm), high-temperature, 6-layer dual voice coils offer power handling up to 500W RMS / 1500W Peak (250 watts RMS per coil).



TYPE S 15 INCH SUBWOOFER WITH DUAL 4 OHM VOICE COILS

SWS-15D4

\$329.00



- Kevlar Reinforced Pulp Cone
- High Amplitude Multi Roll Surround (HAMRS)
- Progressive Conex spider has reinforced layer tinsel leads
- Compound Radius Curve Pole Geometry
- Oversized (65mm), high-temperature, 6-layer dual voice coils offer power handling up to 500W RMS / 1500W Peak (250 watts RMS per coil).

ALPINE - 10 INCH SHALLOW MOUNT SUBWOOFER 2 OHM

SWT-10S2

\$299.00



- 10" truck subwoofer with 2-ohm voice coil
- Kevlar reinforced pulp cone with polyurethane foam surround
- power handling: 350 watts RMS (1000 watts peak)
- frequency response: 30-200 Hz
- mounting depth: 4-3/16"

ALPINE - 10 INCH SHALLOW MOUNT SUBWOOFER 4 OHM

SWT-10S4

\$299.00



- 10" truck subwoofer with 4-ohm voice coil
- Kevlar reinforced pulp cone with polyurethane foam surround
- power handling: 350 watts RMS (1000 watts peak)
- frequency response: 30-200 Hz
- mounting depth: 4-3/16"

ALPINE - BASS SERIES 10 INCH 4 OHM SUBWOOFER

W10S4

\$149.00



- 10" 4-ohm subwoofer polypropylene and mica cone with poly-foam surround Stamped steel frame Power handling: 50-250 watts RMS Peak power: 750 watts Sensitivity: 86.6 dB Frequency response: 24-200 Hz Top-mount depth: 5-1/16" Sealed box volume: 0.83 cu. ft. Ported box volume: 1.51 cu. ft.



ALPINE - BASS SERIES 12 INCH 4 OHM SUBWOOFER

W12S4

\$85.00



- 12" 4-ohm subwoofer Polypropylene and mica cone with poly-foam surround Stamped steel frame Power handling: 50-250 watts RMS Peak power: 750 watts Sensitivity: 87.9 dB Frequency response: 22-200 Hz Top-mount depth: 5-5/16" Sealed box volume: 1.09 cu. ft. Ported box volume: 1.91 cu. ft.

ALPINE X SERIES DUAL FOUR OHM MOBILE SUBWOOFER

X-W10D4

\$599.00



- CTA-2031 Specifications: 900W RMS, 2700W Peak 4 Ohm
- Frequency Response: 24Hz-200Hz
- Mounting Depth: 6-3/4 Inch

ALPINE X SERIES DUAL FOUR OHM MOBILE SUBWOOFER

X-W12D4

\$699.99



- CTA-2031 Specifications: 900W RMS, 2700W Peak 4 Ohm
- Frequency Response: 22Hz-200Hz
- Mounting Depth: 7-1/4 Inch



We're helping retailers become more profitable.

In today's fast-paced retail environment, the right partner can make a world of difference. Our commitment to our clients is simple yet powerful – we work closely with them to maximize the potential of each and every electronic, wireless telecom, photographic imaging, digital imaging, and optical product they carry.

How do we do this? By taking the time to understand the marketplace in which our customers operate as well as their existing product mix, by looking for ways to build on their success, by introducing new opportunities and leading edge products, and by providing after-sales service that is second to none.



Satisfied customers, improved sales, and increased profit margins.

At Gentec International, we achieve these results by working in partnership with our clients. We do our homework – we understand the challenges retailers face and what their customers want. We visit our clients' stores to get a clear sense of what they carry and how they're being presented. Then, we recommend ways that we believe can help increase their sales. This might include additions to the range of products they carry or fresh approaches to packaging, display, and promotion. Finally, we ensure that our clients have everything they need to make the sale – from custom displays to point-of-purchase support. And, throughout the year, we make regular visits to provide in-store detailing.



Our clients count on us for effortless ordering and error-free fulfillment.

Gentec International's high cube, state-of-the-art computerized 100,000 square foot warehouse and distribution centre allows us to offer efficient, seamless service to our customers.

We manage our stock with the goal to eliminate back orders. In fact, based on our clients' forecasts, we guarantee we'll have 100% of the items they need in stock, 100% of the time. Plus, when they place an order with Gentec International, most shipments leave our warehouse within 24 hours. And we make every effort to ensure that the shipment is accurate – so that everything they ordered arrives.

At Gentec International, we also make regular investments to ensure that our ability to serve our clients continually improves.



A reputation for service and a head for business.

The same principles our clients used to build their companies are at work in ours. With the support of over 100 people in the Gentec family worldwide, our management team has the depth of experience and breadth of knowledge needed in today's fast-paced world. And, we're constantly evaluating our people, processes, and products to ensure that we are exceeding our customers' expectations.



Together we achieve the extraordinary™

www.gentec-intl.com

ELECTROHOME

ENERGY

Bushnell

SanDisk

OPTEX

ZEISS

planet wireless

SIGMA

GITZO

iQ ROOTS Energizer

KATA

ALPINE

ion

Klipsch

Manfrotto

Manfrotto

NATIONAL GEOGRAPHIC



Corporate Head Office
90 Royal Crest Court
Markham, Ontario, Canada L3R 9X6
Tel. 905 513 7733 Fax. 905 513 7740

www.gentec-intl.com

Quebec Office/Eastern Regional
Montreal, Quebec, Canada
Tel/Fax. 514 353 0311

Far East Buying Office
1007 - 1014 Lippo Sun Plaza
28 Canton Road
Tsim Sha Tsui
Kowloon, Hong Kong



ONLINE BUSINESS SOLUTIONS

Gentec Direct is the easiest way to access all the products and services that Gentec International has to offer. Search for products, place and track orders, view your account history, access product specifications and support material, plus much more.

www.gentecdirect.com