

# **36-INCH GAS RANGETOP**

# DTT36M974 | MODERNIST COLLECTION



# AVAILABLE MODELS

DTT36M974LS 36" Rangetop, Stainless Steel, Natural Gas DTT36M974PS 36" Rangetop, Stainless Steel, Liquid Propane DTT36M974HS 36" Rangetop, Stainless Steel, Natural Gas/High Altitude DTT36M974AS 36" Rangetop, Stainless Steel, Liquid Propane/High Altitude 36" Rangetop, Graphite Stainless Steel, Natural Gas DTT36M974LM DTT36M974PM 36" Rangetop, Graphite Stainless Steel, Liquid Propane DTT36M974HM 36" Rangetop, Graphite Stainless Steel, Natural Gas/High Altitude DTT36M974AM 36" Rangetop, Graphite Stainless Steel, Liquid Propane/High Altitude

# **FEATURES & BENEFITS**

- → 4 Dual-Stack Sealed Burners + Electric Griddle.
- Powerful 22K BTU and true simmer burners.
- Continuous grates.
- → Illumina™ Knobs and Ambient Light.
- Includes brass and black burner caps.
- Available in graphite stainless steel and silver stainless steel finish.

# ACCESSORIES (INCLUDED)


WOK RING


BRASS BURNER CAPS

BLACK BURNER CAPS

BURNER PERFORMANCE	
TOTAL NUMBER OF COOKTOP BURNERS	4 (BRASS)
RIGHT FRONT (BTU)	22,000 DUAL (SIMMER)
RIGHT REAR (BTU)	9,000 STACK DUAL (SIMMER)
LEFT FRONT (BTU)	18,000 DUAL (SIMMER)
LEFT REAR (BTU)	16,000 DUAL (SIMMER)
SEALED BURNERS	YES
GRIDDLE PERFORMANCE	
ELECTRIC	1,400W
CONTROL FEATURES	
LED KNOB BACKLIGHTING	YES
LED AMBIENT LIGHTING	YES
LED CONTROL BUTTON	YES
WI FI CONNECT LED	YES
WI FI CONNECT BUTTON	YES
BLUETOOTH CONNECT LED	YES
BLUETOOTH CONNECT BUTTON	YES
ADDITIONAL FEATURES	
RE-IGNITION	YES
OIL PAN	YES
INSTALLATION	
GAS TYPE	NATURAL GAS/ LIQUID PROPANE
HIGH ALTITUDE AVAILABLE	YES
POWER CORD	YES
TECHNICAL DETAILS	
CIRCUIT BREAKER (A)	15
VOLTS (V)	120
FREQUENCY (HZ)	60
ENERGY SOURCE	GAS AND ELECTRIC
DIMENSIONS & WEIGHT	
APPLIANCE DIMENSIONS (H X W X D) (IN.)	8" X 36" X 24"
REQUIRED CUTOUT SIZE (W X H) (IN.)	7 3/4" X 36" X 24"
WARRANTY	
LIMITED, PARTS AND LABOR	1 YEAR


### APPLIANCE DIMENSIONS






# CABINET/COUNTERTOP DIMENSIONS

10" (25.4CM) TO COMBUSTIBLE SIDE WALL MIN. BOTH SIDES





CABINET / COUNTERTOP DIMENSIONS - FRONT VIEW

\*NOTE: PRODUCT TOLERANCE +/- 1/16" (+/- 1.6MM)-o UNLESS OTHERWISE NOTED



CABINET/COUNTERTOP CUTOUT DMENSIONS WITHOUT DOWNDRAFT VENT - TOP VIEW.






CABINET/COUNTERTOP CUTOUT DMENSIONS WITH DOWNDRAFT VENT - SIDE VIEW

NOTE: Gas and electrical connections may only be routed through the bottom of the rangetop when installed with a downdraft vent.




### CABINET/COUNTERTOP CUTOUT DIMENSIONS





CABINET/COUNTERTOP CUTOUT DMENSIONS WITHOUT DOWNDRAFT VENT - TOP VIEW

# **CLEARANCE DIMENSIONS**



36"	
A - CUTOUT WIDTH	36" (91.4CM)
В	36" (91.4CM)* MINIMUM 42" (106.7CM)** RECOMMENDED

NOTE: All vertical clearances must be maintained for a minimum of 18" (457mm) above the cooking surface.