

Induction Range, 36", 5 Zones with SmartZone, Self-cleaning

Series 9 | Classic

Red



Heritage styling meets modern performance, including an induction cooktop with the ability to pair zones to create a large cook zone.

- Five induction cooking zones that can be bridged to form two "SmartZones"
- Convection oven with 4.9 cu ft total capacity and nine oven functions including Roast and Aero™Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height	35 ³ / ₄ - 37 ¹ / ₄ "
Width	35 ⁷ / ₈ "
Depth	25 ¹ / ₄ "

FEATURES & BENEFITS

Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero™ Pastry with Pizza Bake. The AeroTech™ system circulates air evenly throughout the entire oven, perfect for multi-shelf cooking.

SPECIFICATIONS

Accessories

2-pc grill system (Broil pan and	•
Broil pan	•
Full extension sliding shelves	2 sets (part 578755)
Grill rack	•
Hob rear trim (optional)	3" (part 81654)
Kick strip, stainless steel	Part 81659
Pyrolytic proof shelf runners	1 set

Capacity

Shelf positions	7
Total capacity	4.9 cu ft
Usable capacity	4.3 cu ft

Cleaning

- Acid resistant graphite enamel
- Drop down grill element
- Flat easy clean glass surface
- Pyrolytic proof shelf runners
- Pyrolytic self-clean
- Removable oven door
- Removable shelf runners

Controls

- Audio feedback
- Automatic cooking/minute
- Automatic pre-set
- Bright chromed, cast zinc dials
- Celsius/Fahrenheit
- Electronic clock
- High resolution display
- Interior light
- Laser etched graphics
- Precise electronic temperature
- Sabbath mode
- Toughened fused glass
- Turned stainless steel clock
- Turned stainless steel clock

Oven features

- AeroTech™ technology
- Automatic rapid pre-heat
- Concealed element
- Convection

Electronic oven control	•	Amperage	65A (Recommended Electrical	Right rear zone rating	2100 - 3700W
Full extension telescopic	2 sets (part 578744)	Supply frequency	60Hz		
Internal light	4 x 25W halogen (2 side & 2	Supply voltage	120 - 240V	Safety	
Pyrolytic proof shelf runners	•			Advanced cooling system	•
Pyrolytic self-clean	•	Product dimensions		Anti-tilt bracket	•
Self cleaning	•	Depth	25 1/4 "	Balanced oven door	•
Soft open/close door	•	Height	35 3/4 - 37 1/4 "	Catalytic venting system	•
Twin cavity fans	•	Installation cutout dimensions	25 1/4 "	Child lock	•
Warming drawer	•	Installation cutout dimensions	36 "	CoolTouch door	•
		Width	35 7/8 "	Full extension telescopic	•
Oven functions				Non-tip shelves	•
Aero Broil	•	Rangetop features		Pan detection system	•
Aero™ Bake	•	Auto heat reduce	•	Safety time out	•
Aero™ Pastry with Pizza mode	•	Dual zones	•	Spill containment	3/8 gallon
Bake	•	Gentle heat	3 settings	Spillage auto off	•
Maxi Broil	•	Heat settings	9	Surface hot indicators	•
Number of functions	9	Induction cooking technology	•		
Pyrolytic self-clean	•	PowerBoost	•	Warranty	
Rapid proof	•	PowerBoost all zones	•	Parts and labour	2 years
Roast	•	SmartZone	•		
Self-clean	•	Zone bridging	•		
True Aero	•			SKU	81968
Oven performance		Rangetop Performance			
Bake	•	Centre	1850 - 2600W		
Broil power	4300W	Left front zone rating	2100 - 3700W		
CoolTouch door	Quadruple glazed	Left rear zone rating	2100 - 3700W		
Warming drawer power	220W	Number of cooking zones	5		
		PowerBoost	up to 5500W		
Power requirements		PowerBoost all zones	•		
		Right front zone rating	2100 - 3700W		

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Â© Fisher & Paykel Appliances Ltd 2019.

Other product downloads available at fisherpaykel.com



User Guide



Energy Label



Service & Warranty Booklet



Installation Guide



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W** www.fisherpaykel.com