Induction Range, 30", 4 Zones, Self-cleaning

Series 9 | Classic

Black



Blending heritage styling and contemporary performance, including convection oven and an instant-response induction cooktop.

- Four induction cooking zones with immediate heat response and precise control
- Convection oven with 3.5 cu ft total capacity and nine oven functions including Roast and Aero[™]Pastry
- Self-cleaning function breaks down food residue for an easy clean
- Non-tip full-extension shelves for safe removal of hot dishes

DIMENSIONS

Height	35 ³ / ₄ - 37 ⁵ / ₈ "
Width	29 ⁷ / ₈ "
Depth	25 ¹ / ₄ "

FEATURES & BENEFITS

Outstanding Performance

Discover the flexibility to get creative in the kitchen with nine oven functions including Bake, Roast, and Aero[™] Pastry with Pizza Bake.

SPECIFICATIONS

Accessories

2-pc grill system (Broil pan and	•
Broil pan	•
Full extension sliding shelves	2 sets (part 578776)
Hob rear trim (optional)	3" (part 81656)
Kick strip, stainless steel	Part 81660
Pyrolytic proof shelf runners	1 set

Capacity 3.6 cu ft Usable capacity 2.9 cu ft

Cleaning

Acid resistant graphite enamel

Drop down grill element•Flat easy clean glass surface•Pyrolytic proof shelf runners•Pyrolytic self-clean•Removable oven door•Removable shelf runners•

Controls

Audio feedback	•
Automatic cooking/minute	•
Automatic pre-set	•
Celsius/Fahrenheit	•
Electronic clock	•
High resolution display	•
Interior light	•
Laser etched graphics	•
Precise electronic temperature	•
Sabbath mode	•
Toughened fused glass	•
Turned stainless steel clock	•
Turned stainless steel dials with	•

Oven features

Automatic rapid pre-heat	•
Electronic oven control	•
Full extension telescopic	2 sets (part 578776)
Internal light	2 x 25W halogen (rear)
Pyrolytic proof shelf runners	•
Pyrolytic self-clean	•
Soft open/close door	

FISHER & PAYKEL

QUICK REFERENCE GUIDE > OR30SCI6B1

True convection	
oven functions	
Aero Broil	•
Aero™ Bake	•
Aero™ Pastry with Pizza mode	•
Bake	•
1axi Broil	•
Number of functions	9
Pastry Bake with Pizza mode	•
Pyrolytic self-clean	•
Rapid proof	•
Roast	•
Self-clean	•
Frue Aero	•
oven performance	
Bake	•
CoolTouch door	Triple glazed
Grill power	4050W
1ain Oven Shelf Positions	7
Varming drawer power	220W
ower requirements	
Amperage	51A (Recommended Electrical
Supply frequency	60Hz
Supply voltage	120 - 240V
roduct dimensions	
	25 ¹ / ₄ "

Height	35 ³ / ₄ - 37 ⁵ / ₈ "	
Installation cutout dimensions	25 1/4 "	
Installation cutout dimensions	30 " 29 ⁷ / ₈ "	
Width		
Rangetop features		
Auto heat reduce	•	
Gentle heat	2 settings	
Heat settings	9	
Induction cooking technology	•	
PowerBoost	•	
PowerBoost all zones	up to 3000W	
Rangetop Performance		
Left front zone rating	1850 - 3000W	
Left rear zone rating	1850 - 3000W	
PowerBoost all zones	up to 3000W	
Right front zone rating	1400 - 2200W	
Right rear zone rating	2300 - 3700W	
Safety		
Advanced cooling system	•	
Anti-tilt bracket	•	
Balanced oven door	•	
Catalytic venting system	•	
Child lock	•	
CoolTouch door	•	
Full extension telescopic	•	
Non-tip shelves	•	
Pan detection system		

Safety time out Spill containment 1/8 gallon Spillage auto off Surface hot indicators Warranty Parts and labour 2 years SKU 81962

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2019.

Other product downloads available at fisherpaykel.com

- User Guide
- Energy Label
- Service & Warranty Booklet
- Installation Guide



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W** www.fisherpaykel.com