

Dual Fuel Range, 48", 5 Burners with Griddle, Self-cleaning, LPG

Series 9 | Professional

Stainless Steel | LPG




With intuitive touchscreen and specialized cooking functions across two ovens, this range is a stand-out addition to your kitchen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Gas cooktop with a griddle and five burners that deliver up to 19,000 BTU for fast boiling
- 6.9 cu ft total oven capacity across two oven cavities

- Beautiful LED halo-illuminated dials provide information at a glance

DIMENSIONS

Height	35 ³ / ₄ - 36 ³ / ₄ "
Width	47 ⁷ / ₈ "
Depth	29 ¹ / ₈ "



FEATURES & BENEFITS

Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal

visibility while cooking.

Generous capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

Cooking flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop power

Sealed dual flow burners deliver cooktop power up to 19,000 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

Design quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

SPECIFICATIONS

Accessories

Square handle option

AH-R48

Capacity

Total capacity	4.8 + 2.1 cu ft	Supply voltage	120 - 240W	
Cleaning		Product dimensions		SKU81895
Pyrolytic self-clean	•	Depth	29 1⁄8 "	
		Height	35 3⁄4 - 36 3⁄4 "	
		Width	47 7⁄8 "	
Controls		Rangetop features		
High resolution display	•	Sealed Dual Flow Burners™	5	
Sabbath mode	•	Sealed range top	•	
		Simmer on all burners	140°F	
		Vent trim included	Flat vent trim	
Gas requirements		Rangetop Performance		
Fitting and pipe	½ NPT, min. 5⁄8" Ø flex	Centre	19000BTU	
Supply Pressure (LPG)	11" to 14" W.C	Left front zone rating	15000BTU	
		Left rear zone rating	11500BTU	
Oven features		Max burner power	19000BTU	
Concealed element	•	Power back left	11500BTU	
Electronic oven control	•	Power back right	11500BTU	
Full extension telescopic	2	Power centre	19000BTU	
Internal light	•	Power front left	15000BTU	
Pyrolytic self-clean	•	Power front right	15000BTU	
		Power griddle	24000BTU	
Oven functions		Right front zone rating	15000BTU	
Pyrolytic self-clean	•	Right rear zone rating	11500BTU	
		Total cooktop power	96000BTU	
Oven performance		Warranty		
Main Oven Shelf Positions	5	Parts and labour	2 years	
Main Oven Usable Capacity	3.8cu ft			
Power requirements				
Supply frequency	60Hz			

Other product downloads available at fisherpaykel.com



User Guide



Guide D'Utilisation



Service & Warranty Booklet



Installation Guide



Guide D'Installation



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W** www.fisherpaykel.com