

Dual Fuel Range, 48", 4 Burners, 4 Induction Zones, Self-cleaning

Series 9 | Professional

Stainless Steel | Natural gas




With both induction and gas cooktops and two convection ovens, you're ready to create a feast – guided by an intuitive touchscreen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 23,500 BTU, for seriously fast boiling
- Four induction cooking zones, which can be paired to form two SmartZones

- 6.9 cu ft total oven capacity across two oven cavities

DIMENSIONS

Height	35 ³ / ₄ - 36 ³ / ₄ "
Width	47 ⁷ / ₈ "
Depth	29 ¹ / ₈ "



FEATURES & BENEFITS

Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

Cooking flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop power

On the gas side of the cooktop, Sealed dual flow burners deliver power up to 23,500 BTU, while the induction side delivers up to 3700W. This finely tuned cooktop provides instant and immediate control from the highest heat to the most gentle simmer.

Design quality

This range has craftsmanship in every detail, with real stainless steel, high-quality glass, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function. The induction zones only need a quick wipe after use to keep them clean.

SPECIFICATIONS

Accessories

Square handle option	AH-R48
----------------------	--------

Cleaning		
Pyrolytic self-clean		•
Controls		
High resolution display		•
Sabbath mode		•
Gas requirements		
Fitting and pipe	½ NPT, min. 5/8" Ø flex	
Supply Pressure (natural gas)	6" to 9" W.C	
Oven features		
Concealed element		•
Electronic oven control		•
Full extension telescopic		2
Internal light		•
Pyrolytic self-clean		•
True convection		•
Oven functions		
Pyrolytic self-clean		•
Oven performance		
Main Oven Shelf Positions		5
Main Oven Usable Capacity		3.8cu ft
Power requirements		
Supply frequency		60Hz
Supply voltage		120 - 240V

Product dimensions		
Depth		29 1/8 "
Height		35 3/4 - 36 3/4 "
Width		47 7/8 "
Rangetop features		
Gentle heat		3 settings (111°F, 158°F, 201°F)
Heat settings		9
Induction cooking technology		•
PowerBoost		•
PowerBoost all zones		up to 3700W
Sealed Dual Flow Burners™		4
Sealed range top		•
Simmer on all burners		140°F
SmartZone		2
Vent trim included		Flat vent trim
Zone bridging		•
Rangetop Performance		
Left front zone rating		2100W/37000W
Left rear zone rating		2100W/37000W
Max burner power		23500BTU
Power back left		18500BTU
Power back right		18500BTU
Power front left		23500BTU
Power front right		18500BTU
PowerBoost all zones		up to 3700W
Right front zone rating		2100W/37000W
Right rear zone rating		2100W/37000W

Total cooktop power		79000BTU
Safety		
Pan detection system		•
Safety time out		•
Surface hot indicators		•
Warranty		
Parts and labor		Limited 2 Years Parts & Labor
SKU		
		81890

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. Â© Fisher & Paykel Appliances Ltd 2019.

Other product downloads available at fisherpaykel.com



User Guide



Guide D'Utilisation



Service & Warranty Booklet



Installation Guide



Guide D'Installation



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1300 650 590 **W** www.fisherpaykel.com