

800 Series, Induction Cooktop, 36'', Black NIT8660UC



The 800 Series induction cooktop is sleek in design, and features AutoChef[®] technology which maintains precise cooking.

- **DirectSelect Premium:** Direct, simple selection of the desired cooking zone, power and additional functions.
- AutoChef® regulates temperatures continuously during frying and adjusts them precisely as needed.
- With Home Connect[®], remotely monitor your cooktop to check if you inadvertently left it on.
- SpeedBoost[®] adds even more power to speed up the cooking process.
- **Cooktop Hood Sync:** convenient operation of the hood directly from your cooktop (with matching hood).

Technical Data

Sealed Burners : No Burners with booster : All Dimension of 1st heating element (in) : 7" Power of heating element (W) : 1.8 kW Dimension of 3rd heating element (in) : 7" Power of 3rd heating element (W) : 1.8 kW



Optional accessories

HEZ390210 : System pan diameter 15 cm HEZ390220 : System pan diameter 19 cm HEZ390230 : System pan diameter 21cm



800 Series, Induction Cooktop, 36", Black NIT8660UC

The 800 Series induction cooktop is sleek in design, and features AutoChef[®] technology which maintains precise cooking.

Design

- 5 Induction Cooking Zones
- PreciseSelect[®] Premium Direct Cooking Level Selection (17 Settings)
- Also Available with Stainless Steel Frame: NIT8660SUC

Efficiency

- SpeedBoost[®] Adds Even More Power to Speed Up the Cooking Process
- ShortBoost Ideal for Cooking With Oil, or Pans With Thin Walls or Non-Stick Coating
- PotSense[™] Automatically Adjusts Cooking Element to the Size of the Pan Bottom

Convenience


- With Home Connect[™], the Bosch Cooktop and Matching Hood Operate Perfectly in Sync for an Easier Life
- Use the Kitchen Timer to Measure Cooking Time or as a Reminder
- Count Up Timer Stopwatch Function That Enables Close Monitoring of the Progress of Each Dish
- AutoChef® Frying Sensor With 5 Automatic Programs
- Keep Warm Function Low Setting for Keeping Food Warm at the Touch of a Button
- ReStart Quickly Reinstates Previous Settings

Safety


- ChildLock Prevents the Cooktop from Being Accidentially Switched on. Locks Temperature Settings if in Use.
- Digital 2-Stage Residual Heat Indicator for Each Cooking Zone
- Wipe Protection Quickly Pauses Settings to Clean as You Go



800 Series, Induction Cooktop, 36", Black NIT8660UC




* Minimum distance from the hob cut-out




Measurements in inches (mm)

Measurements in inches (mm)



30" Built-in oven – under induction cooktop



Dimensions based on standard countertop height (36" with $43/4^{\rm m}$ toe kick including base plate).

The built-in oven can be installed below the induction cooktop as long as there is a minimum 1" (26) clearance between the bottom of the cooktop and the top of the oven.

measurements in inches (mm)