

FAB5ULBL3



Product Family Refrigerator
Installation Free standing

Model notes Due collegamenti presenti sul retro

del prodotto: - POWER: per

funzionamento del prodotto - SIGNAL: per attivare la funzione SMART Un cavo incluso (per collegamento

POWER)

Category One Door
Defrost Automatic
Hinge position Left

EAN code 8017709289751



Aesthetics

ColourBlackSide materialSteelFinishingGlossySide colourBlackAesthetics50's StyleLogoApplied

Material Heat-moulded Alternative colours White, Black, Cream, Red

available

Refrigerator compartment features

Glass

No. of adjustable 2

shelves

Type of adjustable

shelves

Internal light in fridge Type of internal light

(fridge)

Yes LED

Refrigerator Inner Door

Number of adjustable 1

door shelves

Adjustable door shelves Yes

with wire support

No. of bottle shelves 1
Bottle shelves with wire Yes

support

Other technical features

Type of temperature control

No. of compressors

Electro-mechanical

1



Refrigerant gas type Foam agent R600a Cyclopentane

Performance / Energy Label - Reg. 2019

Airborne acoustical noise emissions

40 dB(A) re 1pW

Climate class


SN, N, ST, T


Electrical Connection


Plug Current Voltage (V) (A) USA e Messico 0.89 A 110 V


Frequency (Hz)
Power supply cable
length

60 Hz 70 7/8 "













Not included accessories

KITCABLE90UK

Cable with IEC connector and UK plug



Symbols glossary (TT)



The automatic defrost system works by automatically defrosting at regular intervals eliminating the need to defrost altogether.



LED interior lighting: is a more energy efficient and long lasting way of illuminating the interior of the appliance.