

SOU330X1



Category Product Family Power supply Heat source Cooking method Cleaning system EAN code 30" Oven Electric ELECTRICITY Thermo-ventilated Pyrolitic 8017709204501




Aesthetics

Aesthetic Colour Finishing Design Material Type of steel Glass Type	Classica Stainless steel Fingerproof Flat Stainless steel Brushed Eclipse	Serigraphy colour Serigraphy type Door Handle Handle Colour Logo	Black Symbols and wordings With 2 horizontal strips Classic Inox Embossed
Controls			
Control setting	Knobs & buttons	Control knobs	Classic
No. of controls	2	Controls colour	Steel effect
Programs / Fur	nctions		
No. of cooking functio Traditional cooking f		11	
Static	Circulaire		「urbo
Large grill	🛞 Circulaire	+ grill 💿 F	Pizza



Other functionsImage: Defrost by timeImage: Defrost by weightImage: Defrost by weightImage: SabbathImage: DehydrateCleaning functionsImage: DehydrateImage: PirolysisImage: Dehydrate

Options



Technical Features

<u>به</u> الله الله الله الله الله الله الله ال	٥ <u>ـ</u>		
Minimum Temperature	30 °F	Circular heating element	1300 W
Maximum temperature	290 °F	- Power	
No. of shelves	6	Circular heating element	1300 W
Shelves type	Molded sides	2 - Power	
N. of fans	2	Heating suspended	Yes
No. of lights	3	when door is opened Removable door	Vaa
Light type	Halogen		Yes
Light Power	20 W	Total no. of door glasses	4
Light when door is	Yes	Safety Thermostat	Yes
opened	163	Cooling system	Tangential
Lower heating element	3000 W	Door Lock During Pyrolisis	Yes
Upper heating element - Power	1032 W	Usable cavity space dimensions (HxWxD)	410x610x415; mm
Large grill - Power	3500 W	Temperature control	Electronic
		Cavity material	Enamel

Performance / Energy Label



Net volume of the cavity 3.64 cu.ft.

Number of cavities 1

Accessories Included




SMEG SPA



Enamelled tray (20mm)	1	Rack with back and side stop	2
Insert gird	1	-	
Telescopic Guide rails, total Extraction	1	Temperature probe	Yes, single point

Electrical Connection

Voltage	120/240 V	Current 2	17.5 A
Current	16.9 A	Frequency (Hz)	60 Hz
Nominal power	3535 W	Power supply cable	78 3/4 "
Voltage 2	120/208 V	length	






Not included accessories

STONE

Rectangular refractory stone Ideal for cooking pizzas with the same results as a typical woodfired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



Symbols glossary (TT)



allotted



Г				2
L			_	п
L		-	=	ы
т	-	_	=	ж
н		-	- 1	o

Rapid preheating: cooking is preceded by the preheating phase which allows the cooking compartment to reach the set temperature. This option reduces the time by up to 50%.



The oven cavity has 6 different cooking levels.



Electronic control: Allows you to maintain temperature inside the oven with the precision 2-3 ° C. This enables to cook meals that are very sensitive to temperature changes, such as cakes, souffles, puddings. i

SABBATH: function that allows to cook food respecting Judaism's day of rest provisions.

	۰.	~	
	÷	-	-
-	2	_	٢
٠	-	_	٢

Telescopic rails: allow you to pull out the dish and check it without having to remove it from the oven entirely.



The capacity indicates the amount of usable space in the oven cavity in litres.